

The small-cetacean fauna of the west coast of Africa and Macaronesia: diversity and distribution

William F. Perrin¹ and Koen Van Waerebeek²

¹ NOAA Fisheries, Southwest Fisheries Science Center

8604 La Jolla Shores Drive, La Jolla, California, 92037, USA. E-mail: william.perrin@noaa.gov

² Conservation and Research of West African Aquatic Mammals (COREWAM)

c/o Ecological Laboratory, P.O. Box LG 99, University of Ghana, Legon, Ghana;
and CEPEC, Museo de Delfines, Lima-20, Peru. E-mail: corewam@gmail.com

This review is an attempt to summarize the existing information in the literature on distribution of small cetaceans in the region, by species and by country. A constraint on the time available for preparation has limited the scope of the review; it is not exhaustive, and records not noted here undoubtedly exist, especially for Macaronesia. The summary tables given here can serve as a basis for further review. The tables and list of references consulted are available from the authors as electronic files.

The area covered includes the entire west coast of Africa from Morocco to South Africa (Atlantic coast) and the archipelagos of Macaronesia

(Canary Islands, Madeira, Azores and Cape Verde Islands). Little is known about the distribution of most small cetaceans along the west coast of Africa; roughly 25-30 species are thought to occur there, depending on the source consulted (Jefferson *et al.*, 1993; Rice, 1998; Culik, 2004; IUCN Red List, 2007; others). The small cetacean fauna of most of Macaronesia is better known, as there have been a number of cetological surveys, stranding programs, and reviews initiated there in recent years (e.g. Steiner and Gordon, 1993; Martin *et al.*, 1992; Hazevoet and Wenzel, 2000; Moore *et al.*, 2003; Silva *et al.*, 2003). Records of a total of 31 species were found in the present review.

The records on which the table is based are of varying reliability. Some are confirmed by specimens, photographs, or the opinion of an on-site expert; many others are not. Unless it could be determined from data or photographs in the reference that the record was likely to be erroneous, it was included. The aim was to develop an overall picture of diversity and distribution. Before a definitive checklist can be developed for a country, the putative records should each be closely checked for likely validity. The tables are organized with countries and territories arranged roughly from north to south and the small-cetaceans grouped into 1) north-temperate, 2) tropical, 3) south-temperate, 4) antitropical, and 5) cosmopolitan species.

Some of the north-temperate species (Table 1) have been recorded as far south as Senegal (*Phocoena phocoena*) or Guinea Bissau (*Mesoplodon mirus*), but their core range is likely to be restricted to cooler waters from northern Mauritania.

Many of the mainly tropical species have been recorded from the Azores, reflecting the influence of the northeastern extension of the Gulf Stream. While all have been recorded from Senegal and many from Côte d'Ivoire, the small-cetacean fauna of most of the tropical waters of West Africa remains very poorly known. For example, none have been recorded in the references seen from São Tomé and Príncipe, Togo or Nigeria. All or most of the tropical dolphins and small toothed whales can be expected to occur along the entire coast, although it is possible that some species may have been extirpated by fisheries bycatch in the waters of some countries (e.g., see Van Waerebeek *et al.*, 2003, 2009 and Van Waere-

beek, 2006b on *Sousa teuszii*). The occurrence of both north-temperate and tropical species in the northern portions of the region is due to complex oceanographic structure, including seasonal and interannual shifts in sea-surface temperature and other features. For example, marked interannual differences occur in the species make-up of small cetaceans around the Azores (Clua and Grosvaler, 2001).

Three of four south-temperate species (Table 2) have only been recorded from the waters of Namibia and South Africa; the fourth, Heaviside's dolphin (*Cephalorhynchus heavisidii*), also occurs off Angola, in the south of the country.

Two species have antitropical distributions. *Mesoplodon mirus* has been recorded only from the Azores and the Canary Islands in the north and South Africa in the south. *Globicephala melas* has been recorded from as far south as Mauritania in the north and from South Africa in the south.

The more cosmopolitan species are well known from the north down to Senegal and from the far south but not from the intervening region, where they all can be expected to occur. The exception is the killer whale (*Orcinus orca*), which is easily seen and identified.

The relative lack of information on the distribution of tropical and cosmopolitan species in the waters of the countries of tropical West Africa suggests a need for increased field research there, to conduct surveys of distribution and abundance, collect data on bycatch in fisheries, and collect stranded and bycaught animals for confirmation of species and study of their systematics, life history and ecology.

Table 1. Reported distribution of north-temperate and tropical small cetaceans on the west coast of Africa and in Macaronesia. P = reported present.

	NORTH-TEMPERATE SPECIES					TROPICAL SPECIES										
	<i>Hyperoodon ampullatus</i>	<i>Mesoplodon bidens</i>	<i>Mesoplodon europaeus</i>	<i>Phocoena phocoena</i>	<i>Mesoplodon densirostris</i>	<i>Feresa attenuata</i>	<i>Globicephala macrorhynchus</i>	<i>Grampus griseus</i>	<i>Lagenodelphis hosei</i>	<i>Peponocephala electra</i>	<i>Pseudorca crassidens</i>	<i>Sousa teuszii</i>	<i>Stenella attenuata</i>	<i>Stenella clymene</i>	<i>Stenella frontalis</i>	<i>Stenella longirostris</i>
Azores (Portugal)	P	P	P		P		P	P			P					
Morocco	P			P			P			P						
Western Sahara				P								P				
Madeira (Portugal)	P			P	P											P
Canary Islands (Spain)	P	P	P		P	P	P	P						P	P	P
Mauritania				P	P		P	P		P		P		P	P	P
Cape Verde Islands						P	P	P		P		P		P	P	P
Senegal				P	P	P	P	P	P	P	P	P	P	P	P	P
The Gambia						P				P		P		P		
Guinea Bissau	P					P	P	P		P		P				
Guinea - Conakry						P				P	P	P		P	P	P
Sierra Leone																
Liberia																P
Ivory Coast						P	P			P		P		P	P	P
Ghana						P	P	P	P	P		P		P	P	P
Togo												P				
Benin									P			P				
Nigeria													P			
Cameroon																
Equatorial Guinea						P						P		P		
Sao Tome & Principe																
Gabon										P	P	P				
Congo - Brazzaville												P				
Dem. Rep. of the Congo																
Angola										P		P				
Namibia						P										P
South Africa (Atl. Coast)					P	P	P									

Table 2. Reported distribution of south-temperate, antitropical and cosmopolitan small cetaceans on the west coast of Africa and in Macaronesia. P = reported present.

	SOUTH-TEMPERATE SPECIES					ANTI-TROPICAL SPP.	COSMOPOLITAN SPECIES						
	<i>Mesoplodon grayi</i>	<i>Mesoplodon layardii</i>	<i>Cephalorhynchus heavisidii</i>	<i>Lagenorhynchus obscurus</i>	<i>Lissodelphis peronii</i>	<i>Mesoplodon mirus</i>	<i>Globicephala melas</i>	<i>Kogia breviceps</i>	<i>Kogia sima</i>	<i>Ziphius cavirostris</i>	<i>Delphinus capensis</i>		
Azores					P	P	P	P			P	P	P
Morocco					P			P		P	P		P
Western Sahara										P	P		
Madeira						P				P	P		P
Canary Islands					P	P	P	P	P	P	P	P	P
Mauritania					P	P	P			P	P	P	P
Cape Verde Islands					P		P			P	P	P	P
Senegal						P	P	P	P	P	P	P	P
The Gambia					P			P		P		P	P
Guinea Bissau										P			P
Guinea - Conakry					P			P				P	
Sierra Leone													
Liberia											P		
Ivory Coast										P	P		P
Ghana							P	P	P	P	P		P
Togo								P		P	P		
Benin													
Nigeria													
Cameroon											P		
Equatorial Guinea												P	
Sao Tome & Principe										P		P	
Gabon									P	P	P		
Congo - Brazzaville									P	P			
Dem. Rep. Congo									P	P			
Angola		P							P	P	P		
Namibia	P	P	P	P	P	P	P	P	P	P	P	P	
South Africa (Atl.)	P	P	P	P	P	P	P	P	P	P	P	P	

References

- Annabam & López, A. (1994). Cráneo de *Mesoplodon densirostris* das aguas do norte de África. *Eubalaena* 5:7-13.
- Anonymous. (2001). Report of the Workshop on the Conservation and Management of Small Cetaceans of the Coast of Africa (translation from the French by W. F. Perrin). CMS/ScC/Inf. 20.
- Addink, M.J. & Smeenk, C. (2001). Opportunistic feeding behaviour of rough-toothed dolphins *Steno bredanensis* off Mauritania. *Zoölogische Verhandelingen Leiden* 334:37-48.
- Bamy, I.L., Van Waerebeek, K., Bah, S.S., Dia, M., Kaba, B., Keita, N., Konate, S. & Tall, H. (2006). The cetaceans of Guinea, a first check-list of documented species. IWC Scientific Committee document SC/58/O15. 7pp.
- Bamy, I.L., Kaba, B., Konate, S., Keita, N., Dia, M., Tall, H. & Van Waerebeek, K. (2012). Inventory and status of cetaceans in Guinea. In *Conserving cetaceans and manatees in the western African region*. CMS Technical Series No. 26. UNEP/CMS. 18pp.
- Bayed, A. & Beaubrun, P.-Ch. (1987). Les mammifères marins du Maroc: Inventaire préliminaire. *Mammalia* 51:431-440.
- Best, P.B. (1970). Records of the pygmy killer whale, *Feresa attenuata*, from southern Africa, with notes on behaviour in captivity. *Annals of the South African Museum* 57:1-14, pl. 1-9.
- Borobia, M. (1996). Notes on whaling catch statistics and the genus *Lagenorhynchus* in West and Central Africa. IWC Scientific Committee document SC/48/SM51.
- Borobia, M. (1997). Small cetaceans of eastern, western and central African regions: a summary report. IWC Scientific Committee document SC/49/SM48.
- van Bree, P.J.H. (1968). On a skull of *Peponocephala electra* (Gray, 1846) (Cetacea, Globicephalinae) from Sénégal. *Beaufortia* 177:193-202.
- van Bree, P.J.H., Best, P.B. & Ross, G.J.B. (1978). Occurrence of the two species of pilot whales (genus *Globicephala*) on the coast of South Africa. *Mammalia* 42:323-328.
- Brown, S.G. (1982). Southern right whale dolphins off the south west African coast. *Marine Observer* 52:33-34.
- Cadenat, J. (1948). Observations de Cétacés au Sénégal. *Notes Africaines* 34:20-23.
- Cadenat, J. (1956). Un Delphinidae encore mal connu de la côte occidentale d'Afrique: *Sotalia teuszii* Kukenthal 1892. *Bulletin de l' IFAN* 18, sér. A:556-566.
- Cadenat, J. (1957). Observations de Cétacés, Siréniens, Chéloniens et Sauriens en 1955-1956. *Bulletin de l' IFAN* 19, sér. A:1358-1375.
- Cadenat, J. (1958). Notes sur les Delphinidés ouest-africains. 2. Un spécimen du genre *Feresa* capturé sur les côtes du Sénégal. *Bulletin de l'IFAN* 20, sér. A: 1486-1493.
- Cadenat, J. (1959). Rapport sur les petits Cétacés ouest-africains. Résultats des recherches entreprises sur ces animaux jusqu'au mois de mars 1959. *Bulletin de l'IFAN* 21, sér. A:1367-1409, pl .1-31.
- Cadenat, J. & Doutre, M. (1958). Notes sur les Delphinidés ouest-africains. 1. Un *Prodelphinus?* indéterminé des côtes du Sénégal. *Bulletin de l'IFAN* 20, sér. A:1483-1485.
- Cadenat, J. & Doutre, M. (1959). Notes sur les Delphinidés ouest-africains. 5. Sur un *Prodelphinus* à long bec capturé au large des côtes du Sénégal *Prodelphinus longirostris* (Gray) 1828? *Bulletin de l'IFAN* 21, sér. A:787-792, pl. 1-6.
- Cadenat, J. and Paraiso, F. (1957). Nouvelle observation de *Sotalia* (Cétacé, Delphinidé) sur les côtes du

Sénégal. *Bulletin de l'IFAN* 19, sér. A:324-332.

Carrillo, M. & López-Jurado, L.F. (1998). Structure and behaviour of a Blainville's beaked whale (*Mesoplodon densirostris*) group in Tenerife (Canary Islands). The World Marine Mammal Science Conference, Monaco, 20-24 January 1998. Abstracts: 24.

Cassens, I., Van Waerebeek, K., Best, P.B., Tzika, A., van Helden, A., Crespo, E.A. & Milinkovitch, M.C. (2004). Evidence for male dispersal along the coasts but no migration in pelagic waters in dusky dolphins (*Lagenorhynchus obscurus*). *Molecular Ecology* 14:107-121.

Clarke, R. (1981). Whales and dolphins of the Azores and their exploitation. *Reports of the International Whaling Commission* 31:607-615.

Clua, E. & Grosvaler, F. (2001). Mixed-species feeding aggregations of dolphins, large tunas and seabirds in the Azores. *Aquatic Living Resources* 14:11-18.

Culik, B.M. (2004). Review of small cetaceans. Distribution, behaviour, migration and threats. UNEP/CMS Secretariat, Bonn, Germany.

Donahue, M.A. & Edwards, E.F. (1996). An annotated bibliography of available literature regarding cetacean interactions with tuna purse-seine fisheries outside of the eastern tropical Pacific. Southwest Fisheries Science Center Administrative Report LJ-96-20.

Duguy, R. (1976). Contribution à l'étude des mammifères marins de la côte nord-ouest Afrique. *Revue de Travail de l'Institut de Pêches maritimes* 39:321-332.

Dupuy, A.R. (1975). Un orque épaulard dans la baie de Hann (Sénégal). *Notes Africaines* 142:40-42.

Dupuy, A.R. and Maigret, J. (1976). Les Mammifères marins des côtes du Sénégal. 2. Observations signalées en 1977. *Bulletin de l'IFAN* 38, sér. A:922-928.

Dupuy, A.R. and Maigret, J. (1978). Les Mammifères marins des côtes du Sénégal. 2. Observations signalées en 1977. *Bulletin de l'IFAN* 40, sér. A:458-465.

Dupuy, A.R. and Maigret, J. (1979). Les Mammifères marins des côtes du Sénégal. 3. Observations signalées en 1978. *Bulletin de l'IFAN* 41, sér. A:430-439.

Dupuy, A.R. and Maigret, J. (1980). Les Mammifères marins des côtes du Sénégal. 4. Observations signalées en 1979. *Bulletin de l'IFAN* 41, sér. A:401-409.

Dupuy, A.R. and Maigret, J. (1982). Les Mammifères marins des côtes du Sénégal. 5. Observations signalées en 1980-1981. *Bulletin de l'IFAN* 44, sér. A:213-220.

Fertl, D., Jefferson, T.A., Moreno, I., Zerbini, A.N. & Mullin, K.D. (2003). Distribution of the Clymene dolphin *Stenella clymene*. *Mammal Review* 33:253-271.

Findlay, K.P., Best, P.B., Ross, G.J.B. & Cockcroft, V.G. (1992). The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *South African Journal of Marine Science* 12:237-270.

Fraser, F.C. (1949). A specimen of *Sotalia teuszii* Kükenthal from the coast of Senegal. *Journal of Mammalogy* 30:274-276.

Fraser, F.C. (1950). Description of a dolphin *Stenella frontalis* from the coast of French Equatorial Africa. *Atlantide Reports* 1:61-84, pl. 6-9.

Fraser, F.C. (1958). Common or harbour porpoises from French West Africa. *Bulletin de l'IFAN* 20, sér. A:276-285.

Fraser, F.C. (1960). A specimen of the genus *Feresa* from Senegal. *Bulletin de l'IFAN* 22, sér. A:700-707.

Fraser, F.C. (1973). Record of a dolphin (*Sotalia teuszii*) from the coast of Mauritania. *Transactions of the New York Academy of Sciences*, Ser. 2, 35:132-135.

- Haase, B.J.M. (1987). A group of goose-beaked whales *Ziphius cavirostris* G. Cuvier, 1823 near the Cape Verde Islands. *Lutra* 30:107-108.
- Hazevoet, C.J. & Wenzel, F.W. (2000). Whales and dolphins (Mammalia, Cetacea) of the Cape Verde Islands, with special reference to the humpback whale *Megaptera novaeangliae* (Borowski, 1781). *Contributions in Zoology* 69:197-211.
- Hervé-Gruyer, C. (1989). Sightings and behaviour of cetaceans of the Canary Islands. *European Research on Cetaceans* 3:71-72.
- Jallow, A., Cham, A.M., Barnett, L. & Van Waerebeek, K. (2005). Conservation of cetaceans in The Gambia: whale and dolphin field research. pp. 37-54. In: *Proceedings from the First Biodiversity Research Symposium The Gambia*. Ed. L. Barnett, Makasufu Wildlife Trust, Darwin Initiative Project, The Gambia.
- Jefferson, T.A. & Curry, B.E. (2003). *Stenella clymene*. *Mammalian Species* 726:1-5.
- Jefferson, T.A., Leatherwood, S. & Webber, M.A. (1993). Marine mammals of the world. FAO, Rome.
- Jefferson, T.A., Curry, B.E., Leatherwood, S. & Powell, J.A. (1997). Dolphins and porpoises of West Africa: a review of records (Cetacea: Delphinidae, Phocoenidae). *Mammalia* 6:87-108.
- Joleaud, L. (1934). Cétacés du Maroc. *La Nature* 2827: 360-363.
- de Kock, A.C., Best, P.B., Cockcroft, V. & Bosma, C. (1994). Persistent organochlorine residues in small cetaceans from the east and west coasts of southern Africa. *Science of the Total Environment* 154:153-162.
- MacLeod, C.D., Perrin, W.F., Pitman, R., Barlow, J., Ballance, L., D'Amico, A., Gerrodette, T., Joyce, G., Mullin, K.D., Palka, D.L. & Waring, G.T. (2006). Known and inferred distributions of beaked whale species (Cetacea: Ziphiidae). *The Journal of Cetacean Research and Management* 7:271-286.
- McCann, C. & Talbot, F.H. (1964). The occurrence of True's beaked whale (*Mesoplodon mirus* True) in South African waters, with a key to South African species of the genus. *Proceedings of the Linnean Society of London* 175:137-144, pl. 1-6.
- Maigret, J. (1972-1976). Les Mammifères marins des côtes de Mauritanie. État des observations en 1960. *Bulletin du Centre National de Recherches Océanographiques des Pêches*, Nouadhibou 9:130-152.
- Maigret, J. (1979a). Bibliographie pour servir à l'étude de Mammifères marins des côtes nord-ouest africaines. Groupe d'Étude de Mammifères Marins de l'Atlantique Tropical Africain (GEMMATA). Doc. Scient. 1:1-9.
- Maigret, J. (1979b). Les échouages massifs de Cétacés dans la région du Cap-Vert (Sénégal). *Notes Africaines* 161:23-28.
- Maigret, J. (1980). Données nouvelles sur l'écologie du *Sousa teuszii* (Cetacea, Delphinidae) de la côte ouest africaine. *Bulletin de l'IFAN* 42, sér. A:619-633.
- Maigret, J. (1981). Rapport Mammifères marin/pêche dans l'Atlantique tropical. Groupe d'Étude de Mammifères Marins de l'Atlantique Tropical Africain (GEMMATA). Document Scientifique 3:3-9.
- Maigret, J. (1982). Recherches scientifiques dans les parcs nationaux du Sénégal. XVIII. Les Mammifères marins du Sénégal. État des observations dans les parcs nationaux. *Mémoire de l'IFAN* 92:221-231.
- Maigret, J. (1990). Observations d'Orques *Orcinus orca* Linné, 1758 sur les côtes nord ouest africains. *Bulletin de l' IFAN* 47 A:190-197.
- Maigret, J. (1994). Marine mammals and fisheries along the West African coast. Pages 307-316 in Gillnets and cetaceans (W.F. Perrin, G.P. Donovan and J. Barlow, eds.). *Report of the International Whaling Commission*. (Special Issue) 15.
- Maigret, J. & Robineau, D. (1981). Le genre *Kogia* (Cetacea, Physeteridae) sur les côtes du Sénégal. *Mammalia* 45:199-204.

- Martin, A.R. (1986). Feeding association between dolphins and shearwaters around the Azores Islands. *Canadian Journal of Zoology* 64:1372-1374.
- Martin, A.R. (1988). Cetaceans around the central Azores Islands in the summers of 1985 and 1986. *Mammalia* 52:541-547.
- Martin, V.R., Montero, R., Escorza, S. & Vonk, R. (1990). Records of the Gulf Stream beaked whale (*Mesoplodon europaeus*) on the Canary Islands coast. Fourth Annual Conference of the European Cetacean Society, Palma de Mallorca, 2-4 March 1990. Abstracts: 55.
- Martin, V., Vonk, R., Escorza, S. & Montero, R. (1990). Records of Gervais' beaked whale *Mesoplodon europaeus* on the Canary Islands. *European Research on Cetaceans* 4:95.
- Martin, V., Montero, R. & Heimlich-Boran, S. (1992). Preliminary observations of the cetacean fauna of the Canary Islands. *European Research on Cetaceans* 6:61-65.
- Maul, G.E. Sergeant, D.E. (1977). New cetacean records from Madeira. *Bocagiana* 43:1-8.
- Montero, R. & Martin, V. (1992). First account on the biology of Cuvier's beaked whale, *Ziphius cavirostris*, in the Canary Islands. *European Research on Cetaceans* 6:97-99.
- Moore, M., Steiner, L. & Jann, B. (2003). Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales. *Aquatic Mammals* 29:383-389.
- Murphy, P.F., Van Waerebeek, K. & Jallow, A. (1997). Cetaceans in Gambian coastal waters. IWC Scientific Committee document SC/49/SM11, Bournemouth, UK. 8pp.
- Nieri, M., Grau, E., Lamarche, B. & Aguilar, A. (1999). Mass mortality of Atlantic spotted dolphins (*Stenella frontalis*) caused by a fishing interaction in Mauritania. *Marine Mammal Science* 15:847-854.
- Nores, C. & Pérez, C. (1988). Overlapping range between *Globicephala macrorhynchus* and *Globicephala melaena* in the northeastern Atlantic. *Mammalia* 52:51-55.
- Ofori-Danson, P.K., Van Waerebeek, K. & Debrah, S. (2003). A survey for the conservation of dolphins in Ghanaian coastal waters. *Journal of the Ghana Science Association* 5(2):45-54.
- Ofori-Danson, P.K. & Odei, M.A. (1997). Preliminary observations of the common dolphin, *Delphinus delphis*, (order Cetacea; fam. Delphinidae) in the Ghanaian coastal waters. IWC Scientific Committee document SC/49/SM3.
- Peddemors, V.M. (1999). Delphinids of southern Africa: A review of their distribution, status and life history. *The Journal of Cetacean Research and Management* 1:157-165.
- Pelletier, F.X. (1975). Symbiose entre l'Amrig et le dauphin sur la côte Mauritanienne. Pages 171-176 in *L'homme et l'animal*. Institut International d'Etnosciences, Paris.
- Perrin, W.F. (1998). *Stenella longirostris*. *Mammalian Species* 599:1-7.
- Perrin, W.F. (2001). *Stenella attenuata*. *Mammalian Species* 683:1-8.
- Perrin, W.F. (2002). *Stenella frontalis*. *Mammalian Species* 702:1-6.
- Perrin, W.F., Mitchell, E.D., Mead, J.G., Caldwell, D.K. & van Bree, P.J.H. (1981). *Stenella clymene*, a rediscovered tropical dolphin of the Atlantic. *Journal of Mammalogy* 62:583-598.
- Perrin, W.F., Mitchell, E.D., Mead, J.G., Caldwell, D.K., Caldwell, M.C., van Bree, P.J.H. & Dawbin, W.H. (1994). Revision of the spotted dolphins, *Stenella* spp. *Marine Mammal Science* 3:99-170.
- Picanço, C., Carvalho, I. & Brito, C. (2009) Occurrence and distribution of cetaceans in São Tomé and Príncipe tropical archipelago and their relation to environmental variables. *Journal of the Marine Biological Association of the United Kingdom* 89(5):1071-1076.
- Plön, S.E.E., Bernard, R.T.F., Cockcroft, V.G.C. & Best, P.B.B. (1997). Age, growth and reproduction of pygmy

(*Kogia breviceps*) and dwarf (*Kogia simus*) sperm whales stranded along the southern African coastline. IWC Scientific Committee document SC/49/SM45.

Reiner, F. (1986). First record of Sowerby's beaked whale from Azores. *Scientific Reports of the Whales Research Institute* 37:103-107.

Reiner, F. (1990). Records of marine mammals of the Azorean islands. *Garcia de Orta, Série de Zoologia, Lisboa* 15:21-36.

Reiner, F., dos Santos, M.E. & Wenzel, F.W. (1996). Cetaceans of the Cape Verde Archipelago. *Marine Mammal Science* 12:434-443.

Rice, D.W. (1998). Marine mammals of the world. Systematics and distribution. Society of Marine Mammalogy Special Publication 4.

Rice, F.H. & Saayman, G.S. (1987). Distribution and behaviour of killer whales (*Orcinus orca*) off the coasts of southern Africa. *Investigations on Cetacea* 20:231-250.

Ritter, F. (2002). Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans. *Aquatic Mammals* 28:46-59.

Robineau, D. & Vely, M. (1993). Stranding of a specimen of Gervais' beaked whale (*Mesoplodon europaeus*) on the coast of West Africa (Mauritania). *Marine Mammal Science* 9:438-440.

Robineau, D. & Vely, M. (1997a). Données préliminaires (taille corporelle, craniométrie) sur le grand dauphin (*Tursiops truncatus*) des côtes d'Afrique du nord-ouest (Mauritanie, Sénégal). *Mammalia* 61:443-448.

Robineau, D. & Vely, M. (1997b). Small cetaceans in coastal waters of Mauritania (NW Africa). IWC Scientific Committee document SC/49/Info8.

Robineau, D. & Vely, M. (1998). Les cétacés des côtes de Mauritanie (Afrique du Nord-Ouest). Particularités et variations spatio-temporelles de répartition: rôle des facteurs océanographiques. *Revue d'Ecologie (La Terre et la Vie)* 53:123-152.

Robineau, D., Vely, M. & Maigret, J. (1994). *Stenella clymene* (Cetacea, Delphinidae) from the coast of West Africa. *Journal of Mammalogy* 75:766-767.

Rose, B. & Payne, A.I.L. (1991). Occurrence and behavior of the southern right whale dolphin *Lissodelphis peronii* off Namibia. *Marine Mammal Science* 7(1):25-34.

Ross, G.J.B. (1979). Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons. *Annals of the Cape Provincial Museum (Natural History)* 11:259-327.

Ross, G.J.B. & Tietz, R.M. (1972). Records of Cuvier's beaked whale, *Ziphius cavirostris* from southern Africa. *Annals of the Cape Provincial Museum (Natural History)* 9:1-10.

Segniagbeto, G.H. & Van Waerebeek, K. (2012). Some data on the presence of cetaceans in Togo's marine waters. In *Conserving cetaceans and manatees in the western African region*. CMS Technical Series No. 26. UNEP/CMS. 31pp.

Silva, M.A., Feio, R., Prieto, R., Gonçalves, J.M. & Santos, R.S. (2002). Interactions between cetaceans and the tuna fishery in the Azores. *Marine Mammal Science* 18:893-901.

Silva, M.A., Prieto, R., Magalhães, S., Cabecinhas, R., Cruz, A., Gonçalves, J.M. & Santos, R.S. (2003). Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000. *Aquatic Mammals* 29:77-83.

Steiner, L., Gordon, J. & Beer, C.J. (1998). Marine mammals of the Azores. The World Marine Mammal Science Conference, Monaco, 20-24 January 1998. Abstracts: 128.

Steiner, L. & Gordon, J. (1993). Cetacean sightings in the Azores 1987-1991 (excluding sperm whales).

European Research on Cetaceans 7:152.

Tchibozo, S. & Van Waerebeek, K. (2012). The humpback whale, West African manatee and dolphins are potential resources of nature tourism in Benin. In *Conserving cetaceans and manatees in the western African region*. CMS Technical Series No. 26. UNEP/CMS. 34pp.

Van Waerebeek, K. (1997). Long-beaked and short-beaked common dolphins sympatric off Central-West Africa. IWC Scientific Committee document SC/49/SM46.

Van Waerebeek, K. (2003). A newly discovered stock of humpback whales in the northern Gulf of Guinea. CMS Bulletin 18:6-7.

Van Waerebeek, K. (2007a). Conservation status of the Clymene dolphin in West Africa. CMS/Sc14/Doc. 5.

Van Waerebeek, K. (2007b). Conservation status of the Atlantic humpback dolphin, a compromised future? CMS/Sc14/Doc. 6.

Van Waerebeek, K. (2007c). Conservation status of the Northwest Atlantic population of the harbour porpoise. CMS /ScC14/Doc. 7.

Van Waerebeek, K. & De Smet, W.M.A. (1996). A second record of the false killer whale *Pseudorca crassidens* (Owen, 1846) (Cetacea, Delphinidae) from West Africa. *Mammalia* 60(2):319-322.

Van Waerebeek, K. & Jefferson, T. (2004). Dolphins under threat. Conservation of humpback dolphins. *Species* 41.

Van Waerebeek, K., Barnett, L., Camara, A., Cham, A., Diallo, M., Djiba, A., Jallow, A.O., Ndiaye, E., Samba Ould Bilal, A.O. & Bamy, I.L. (2004). Distribution, status and biology of the Atlantic humpback dolphin *Sousa teuszii* (Kükenthal, 1892). *Aquatic Mammals* 30(1):56-83.

Van Waerebeek, K., Diallo, M. & Ndiaye, E. (1997). Cetacean research in Senegal 1995-97, an overview. IWC Scientific Committee document SC/49/SM10, Bournemouth, UK. 8pp.

Van Waerebeek, K. & Ofori-Danson, P.K. (1999). A first checklist of cetaceans of Ghana, Gulf of Guinea, and a shore-based survey of interactions with coastal fisheries. IWC Scientific Committee document SC/51/SM35.

Van Waerebeek, K., Ofori-Danson, P.K. & Debrah, J. (2009) The cetaceans of Ghana: a validated faunal checklist. *West African Journal of Applied Ecology* 15:61-90.

Van Waerebeek, K., Ndiaye, E., Djiba, A., Diallo, M., Murphy, P., Jallow, A., Camara, A., Ndiaye, P. & Tous, P. (2000). A survey of the conservation status of cetaceans in Senegal, The Gambia and Guinea-Bissau. UNEP/CMS Secretariat, Bonn, Germany.

Van Waerebeek, K., Barnett, L., Camara, A., Cham, A., Diallo, M., Djiba, A., Jallow, A., Ndiaye, E., Samba Ould-Bilal, A.O. & Bamy, I.L. (2003). Conservation of cetaceans in The Gambia and Senegal, 1999-2001, and status of the Atlantic humpback dolphin. UNEP/CMS Secretariat, Bonn, Germany.

Van Waerebeek, K., Tchibozo, S., Montcho, J., Nobime, G., Sohou, Z., Sohouhoue, P. & Dossou, C. (2001). The Bight of Benin, a North Atlantic breeding ground of a Southern Hemisphere humpback whale population, likely related to Gabon and Angola substocks. IWC Scientific Committee document SC/53/IA21. 8pp.

Vialelle, S. (1997). Dauphins et baleines des Açores. Espaço Talassa, Porto, Portugal.

Vonk, R. & Martin Martel, V. (1988). First list of odontocetes from the Canary Islands, 1980-1987. *European Research on Cetaceans* 2:31-35.

Vonk, R. & Martin Martel, V. (1989). Goose-beaked whales *Ziphius cavirostris* mass strandings in the Canary Islands. *European Research on Cetaceans* 3:73-76.

Vonk, R. & Martin Martel, V. (1990). Fraser's dolphin *Lagenodelphis hosei* Fraser, 1956: First record on the Canary Islands. *European Research on Cetaceans* 4:70-71.

Weir, C.R. (2006a). Sightings of beaked whales (Cetacea: Ziphiidae) including first confirmed Cuvier's beaked

- whales *Ziphius cavirostris* from Angola. *African Journal of Marine Science* 28:173-175.
- Weir, C.R. (2006b). First confirmed records of Clymene dolphin, *Stenella clymene* (Gray, 1850), from Angola and Congo, south-east Atlantic Ocean. *African Zoology* 41:297-300.
- Weir, C.R., Debrah, J., Ofori-Danson, P.K., Pierpoint, C. & Van Waerebeek, K. (2008). Records of Fraser's dolphin *Lagenodelphis hosei* Fraser, 1956 from the Gulf of Guinea and Angola. *African Journal of Marine Science* 30(2):241-246.
- Wilson, C.E., Perrin, W.F., Gilpatrick Jr., J.W. & Leatherwood, S. (1987). Summary of worldwide locality records of the striped dolphin, *Stenella coeruleoalba*. NOAA Technical Memorandum NMFS-SWFC-90.

Conserving cetaceans and manatees in the western African region

Bonn, 2012



“

Compilation of articles based on the Scientific Symposium
of the Western African Talks on Cetaceans and their Habitats
(WATCH) in Adeje, Tenerife, 2007

Published by the Secretariat of the Convention on the Conservation of Migratory Species of Wild Animals (CMS) provided by the United Nations Environment Programme.

Conserving cetaceans and manatees in the western African region

2012. CMS Secretariat, Bonn, Germany. CMS Technical Series No. 26

Produced by: UNEP/CMS Secretariat, Bonn, Germany

Coordination team: Ana Berta García, Heidrun Frisch

Editing: Koen Van Waerebeek

Design: Ana Berta García, Sara García Antolín (cover)

Translation into English: Koen Van Waerebeek

© United Nations Environment Programme (UNEP) / Convention on Migratory Species of Wild Animals (CMS).

Cover photographs:

Sowerby's beaked whale: © Justin Hart, CetaceanWatching Lda. Contact: CetaceanWatching Lda, 9950-305 Cais da Madalena, Madalena do Pico - Azores, Portugal. E-mail: info@cwazores.com; web: www.cwazores.com

West African manatee: © Lucy Keith and Tomas Diagne. Contact: Lucy Keith, Research Scientist, Sea to Shore Alliance, 200 Second Avenue South, #315, St. Petersburg, FL 33701 USA. E-mail: lucywkeith@hotmail.com; sea2shore.org

Atlantic humpback dolphin: © Caroline R. Weir. Contact: Ketos Ecology, 44 Lord Hay's Grove, Aberdeen, AB24 1WS, United Kingdom. E-mail: Caroline.Weir@ketosecology.co.uk; web: www.ketosecology.co.uk

Heaviside's dolphin: © Namibian Dolphin Project. Contact: Dr. Simon Elwen, Mammal Research Institute, University of Pretoria, Iziko Museums of Cape Town, PO Box 61 Cape Town 8000 South Africa. E-mail: simon.elwen@gmail.com

This publication may be reproduced in whole or in part and in any form for education or non-profit purposes without special permission from the copyright holder, provided acknowledgement of the source is made. UNEP/CMS would appreciate receiving a copy of any publication that uses this publication as a source.

No use of this publication may be made for resale or for any other commercial purpose whatsoever without prior permission in writing from the United Nations Environment Programme as well as from the copyright holders detailed above.

DISCLAIMER

The contents of this volume do not necessarily reflect the views of UNEP or contributory organizations. The designations employed and the presentations do not imply the expression of any opinion whatsoever on the part of UNEP or contributory organizations concerning the legal status of any country, territory, city or area in its authority, or concerning the delimitation of its frontiers or boundaries.

Copies of this publication are available from the UNEP/CMS Secretariat, United Nations Premises.

UNEP/CMS Secretariat, Hermann-Ehlers-Str. 10, 53113 Bonn, Germany

Tel: (+49 228) 815 2401/ 02; Fax: (+49 228) 815 2449

Email: secretariat@cms.int

Web: www.cms.int

French and Spanish versions are available.

Acknowledgements: Robert Vagg, Neisha Burton, Matthias Makowski.

CMS Technical Series No. 26

Conserving cetaceans and manatees in the western African region

Compilation of articles based on the Scientific Symposium
of the Western African Talks on Cetaceans and their Habitats (WATCH)
in Adeje, Tenerife, 2007

UNEP/CMS

Bonn, 2012

