
COASTAL OCEAN TEMPERATURE (UPDATED)

Like global ocean temperatures, California coastal temperatures have warmed over the past century.



What is the indicator showing?

Sea surface temperature (SST) measured in La Jolla has increased by about 1°C since 1916, an annual warming rate of approximately 0.011°C—about twice higher than the global average rate of warming of 0.006°C/year over the last century (NCDC, 2005).

Why is this indicator important?

Temperature is one of the best-measured and most reliable signals of climate change. Global warming is unequivocal; the mean sea and land surface has increased by 0.74° C (+/- 0.18) over the last 100 years (IPCC, 2007e; NCDC, 2008). The rate of warming has been accelerating; the linear trend over the last 50 years is nearly twice that rate. Coastal ocean warming is consistent with this accelerating trend.

Ocean temperatures contribute to global sea level rise because warming water expands. Warmer waters also play a role in more extreme weather events, by influencing the energy and moisture of the atmosphere. Ecological impacts will include a northward shift in species distributions (Barry et al., 1995). Greater vertical stratification (layers of solar-heated water over layers of denser cold water) of the water column (Palacios et al., 2004) will reduce upwelling and the movement of nutrients into the photic zone (the depth of the water that is exposed to sufficient sunlight for photosynthesis to occur) reducing biological productivity (Roemmich and McGowan, 1995). Warming in rivers, estuaries, and wetlands could impact reproduction and survival of many species.

Temperature is one of several factors that influence the California marine ecosystem and its populations. It directly affects the range, growth and survival of many species, the location and production of food and predators, and fish catch. SST also influences other factors, including transport and water column structure that affect populations.

Ocean observations (Levitus et al., 2001) and global climate models (IPCC, 2007e) confirm that while some of the past variability in surface temperature was due to natural climate fluctuations, global greenhouse gas increases have contributed a significant portion of the observed warming trend. This growing database is an important resource for separating natural from anthropogenic climate changes in our coastal zone. This provides an indication of how future climate change will shape ecosystem structure and productivity, as well as the system's resilience and adaptability to future change.

What factors influence this indicator?

Upper ocean temperatures off California increased by over 1°C during the 20th Century and are projected to rise by another 2-3°C by 2100 (Snyder et al., 2003). Globally, ocean temperatures warm primarily because of the net heat flux from the atmosphere as the "greenhouse effect" increases atmospheric temperatures. The world's oceans have warmed to depths of 3000 meters during the past several decades (Levitus et al., 2001). Heat exchange with the atmosphere, which is evidenced by a more rapid rate of warming of near-surface waters, is the source of this trend.

Ocean currents redistribute heat, resulting in a greater warming rate at higher latitudes. Regionally, ocean temperatures can show much different trends, even local cooling (Mendelssohn and Schwing, 2002). On paleo-time scales, oceans have undergone extremes in warming and cooling coinciding with glacial cycles and the varying concentration of atmospheric CO_2 and other greenhouse gases.

The rate of warming at La Jolla has accelerated over the past 30 years, consistent with the global trend. However the rate of warming locally has been about 70% faster than the global average. Year-to-year variability at Scripps is also much greater than the global mean. The Scripps SST time series is significantly correlated with SST records throughout the north Pacific (McGowan et al., 1998), so the interannual variability as well as long-term trend at Scripps is seen throughout the rest of the ocean. It also reflects the trend in California upper ocean temperature over the past several decades (Mendelssohn and Schwing, 2002). SST variability relates to fluctuations in many California coastal marine populations as well (Goericke et al., 2007).

Technical Considerations

Data Characteristics

Daily SST is measured from the end of the Scripps Institution of Oceanography Pier in La Jolla CA. The proximity of Scripps Pier to the deep waters at the head of La Jolla

submarine canyon results in data quite representative of oceanic conditions along the California coast, and throughout much of the California Current marine ecosystem (Roemmich, 1992).

Temperature readings are collected in a Shore Stations Program which provides access to current and historical data records of SST and salinity observed along the west coast of the United States (<u>http://shorestation.ucsd.edu/</u>). Long-term records of ocean temperature are uncommon; the SST time series maintained at Scripps extends back to 1916, making this the longest continuous record of its kind on the United States west coast and the Pacific Rim.

Strengths and Limitations of the Data

Like many climate records, Scripps SST displays considerable interannual variability. El Niño-Southern Oscillation (ENSO) is responsible for anomalously warm (cool) ocean temperatures during El Niño (La Niña) events, with major El Niño events occurring every 5-10 years (UCAR, 1994). The west coast also is affected by multi-decadal variability in temperature, characterized by patterns such as the Pacific Decadal Oscillation, or PDO (Mantua et al., 1997), and the North Pacific Gyre Oscillation, or NPGO. Natural fluctuations in temperature and other physical factors that characterize ocean conditions and affect the marine ecosystem, make it difficult to isolate the magnitude of anthropogenic climate change. However, they also provide an indication of the ecosystem's sensitivity to extremes in temperature and other factors.

References:

Barry JP, Baxter CH, Sagarin RD and Gilman SE (1995). Climate-Related, Long-Term Faunal Changes in a California Rocky Intertidal Community. *Science* 267(5198): 672-675.

Goericke R, et al. (2007). *The State of the California Current, 2006-2007: Regional and Local Processes Dominate.* 48: 33-66. http://www.calcofi.org/newhome/publications/CalCOFI_Reports/v48/033-066_State_Of_Current.pdf.

IPCC (2007e). *Summary for Policymakers.* In: Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press. <u>http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-spm.pdf</u>.

Levitus S, Antonov JI, Wang J, Delworth TL, Dixon KW and Broccoli AJ (2001). Anthropogenic Warming of Earth's Climate System. *Science* 292(5515): 267-270.

Mantua N, Hare S, Zhang Y, Wallace J and Francis R (1997). A Pacific interdecadal climate oscillation with impacts on salmon production. *Bulletin of the American Meteorological Society* 78: 1069-1079.

McGowan JA, Cayan DR and Dorman LM (1998). Climate-Ocean Variability and Ecosystem Response in the Northeast Pacific. *Science* 281(5374): 210-217.

Mendelssohn R and Schwing F (2002). Common and uncommon trends in SST and wind stress in the California and Peru-Chile Current Systems. *Progress in Oceanography* 53: 141-162.

Mendelssohn R, Schwing F and Bograd S (2003). Spatial structure of subsurface temperature variability in the California Current, 1950-1993. *Journal of Geophysical Research - Oceans* 108 (C3): 3093.

NCDC (2008). Observed Trends and Variability in Land and Ocean Surface Temperatures. National Climatic Data Center, NationalOceanic and Atmospheric Administration, 8 Febraury 2005; last updated September 30, 2008. Downloaded from http://lwf.ncdc.noaa.gov/oa/climate/research/trends.htmlon May 22, 2012.

NOAA (2012). Global Surface Temperature Anomalies. The Global Anomalies and Index Data: The Annual Global Land Temperature Anomalies (degrees C); The Annual Global Ocean Temperature Anomalies (degrees C); The Annual Global (land and ocean combined) Anomalies (degrees C). Downloaded from http://www.ncdc.noaa.gov/cmb-faq/anomalies.php on April 3, 2012.

Palacios D, Bograd S, Mendelssohn R and Schwing F (2004). Long-term and seasonal trends in stratification in the California Current, 1950-1993. *Journal of Geophysical Research - Oceans* 109 (C10).

Roemmich D (1992). Ocean Warming and Sea Level Rise Along the Southwest U.S. Coast. *Science* 257(5068): 373-375.

Roemmich D and McGowan J (1995). Climatic Warming and the Decline of Zooplankton in the California Current. *Science* 267(5202): 1324-1326.

SIO (2012). Shore Stations Program, Scripps Institution of Oceanography, University of California San Diego. Current financial support provided by the California Department of Boating and Waterways and the Southern California Coastal Ocean Observing System. Data for the La Jolla, California monitoring station downloaded from http://oceaninformatics.ucsd.edu/datazoo/data/ccelter/datasets?action=summary&id=15 on March 19, 2012.

Smith T and Reynolds R (2005). A global merged land air and sea surface temperature reconstruction based on historical observations (1880-1997). *Journal of Climate* 18: 2021-2036.

Snyder M, Sloan L, Diffenbaugh N and Bell J (2003). Future climate change and upwelling in the California Current, *Geophysical Research Letters* 30: 1823.

UCAR. (1994). *El Niño and Climate Prediction, Reports to the Nation on our Changing Planet*. University Corporation for Atmospheric Research, pursuant to National Oceanic and Atmospheric Administration (NOAA) Award No. NA27GP0232-01. http://www.pmel.noaa.gov/tao/elnino/report/el-nino-report.html.

For more information, contact:



Franklin B. Schwing Steven Bograd Southwest Fisheries Science Center Environmental Research Division NOAA Fisheries Service 1352 Lighthouse Avenue Pacific Grove, CA 93950-2097 (831) 648-8515; <u>Franklin.schwing@noaa.gov</u> (831) 648-8314; <u>Steven.bograd@noaa.gov</u>



Indicators of Climate Change in California



Matthew Rodriquez Secretary for Environmental Protection



Edmund G. Brown Jr. Governor



George Alexeeff, Ph.D. Director, Office of Environmental Health Hazard Assessment

INDICATORS OF CLIMATE CHANGE IN CALIFORNIA

August 2013

Compiled and Edited by:

Tamara Kadir Linda Mazur Carmen Milanes Karen Randles California Environmental Protection Agency Office of Environmental Health Hazard Assessment

Reviewers:

David M. Siegel Rupa Basu Lauren Zeise Allan Hirsch Office of Environmental Health Hazard Assessment

Andrew Altevogt Office of the Secretary, California Environmental Protection Agency

ACKNOWLEDGEMENT:

OEHHA is grateful to the Cal/EPA Office of the Secretary, and to the staff and researchers (listed on the next page) who contributed their ideas, data, findings and other information for inclusion in this report.

Cover design: California Air Resources Board

CONTRIBUTORS

John Abatzoglou, University of Idaho Simone Alin, NOAA Pacific Marine Environmental Laboratory Patty Arneson, U.C. Davis Tahoe Environmental Research Center Dennis Baldocchi, University of California Grant Ballard, PRBO Conservation Science Christopher Barker, University of California, Davis Hassan J. Basagic, Portland State University Rupa Basu, Office of Environmental Health Hazard Assessment Steven Bograd, NOAA/NMFS Southwest Fisheries Science Center Russell W. Bradley, PRBO Conservation Science Dan Cayan, Scripps Institution of Oceanography and U.S. Geological Survey Francisco Chavez, Monterey Bay Aquarium Research Institute Robert Coats, U.C. Davis Tahoe Environmental Research Center Thomas J. Conway, NOAA Earth System Research Laboratory Michael Dettinger, Scripps Institution of Oceanography and U.S. Geological Survey Edward J. Dlugokencky, NOAA Earth System Research Laboratory Chris Dolanc, University of California, Davis Marc Fischer, Lawrence Berkeley National Laboratory Matthew L. Forister, University of Nevada, Reno Andrew G. Fountain, Portland State University Guido Franco, California Energy Commission Frank Gehrke, Department of Water Resources Alexander Gershunov, Scripps Institution of Oceanography Kristen Guirguis, Scripps Institution of Oceanography Diana Humple, PRBO Conservation Science Jaime Jahncke, PRBO Conservation Science Ralph Keeling, Scripps Institution of Oceanography Anne E. Kelly, University of California, Irvine Eike Luedeling, World Agroforestry Centre, Nairobi, Kenya Karen Lutter, California Air Resources Board Sharon Melin, NOAA/NMFS National Marine Mammal Laboratory Constance Millar, U.S. Forest Service, Pacific Southwest Research Station Craig Moritz, University of California, Berkelev Nehzat Motallebi, California Air Resources Board Bill Peterson, NOAA Fisheries, Hatfield Marine Science Center Stephen Piper, Scripps Institution of Oceanography Kelly Redmond, Western Regional Climate Center William Reisen, University of California, Davis Maurice Roos, Department of Water Resources S. Geoffrey Schladow, U.C. Davis Tahoe Environmental Research Center David Sapsis, Department of Forestry and Fire Protection Franklin B. Schwing, NOAA/NMFS Southwest Fisheries Science Center Arthur Shapiro, University of California, Davis William J. Sydeman, Farallon Institute for Advanced Ecosystem Research Pieter Tans, NOAA Earth System Research Laboratory Webster Tasat, California Air Resources Board James Thorne, University of California, Davis Phil van Mantgem, U.S. Geological Survey, Redwood Field Station Brian Wells, NOAA/NMFS, Southwest Fisheries Science Center Anthony L. Westerling, University of California, Merced John Wiens, PRBO Conservation Science

TABLE OF CONTENTS

EXECUTIVE SUMMARY	i
INTRODUCTION	1
Indicator identification	1
Indicator selection	4
Indicators of climate change in California	5
CLIMATE CHANGE DRIVERS	6
Greenhouse Gas Emissions (Updated)	7
Atmospheric Greenhouse Gas Concentrations (Updated)	9
Atmospheric Black Carbon Concentrations (New)	3
Acidification of Coastal Waters (New)32	2
CHANGES IN CLIMATE	36
Annual Air Temperature (Updated)3	7
Extreme Heat Events (Updated)48	3
Winter Chill (Updated information)54	4
Freezing Level Elevation (New)59	9
Annual Precipitation (Updated)6	3
IMPACTS ON PHYSICAL SYSTEMS	70
Annual Sierra Nevada Snowmelt Runoff (Updated)7	1
Snow-water Content (Updated)70	5
Glacier Change (Updated Information)82	2
Sea Level Rise (Updated)88	3
Lake Water Temperature (Updated)94	4
Delta Water Temperature (Updated)104	4
Coastal Ocean Temperature (Updated)110)
Oxygen Concentrations in the California Current (No update)	5

IMPACTS ON BIOLOGICAL SYSTEMS		119
Mosquito-Borne Diseases (Updated Information)	.120	
Heat-Related Mortality and Morbidity (Updated Information)	.124	
Exposure to Urban Heat Islands (New)	.130	
Tree Mortality (Updated Information)	.132	
Large Wildfires (Updated Information)	.137	
Forest Vegetation Patterns (No update)	.145	
Subalpine Forest Density (New)	.151	
Vegetation Distribution Shifts (New)	.157	
Alpine and Subalpine Plant Changes (No update)	.164	
Wine Grape Bloom (Updated Information)	.167	
Migratory Bird Arrivals (No update)	.171	
Small Mammal Range Shifts (No update)	.176	
Spring Flight of California Central Valley Butterflies (Updated)	.182	
Effects of Ocean Acidification on Marine Organisms (New)	.189	
Copepod Populations (Updated)	.191	
Sacramento Fall Run Chinook Salmon Abundance (New)	.198	
Cassin's Auklet Breeding Success (Updated)	.202	
Shearwater and Auklet Populations off Southern California (New)	.210	
Sea Lion Pup Mortality and Coastal Strandings (New)	.217	
EMERGING CLIMATE CHANGE ISSUES		223
Harmful Algal Blooms	.223	
Valley Fog	.224	
Forest Diseases and Bark Beetle Infestations	.225	
Changing Pattern of Extreme Events	.225	
APPENDIX A CALIFORNIA'S EFFORTS TO ADDRESS CLIMATE CHANG	Е	A-1
Mitigation	. A-1	
Adaptation	. A-2	
Research	. A-3	
APPENDIX B. NORTH PACIFIC OCEAN CONDITIONS AND PROJECTIO		
CLIMATE CHANGE		B-1