

NOAA Technical Memorandum NMFS



MAY 1991

**REPORT OF A MARINE MAMMAL SURVEY OF THE  
EASTERN TROPICAL PACIFIC ABOARD THE  
RESEARCH VESSEL *McARTHUR*  
JULY 28-DECEMBER 6, 1990**

P. Scott Hill  
Alan Jackson  
Tim Gerrodette

NOAA-TM-NMFS-SWFSC-159

U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
National Marine Fisheries Service  
Southwest Fisheries Science Center

## NOAA Technical Memorandum NMFS


The National Oceanic and Atmospheric Administration (NOAA), organized in 1970, has evolved into an agency which establishes national policies and manages and conserves our oceanic, coastal, and atmospheric resources. An organizational element within NOAA, the Office of Fisheries is responsible for fisheries policy and the direction of the National Marine Fisheries Service (NMFS).

In addition to its formal publications, the NMFS uses the NOAA Technical Memorandum series to issue informal scientific and technical publications when complete formal review and editorial processing are not appropriate or feasible. Documents within this series, however, reflect sound professional work and may be referenced in the formal scientific and technical literature.

**NOAA Technical Memorandum NMFS**

This TM series is used for documentation and timely communication of preliminary results, interim reports, or special purpose information; and have not received complete formal review, editorial control, or detailed editing.

**MAY 1991**



**REPORT OF A MARINE MAMMAL SURVEY OF THE  
EASTERN TROPICAL PACIFIC ABOARD THE  
RESEARCH VESSEL *McARTHUR*  
JULY 28-DECEMBER 6, 1990**

P. Scott Hill  
Alan Jackson  
Tim Gerrodette

National Oceanic and Atmospheric Administration  
National Marine Fisheries Service  
Southwest Fisheries Science Center  
La Jolla, California 92038

NOAA-TM-NMFS-SWFSC-159

**U.S. DEPARTMENT OF COMMERCE**  
Robert A. Mosbacher, Secretary  
**National Oceanic and Atmospheric Administration**  
John A. Knauss, Under Secretary for Oceans and Atmosphere  
**National Marine Fisheries Service**  
William W. Fox, Jr., Assistant Administrator for Fisheries

## CONTENTS

	Page
List of Tables .....	ii
List of Figures .....	iii
Survey Objectives .....	1
Materials and Methods .....	2
Study Area and Itinerary .....	2
Scientific Personnel .....	2
Marine Mammal Species Surveyed .....	3
Equipment .....	3
Duty Stations .....	4
Observer Teams and Rotation .....	5
Data Collection Procedures .....	5
Data Analyses .....	6
Results .....	7
Summary.....	8
Acknowledgments .....	8
Literature Cited .....	10
Tables .....	11
Figures .....	124

## LIST OF TABLES

	Page
Table 1. Sea state conditions measured by the Beaufort scale (from Bowditch, 1966).....	11
Table 2. Daily searching effort recorded in the eastern tropical Pacific aboard the <u>McArthur</u> during July 28 through December 6, 1990.....	12
Table 3. Marine mammal sightings, classified by species code, encountered in the eastern tropical Pacific during July 28 through December 6, 1990.....	68
Table 4. Marine mammal school size estimates for each observer, classified by species code, for all sightings encountered in the eastern tropical Pacific during July 28 through December 6, 1990...	107
Table 5. Summary of marine mammal sightings encountered in the eastern tropical Pacific during July 28 through December 6, 1990.....	120
Table 6. Summary of distance searched, large dolphin schools detected, and rates of encountering dolphins by observers aboard the <u>McArthur</u> in the eastern tropical Pacific during July 28 through December 6, 1990.....	122

## LIST OF FIGURES

		Page
Figure 1.	Tracklines surveyed by the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	124
Figure 2.	Research ship marine mammal daily effort record.	125
Figure 3.	Research ship marine mammal sighting record.....	126
Figure 4.	Vertical and horizontal sun position categories.	127
Figure 5.	Research ship sighting continuation record.....	128
Figure 6.	Offshore and unidentified spotted dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	129
Figure 7.	Eastern, whitebelly, and unidentified spinner dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	130
Figure 8.	Offshore common dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	131
Figure 9.	Striped dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	132
Figure 10.	Bottlenose dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990 in the eastern tropical Pacific.....	133
Figure 11.	Risso's dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	134
Figure 12.	Rough-toothed dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990 in the eastern tropical Pacific.....	135
Figure 13.	Unidentified and short-finned pilot whales detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	136

Figure 14.	Sperm, dwarf sperm and unidentified sperm (dwarf or pygmy) whales detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6 1990, in the eastern tropical Pacific.....	137
Figure 15.	Unidentified rorqual, Bryde's, blue, minke, humpback and unidentified (sei/Bryde's) whales detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	138
Figure 16.	Unidentified beaked, Cuvier's beaked, unidentified mesoplodon and Blaineville's beaked whales detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	139
Figure 17.	Killer and false killer whales, Fraser's dolphins and melon-headed, pygmy killer and unidentified (melon-headed/pygmy killer) whales detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	140
Figure 18.	Unidentified dolphins detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990 in the eastern tropical Pacific.....	141
Figure 19.	Unidentified small whales, unidentified whales, unidentified large whales and unidentified cetaceans detected from aboard the NOAA Ship <u>McArthur</u> from July 28 through December 6, 1990, in the eastern tropical Pacific.....	142

REPORT OF A MARINE MAMMAL SURVEY OF THE EASTERN TROPICAL PACIFIC  
ABOARD THE RESEARCH VESSEL McARTHUR  
JULY 28 - DECEMBER 6, 1990

P. Scott Hill  
Alan Jackson  
and  
Tim Gerrodette

In 1984, as a result of an amendment to the Marine Mammal Protection Act of 1972, the National Marine Fisheries Service (NMFS) was mandated to conduct a research program to monitor trends in the abundance of stocks of dolphins in the eastern tropical Pacific (ETP). These dolphins are killed incidentally during fishing operations by the U. S. purse seine fishery for yellowfin tuna (Thunnus albacares). In 1986, the Southwest Fisheries Science Center (SWFSC) of the NMFS initiated a six-year program to monitor these stocks of dolphins. In the first four years of the program (1986 through 1989), two surveys of marine mammal populations in the ETP were conducted concurrently each year aboard the National Oceanic and Atmospheric Administration vessels David Starr Jordan and McArthur. The surveys lasted 120 days each. In 1990, the fifth pair of surveys was conducted during the same time period and using the same vessels.

In this report, we describe the experimental procedures used during the 1990 surveys and we present summaries of the distance searched and marine mammals encountered from aboard the McArthur (Cruise AR-90-04; SWFSC Observer Cruise 1370). A separate report of the David Starr Jordan cruise has been published by Hill et al. (1991). A report of environmental data collected during the survey is reported by Philbrick et al. (1991).

#### SURVEY OBJECTIVES

The primary objective of the cruise was to collect information to calculate relative abundance of dolphin species in the ETP that are taken incidentally by the purse seine fishery for yellowfin tuna. Specific objectives were to collect information to:

1. estimate school density, school size, and species composition of each species taken by the fishery;
2. investigate the physical and biological environment of the affected species; and
3. contribute to on-going U.S. and international programs investigating oceanography and ocean-atmosphere interactions in the ETP.



## MATERIALS AND METHODS

### Study Area and Itinerary

The McArthur followed predetermined tracklines in the ETP from July 28 through December 6, 1990 (Figure 1), with port calls in Hilo, Hawaii; Puerto Caldera, Costa Rica; and Guayaquil, Ecuador. The itinerary of the vessel included four segments or effort legs:

Leg 1.	Departed	San Diego	July 28
	Arrived	Hilo	August 26
Leg 2.	Departed	Hilo	August 31
	Arrived	Puerto Caldera	September 29
Leg 3.	Departed	Puerto Caldera	October 4
	Arrived	Guayaquil	November 2
Leg 4.	Departed	Guayaquil	November 7
	Arrived	San Diego	December 6

Scientific personnel aboard the McArthur also conducted bird censuses on Isla del Coco (Costa Rica) and Isla de Guadalupe (Mexico).

### Scientific Personnel

<u>Cruise Leaders</u>	<u>Legs</u>
Tim Gerrodette, SWFSC	1
Paul Wade, SWFSC	2
Paul Fiedler, SWFSC	3
Debbie Palka, SWFSC	4
<u>Identification Specialists</u>	
Jim Cotton, SWFSC	1-2
Gary Friedrichsen, SWFSC	1-2
Scott Benson, SWFSC	3-4
Richard LeDuc, SWFSC	3-4

### Observers

Wes Armstrong, SWFSC	1-2
William Irwin, SWFSC	1-2
Scott Leopold, SWFSC	1-2
Brian Smith, SWFSC	1-2
James Carretta, SWFSC	3-4
Darlene Everhart, SWFSC	3-4
Carrie LeDuc, SWFSC	3-4
Joe Raffetto, SWFSC	3-4
Stephanie Phipps, SWFSC	1
Cheryl Glick, SWFSC	2
Angel Herrera, Costa Rica	3
Pedro Ramirez, Peru	4

### Bird Census Specialists

Mike Force, Contractor	1-4
Tom Staudt, Contractor	1-4

Oceanographic data were collected by the McArthur survey department personnel.

### Marine Mammal Species Surveyed

During the survey, the observers recorded information on all species of whales and dolphins sighted throughout the cruise. However, encounter rates are presented only for dolphin species.

### Equipment

The McArthur, commissioned in 1966, is 53.3 m in length, has a beam of 11.6 m, and has a 3.7 m draft. During the surveys, the vessel maintained a cruising speed of approximately 18.5 km/hr.

Several pieces of equipment were used to gather data. The geographic position of the vessel was recorded periodically and at the time of a marine mammal sighting using the vessel's Satellite Navigation System (SATNAV). Marine mammals were detected with port and starboard pedestal mounted 25X Fuginon<sup>1</sup> binoculars and a variety of hand-held 7x50 binoculars. The glasses were mounted on the upper deck approximately 10.7 m above the sea surface. Surface temperature and salinity, and temperature profiles were obtained using a thermosalinograph and expendable bathythermographs (XBTs), respectively. Salinity and temperature profiles were obtained using conductivity-temperature-depth (CTD) device. Water samples collected during these casts were analyzed for chlorophyll, salinity, nutrients, and primary productivity (using a C-14 uptake

---

<sup>1</sup>Reference to trade name does not imply endorsement by the NMFS.

method).

The bearing and radial distance from the vessel to each sighted marine mammal school was recorded. The bearing from the vessel to the school was recorded by the observers using a 360° graduated washer attached to the base of the 25X binoculars. The distance was determined by utilizing graduated reticles enclosed in the right eyepiece of the 25X binoculars.

Replicate angle and distance measurements to objects (buoys and points of land) were recorded opportunistically utilizing the 25X binoculars and the ship's radar. Analyses of these data will be covered in another report.

A 35 mm F-1 Canon<sup>1</sup> camera with motor drive was used to photograph animals to aid in stock and species identification. The system included 400 mm, 70-210 mm zoom, 50 mm, and 28 mm lenses. Some observers also used personal camera equipment to photograph sightings. Animals were also recorded on 1.27 cm video tape using a Panasonic<sup>1</sup> VHS recorder and a Panasonic<sup>1</sup> camera equipped with a telephoto lens.

#### Duty Stations

Three duty stations were used during the survey, with observers rotating through each station.

1. Left Binocular - The port-side observer used a 25X binocular, mounted on the port side of the vessel, to scan the ocean for marine mammal sighting cues. The major area of responsibility for this observer was from the midpoint of the trackline to abeam the port side of the vessel and outward to the horizon or to the extent possible with prevailing environmental conditions.
2. Right Binocular - The starboard observer used a 25X binocular, mounted on the starboard side of the vessel, to search from the midpoint of the trackline to abeam the starboard side of the vessel, and outward to the horizon or to the extent possible with prevailing environmental conditions. Observers in the left and right positions frequently searched up to 10° on the opposite side of the trackline.
3. Recorder - The recorder's duties were to transcribe effort data at regular intervals, to make notes of information pertaining to each sighting, and to search the trackline adjacent to the vessel with hand held binoculars for schools not detected by the observers on the 25X glasses.

## Observer Teams and Rotation

Two teams of three observers each alternately occupied the three duty stations. Each team was on duty for a two-hour shift. During each shift, observers spent approximately equal time occupying each duty station. Teams alternated standing the first watch of the day.

Two of the six observers, one on each team, were experts in identifying marine mammals. Team composition remained constant during the entire survey. Team members rotated between the duty stations and teams rotated on and off duty without interrupting searching effort. Observers aboard the Jordan and McArthur switched vessels after the second leg, allowing school size estimates for all observers to be calibrated with the ship-based helicopter on the Jordan.

## Data Collection Procedures

A typical day's searching activity began at sunrise, approximately 0630 hours local time, and ended at sunset, approximately 1830 hours local time. The searching procedure was initiated when observers were occupying the duty stations and a recorder was in place to record information on the Research Vessel Effort Form (Figure 2). Except for approximately two to three hours per night when oceanographic data were collected, the vessel maintained its speed and course between sunset and sunrise to provide wider spatial distribution of searching effort. On approximately one-third of the nights, the McArthur was forced to steam at a slightly reduced speed in order to conserve fuel.

When a sighting cue (marine mammals, birds, splashes, etc.) was detected, it was determined whether marine mammals were present and if the sighting was appropriate to approach. Generally, all marine mammal schools (dolphins and whales) encountered within 5.6 km lateral to the vessel were deemed as appropriate to turn on. For these schools, the searching effort was terminated and the vessel was directed to intersect the school. In order for the observers to obtain estimates of school size and species composition. The searching mode was resumed after the vessel returned to its original course and speed and the observers resumed searching for other sighting cues.

During each marine mammal sighting, the recorder collected data necessary to complete Research Vessel Effort and Research Vessel Sighting forms (Figure 3). Definition of each data element is given by Ralston<sup>2</sup>. Criteria for assigning sun position and sea

---

<sup>2</sup>Ralston, F. Ms. Usage procedures and coding notes for research vessel sighting and effort records. Southwest Fisheries Center. P.O. Box 271, La Jolla, CA. 92038.

state conditions are given in Figure 4 and Table 1, respectively. Observers recorded bearing and range to the mammals using the 360° washer and reticles etched into the right eyepieces of the 25 power binoculars. The reticle measurements were converted to km using

$$a = 0.003942 \tan (\arctan (45242.52) - 0.001088 r),$$

where  $a$  equals radial distance in km and  $r$  denotes the number of reticles below the topmost reticle. Values in this equation were calculated by Barlow (per. comm.) using an equation presented by Smith (1982) and data collected during previous research vessel cruises.

Each observer who had a good view of the school independently recorded in his or her logbook high, low and best estimates of school size and a determination of species composition. At no time were the observers allowed to discuss their estimates of school size and species composition. This procedure assured independence and consistency of each observer's data, and will allow individual correction factors to be developed from aerial photographs. On a daily basis, the Cruise Leader (chief of the scientific party on the vessel) collected the individual logbooks and transcribed observer estimates of school size and species composition to complete the Research Vessel Sighting Forms.

All available observers, however, were allowed to discuss species identification and animal behavior, and a consensus was entered on the Research Vessel Sighting and Research Vessel Continuation Forms (Figure 5) shortly after the time of a sighting. Species identifications were validated when possible by photographing the school at close range using 35 mm and video cameras.

#### Data Analyses

Sea state conditions were grouped into "calm" conditions, without whitecaps (Beaufort numbers 0-2), or "rough" conditions, with whitecaps (Beaufort numbers 3-5). The presence of whitecaps was important in searching for sighting cues. Animal splashes could not effectively be used as a sighting cue during rough seas because whitecaps were easily confused with the animal splashes.

Visibility conditions were classified into "good" and "poor" categories. Poor visibility conditions were recorded when horizontal sun position was 12 and vertical position was 1, 2, or 3, or when there were clouds together with fog or rain (Holt 1987). All other conditions were considered good conditions.

The study area was divided into four strata, with the sum of the four strata comprising the total study area (Figure 1). The sum of the three northern most strata (inshore, middle and west) constitutes the northern stratum and represents the range of the

northern offshore stock of spotted dolphins (the species most impacted by the purse-seine fishery). Data were analyzed using information by stratum, summed over strata and pooled over strata.

The rate of encountering marine mammal schools was determined as the simple ratio of sightings detected per 1000 km searched. The variance of the encounter rate was calculated as

$$\text{Var}(n/L) = [\sum l_i [(n_i/l_i) - (n/L)]^2] / L(R - 1)$$

where n equals the number of dolphin schools detected in the survey, L equals total thousands of km searched,  $l_i$  equals thousands of km searched during the  $i$ th day,  $n_i$  equals schools detected during the  $i$ th day, and R equals number of days searched.

Encounter rates were calculated for all dolphin schools that were detected during Beaufort states 0 through 5. Rates were calculated for these schools detected in the entire study area and for schools stratified by area, species, individual Beaufort numbers, calm and rough sea conditions, good and poor sun conditions, individual observers, and observer teams.

## RESULTS

Data describing each leg of searching effort during the entire survey are summarized in Table 2. Information summarized for each marine mammal sighting encountered during the survey is presented in Table 3. The geographic positions of all schools detected during the survey are presented for each species category (code) in Figures 6 through 19. Observer estimates of school size are presented by species and subspecies in Table 4.

During the entire survey, observers searched 18,997 km and made 517 marine mammal sightings (Table 5). Dolphins were detected in 303 schools and whales were detected in 214 schools (22 schools contained both dolphins and whales). These included 11 species of dolphins and 16 species of whales.

Searching effort was conducted during Beauforts 0 through 5 conditions. Generally, effort was terminated shortly after the seas and wind attained a force of Beaufort 6. Effort was terminated at the discretion of the team leader and the cruise leader. While operating in the searching mode in the study area (Figure 1), 17,819 km were searched and 272 dolphin schools were detected. The overall rate of detecting schools in the study area was 15.26 schools/1000 km searched (Table 6).

Searching effort of the McArthur was distributed among all four strata, with the highest percentage of effort (36%) occurring in the southern area (Table 6). The detection rates varied among the four strata (from 19.76 to 12.60 schools/1000 km searched).

The detection rate was highest in the inshore area and lowest in the western area (Table 6).

Sea conditions in the study area were extremely rough. Only 6% of the searching effort was completed in calm seas (Table 6). However, 11% of all schools were detected during calm seas and the rate of detecting schools during calm seas was nearly two times the detection rate during rough seas.

Poor visibility conditions occurred during 23% of the surveying effort, during which time 29% of the schools were detected (Table 6). It seems that visibility conditions had little effect on sighting dolphin schools as the rate of detecting schools during poor conditions was actually higher than the rate of detection during good conditions.

The percentage of schools detected by each mammal observer ranged from 4 to 13% (Table 6). The rates of detecting dolphin schools also varied considerably among observers (range of 2.27 to 7.33 schools/1000 km).

The percentage of schools detected by each team ranged from 21 to 28% (Table 6). The rate of detecting schools by teams ranged from 13.14 to 19.72 schools/1000 km searched.

#### SUMMARY

In this report, we have presented data on dolphin encounter rates, school size, and species composition which meet the primary objectives of the cruise aboard the McArthur. Data on effort and sightings have been summarized. We found that the rate of encountering dolphin schools was higher during calm seas than during rough seas, and the rate during good visibility conditions was lower than the encounter rate during poor visibility conditions. Detection rates were highest in the inshore area and lowest in the western area. Encounter rates among observers and among teams were variable.

#### ACKNOWLEDGMENTS

The cruise aboard the NOAA Ship McArthur was successfully executed due to the work of many dedicated professionals. Among those contributing to the success of the cruise were the marine mammal observers who spent many long hours collecting the data and especially the officers and crew of the McArthur who gave their continuous support. Special recognition should be given to the survey department personnel of the McArthur who exceeded our data gathering expectations. Special efforts were provided in

procurement by B. Engstrand and B. Watkins. Many of the figures were provided by J. Tran. R. Rasmussen edited the effort and sightings data. We are grateful to I. Barrett, R. Neal, D. DeMaster, R. Holt, and B. Remington for their support during the entire cruise preparation and execution. Finally, special recognition is given to S. Sexton for her technical support and invaluable insights given to the authors.



#### LITERATURE CITED

- Bowditch, N. 1966. American practical navigator, an epitome of navigation. U. S. Naval Oceanographic Office. H. O. Pub. No. 9. Washington, DC. 1524 pp.
- Hill, P. S., R.C. Rasmussen, and T. Gerrodette. 1991. Report of a marine mammal survey of eastern tropical Pacific aboard the research vessel David Starr Jordan July 28 - December 6, 1990. NOAA-TM-NMFS-SWFSC-158. 133 pp.
- Holt, R. S. 1987. Estimating density of dolphin schools in the eastern tropical Pacific ocean by line transect methods. Fish. Bull. U.S. 85(3):419-434.
- Philbrick, V. A., P. C. Fiedler, S. B. Reilly, R. L. Pitman, L. T. Ballance, and D. W. Behringer. 1991. Report of ecosystem studies conducted during the 1990 eastern tropical Pacific dolphin survey on the research vessel McArthur. NOAA-TM-NMFS-SWFSC-161. 132 pp.
- Smith, T. D. 1982. Testing methods of estimating range and bearing to cetaceans aboard the R/V David Starr Jordan. NOAA-TM-NMFS-SWFSC-20, 20 pp.

Table 1. Sea state conditions measured by the Beaufort scale (from Bowditch, 1966).

Wind force (Beaufort)	Knots	Descriptive	Sea Conditions	Probable wave height in feet
0	0- 1	Calm	Sea smooth and mirror-like	-
1	1- 3	Light air	Scale-like ripple without foam crests	1/4
2	4- 6	Light breeze	Small short wavelets; crests have a glassy appearance and do not break	1/2
3	7-10	Gentle breeze	Large wavelets; some crests begin to break; foam of glassy appearance. Occasional white foam crests	2
4	11-16	Moderate breeze	Small waves, becoming longer; fairly frequent white foam crests	4
5	17-21	Fresh breeze	Moderate waves, taking a more pronounced long form; many white foam crests; there may be some spray	6
6	22-27	Strong breeze	Large waves begin to form; white foam crests are more extensive everywhere; there may be some spray	10

Table 2. Daily searching effort recorded in the eastern tropical Pacific aboard the McARTHUR during July 28 through December 6, 1990.

series	leg	date	speed km/hr	observer codes left right rec.	sun position horz. vert.	beauf. course no. (deg.)	position latitude longitude	km in leg
01	01	900730	18.52	74	76	3	159 25 39 n 120 53 w	4.01
01	02	900730	18.52	01	74	3	159	2.47
01	03	900730	18.52	01	74	4	159	2.47
01	04	900730	18.52	01	74	4	159	2.47
01	05	900730	18.52	76	74	4	159	6.48
02	01	900730	18.52	74	76	4	159 25 34 n 120 52 w	6.79
02	02	900730	18.52	74	76	3	159 25 27 n 120 50 w	1.54
02	03	900730	18.52	22	75	3	159 25 24 n 120 48 w	4.01
02	04	900730	18.52	22	75	3	159	1.85
03	01	900730	20.74	22	75	3	159 25 19 n 120 46 w	2.42
03	02	900730	20.74	22	75	3	159	2.07
03	03	900730	20.74	22	75	3	159	2.07
03	04	900730	20.74	75	07	3	159	4.84
03	05	900730	20.74	75	07	3	159 25 13 n 120 45 w	6.22
03	06	900730	20.74	75	07	3	159	0.69
03	07	900730	20.74	07	22	3	159	3.11
03	08	900730	20.74	07	22	3	159	2.07
03	09	900730	20.74	07	22	3	159	1.73
03	10	900730	20.74	07	22	3	159	4.84
03	11	900730	20.74	07	22	3	159	2.07
03	12	900730	18.89	01	76	3	159 25 04 n 120 41 w	9.45
03	13	900730	18.89	01	76	3	159	3.15
03	14	900730	18.89	74	01	3	159	8.19
03	15	900730	20.37	74	01	3	159 24 54 n 120 37 w	4.75
03	16	900730	20.37	76	74	3	159	6.11
03	17	900730	20.37	76	74	3	159	7.47
03	18	900730	20.37	07	75	3	159	10.19
03	19	900730	20.37	07	75	3	159	3.40
03	20	900730	20.37	75	22	3	159	5.43
03	21	900730	20.37	75	22	3	159	1.70
03	22	900730	20.37	75	22	3	159	3.06
03	23	900730	20.37	75	22	2	159	3.40
03	24	900730	20.37	22	07	2	159	4.07
03	25	900730	20.37	22	07	2	159	3.06
03	26	900730	20.37	22	07	2	159	6.45
03	27	900730	20.37	76	01	2	159 24 24 n 120 21 w	13.58
03	28	900730	20.37	74	76	2	159	6.79
03	29	900730	21.11	74	76	2	161	14.08
03	30	900730	21.11	01	74	2	161	7.04
03	31	900730	20.37	22	75	1	161 24 03 n 120 11 w	7.47
03	32	900730	20.37	22	75	2	161	2.72
03	33	900730	20.37	75	07	2	161	4.07
03	34	900730	20.37	75	07	1	161	4.07
03	35	900730	20.37	75	07	2	161	3.73
03	36	900730	20.74	07	22	1	161 23 53 n 120 07 w	1.73
03	37	900730	20.74	07	22	1	161	6.91
03	38	900730	20.93	74	76	1	161	1.40
04	01	900730	14.82	01	74	1	161 23 43 n 120 02 w	7.41

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right rec.	sun position horz. vert.	beauf. course no.	course (deg.)	position latitude longitude	km in leg
04	02	900730	14.82	76 01	04 03	2	161	23 33 n 119 57 w	7.41
04	03	900730	14.82	22 07	04 03	2	161		4.94
04	04	900730	20.37	07 75	04 03	2	180		6.79
01	01	900731	21.85	22 75	07 09	1	159	22 00 n 119 21 w	8.01
01	02	900731	21.85	22 75	07 09	2	159		2.55
01	03	900731	21.85	07 22	09 03	2	159		7.65
01	04	900731	21.85	07 22	09 03	2	159		1.82
01	05	900731	21.85	07 22	09 03	3	159		1.46
01	06	900731	21.85	07 22	09 03	3	159		2.19
01	07	900731	21.85	07 22	09 03	3	159		2.55
02	01	900731	20.56	01 76	09 02	1	159	21 40 n 119 14 w	10.96
02	02	900731	20.56	76 74	09 02	2	159	21 34 n 119 12 w	6.17
03	01	900731	18.52	76 74	09 02	1	159	21 30 n 119 08 w	1.54
03	02	900731	18.52	74 01	09 02	1	159		4.01
03	03	900731	18.52	74 01	09 02	2	159	21 27 n 119 07 w	3.70
04	01	900731	21.11	75 07	10 01	2	159	21 25 n 119 07 w	3.52
04	02	900731	21.11	75 07	10 01	0	159		2.11
04	03	900731	21.11	75 07	10 01	1	159		6.69
04	04	900731	21.11	07 22	10 01	1	159		2.11
05	01	900731	21.11	07 22	10 01	1	160	21 17 n 119 03 w	2.46
06	01	900731	21.11	22 75	12 12	1	160	21 12 n 119 02 w	3.52
07	01	900731	21.11	22 75	12 12	1	160	21 10 n 119 02 w	1.41
08	01	900731	21.30	76 74	12 12	1	159	21 03 n 118 59 w	5.68
09	01	900731	21.48	74 01	12 12	2	160	20 56 n 118 54 w	3.22
09	02	900731	21.48	74 01	12 12	3	160		5.01
10	01	900731	21.11	01 76	12 12	3	160	20 52 n 118 52 w	11.26
10	02	900731	21.11	07 22	12 12	2	160	20 46 n 118 49 w	3.52
11	01	900731	21.30	07 22	12 12	2	160	20 42 n 118 48 w	3.90
12	01	900731	22.22	22 75	12 12	2	160	20 38 n 118 44 w	5.93
12	02	900731	22.22	22 75	12 12	2	163	20 35 n 118 43 w	6.30
12	03	900731	22.22	75 07	12 12	2	170	20 32 n 118 42 w	3.70
13	01	900731	22.22	74 01	12 12	2	170	20 26 n 118 41 w	5.56
14	01	900731	22.22	01 76	12 12	2	170	20 21 n 118 42 w	1.48
15	01	900731	22.22	01 76	12 12	2	170	20 19 n 118 40 w	1.85
16	01	900731	22.22	07 22	12 12	2	159	20 14 n 118 41 w	12.22
17	01	900731	20.37	22 75	12 12	1	159	20 04 n 118 37 w	3.73
17	02	900731	20.37	76 74	12 12	1	159		6.11
17	03	900731	20.37	76 74	12 12	2	150		9.17
17	04	900731	20.37	76 74	12 12	2	150	19 55 n 118 31 w	0.34
01	01	900801	22.96	76 74	08 03	2	201	18 36 n 118 43 w	11.48
01	02	900801	22.96	74 01	08 03	2	201		1.53
02	01	900801	22.96	01 76	08 03	2	201		8.42
02	02	900801	22.96	07 22	08 02	2	201		15.31
02	03	900801	22.96	22 75	08 02	3	201	18 13 n 118 48 w	16.08
02	04	900801	22.96	75 07	08 02	3	201		14.54
02	05	900801	22.96	74 01	08 01	3	201	18 00 n 118 55 w	15.31
02	06	900801	22.22	74 01	08 01	3	201		14.82
02	07	900801	22.22	76 74	08 01	3	201		3.70
02	08	900801	22.22	76 74	08 01	3	190		11.11
02	09	900801	22.22	22 75	12 12	4	190	17 38 n 119 02 w	15.56
02	10	900801	22.22	75 07	12 12	4	190		4.44
02	11	900801	22.22	75 07	12 12	3	190		9.63
02	12	900801	22.22	07 22	12 12	3	190		3.33
02	13	900801	22.22	07 22	12 12	2	195		11.48

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	14	900801	22.22	76	74	2	195	17 16 n 119 08 w	5.56
03	01	900801	22.22	01	02	2	200		3.33
03	02	900801	22.22	76	74	3	200	17 10 n 119 09 w	5.19
04	01	900801	22.22	76	74	3	200		7.41
04	02	900801	22.22	74	01	3	200		5.19
04	03	900801	22.22	74	01	4	200		9.63
04	04	900801	22.22	75	02	4	200	16 54 n 119 13 w	1.48
05	01	900801	19.63	07	22	4	200	16 50 n 119 16 w	5.56
06	01	900801	20.37	07	22	3	200		2.72
06	02	900801	20.37	01	76	4	200		10.19
06	03	900801	20.37	76	01	4	200		10.87
06	04	900801	20.37	74	01	4	200		4.41
06	05	900801	20.37	74	01	4	220		5.43
06	06	900801	20.37	75	02	4	220		7.81
06	07	900801	20.37	07	22	3	220		1.36
06	08	900801	20.37	07	22	3	195		5.43
06	09	900801	20.37	07	22	3	195	16 21 n 119 29 w	0.34
01	01	900802	20.19	22	07	3	120	15 40 n 118 26 w	3.36
01	02	900802	20.19	22	75	3	120		6.39
01	03	900802	20.19	75	07	3	120	15 36 n 118 23 w	7.40
01	04	900802	20.19	07	22	3	120		1.68
01	05	900802	20.19	07	22	3	120		5.72
01	06	900802	20.19	07	22	3	120		4.04
01	07	900802	20.19	01	76	4	120	15 32 n 118 13 w	13.46
01	08	900802	20.19	76	01	4	120		4.04
02	01	900802	20.74	76	74	4	120	15 26 n 118 03 w	7.26
02	02	900802	20.74	74	01	4	120		11.75
02	03	900802	20.74	75	07	4	120		13.83
02	04	900802	20.74	07	22	4	120	15 18 n 117 50 w	13.83
02	05	900802	20.74	22	75	4	120		13.83
02	06	900802	20.74	76	74	4	120	15 10 n 117 35 w	8.64
03	01	900802	20.74	74	01	4	120	15 08 n 117 33 w	8.30
03	02	900802	20.74	74	01	4	116		5.53
03	03	900802	20.74	01	76	5	116		13.83
03	04	900802	20.74	76	74	5	116	14 59 n 117 16 w	13.83
03	05	900802	20.74	07	22	5	116		9.33
03	06	900802	20.74	22	75	5	116		2.07
03	07	900802	20.74	22	75	5	116	14 47 n 116 53 w	6.74
04	01	900802	19.26	01	74	4	116		7.06
04	02	900802	19.26	74	76	4	116		3.85
04	03	900802	19.26	74	01	5	116		8.99
04	04	900802	19.26	75	07	4	116		4.17
04	05	900802	19.26	22	07	4	116		1.61
04	06	900802	19.26	22	07	4	120	14 40 n 116 38 w	3.85
04	07	900802	19.26	22	07	4	120		5.14
04	08	900802	19.26	07	22	4	120		2.89
04	09	900802	19.26	07	22	4	120		1.28
04	10	900802	19.26	07	22	4	120		9.31
04	11	900802	19.26	01	74	4	120	14 37 n 116 32 w	8.90
01	01	900803	19.08	76	74	4	227	13 46 n 117 10 w	9.54
01	02	900803	19.08	74	01	4	227		3.50
01	03	900803	19.08	01	76	4	227		1.91
01	04	900803	19.08	01	76	4	227		1.91
01	05	900803	19.08	01	76	4	227		1.91

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
01	06	900803	19.08	07 22	07 02	4	227	13 37 n 117 20 w	3.18
01	07	900803	17.59	07 22	07 02	4	227		8.80
01	08	900803	17.59	07 22	07 02	4	227		12.90
01	09	900803	17.59	07 22	07 02	4	227		10.56
01	10	900803	17.59	07 22	07 01	4	227	13 24 n 117 35 w	4.69
02	01	900803	16.67	07 22	07 01	4	227	13 20 n 117 39 w	2.78
02	02	900803	16.67	07 22	07 01	4	227		11.11
02	03	900803	16.67	07 22	07 01	4	227		3.06
02	04	900803	16.67	07 22	07 01	4	227		3.89
02	05	900803	16.67	07 22	07 01	4	227		4.17
02	06	900803	16.67	07 22	07 01	5	227	13 10 n 117 50 w	11.95
02	07	900803	16.67	07 22	12 12	5	227		5.00
02	08	900803	16.67	07 22	12 12	5	227	13 04 n 117 58 w	5.28
02	09	900803	16.67	07 22	05 12	5	120		7.22
02	10	900803	16.67	07 22	05 01	5	120		3.89
02	11	900803	18.15	01 76	05 01	5	120	12 59 n 117 51 w	9.68
03	01	900803	18.33	76 74	05 01	5	120	12 55 n 117 43 w	9.17
03	02	900803	18.33	74 01	05 02	5	120		3.67
03	03	900803	18.33	75 01	05 02	5	120	12 51 n 117 37 w	1.22
03	04	900803	18.33	75 07	05 02	5	120		5.81
03	05	900803	18.33	07 22	05 02	5	120		3.97
04	01	900803	18.33	07 22	05 02	5	120	12 48 n 117 28 w	5.81
04	02	900803	18.33	01 76	05 02	5	120		9.17
04	03	900803	18.33	76 74	05 02	5	120		11.00
04	04	900803	18.33	74 01	05 03	5	120		2.75
04	05	900803	18.33	74 01	05 03	5	120		4.28
04	06	900803	18.33	74 01	05 03	5	120	12 39 n 117 11 w	0.31
01	01	900804	13.89	22 75	07 07	4	110	12 08 n 116 28 w	2.31
01	02	900804	13.89	22 75	07 07	4	110		3.94
01	03	900804	13.89	75 07	07 22	4	110		3.47
01	04	900804	13.89	75 07	07 22	4	110		1.16
01	05	900804	13.89	75 07	07 22	5	110	12 04 n 116 23 w	0.69
02	01	900804	18.52	07 22	07 26	5	110	12 03 n 116 20 w	1.54
03	01	900804	20.00	07 22	07 74	4	110	12 02 n 116 17 w	12.33
03	02	900804	20.00	01 74	07 76	5	110		9.00
04	01	900804	20.00	01 74	07 76	4	110	11 55 n 116 06 w	2.33
04	02	900804	20.00	07 75	07 22	4	110		1.33
04	03	900804	20.00	07 75	07 22	4	125	11 55 n 116 04 w	4.33
04	04	900804	20.00	07 75	07 22	4	125		7.33
04	05	900804	20.00	07 75	07 22	4	125		13.67
04	06	900804	20.00	07 75	07 22	4	125		4.33
04	07	900804	20.00	07 75	07 22	4	060		8.67
04	08	900804	20.00	07 75	07 22	4	120	11 48 n 115 47 w	14.00
04	09	900804	20.00	01 74	07 76	4	120		3.67
04	10	900804	20.00	01 74	07 76	4	120		1.67
05	01	900804	20.00	01 74	07 76	5	118	11 42 n 115 37 w	3.67
05	02	900804	20.00	07 74	07 01	5	118		5.00
05	03	900804	20.00	74 76	07 01	5	118		1.00
06	01	900804	18.89	74 76	07 01	5	118	11 39 n 115 30 w	3.15
06	02	900804	18.89	75 22	07 07	4	118	11 38 n 115 28 w	12.59
06	03	900804	18.89	22 07	05 02	4	118		4.72
06	04	900804	18.89	22 07	05 01	4	118		6.30
06	05	900804	18.89	22 07	05 01	4	118		1.89
06	06	900804	18.89	07 75	05 01	4	118		7.56

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
06	07	900804	18.89	07 75	05 02	4	118	11 28 n 115 09 w	4.72
06	08	900804	18.89	01 74	05 02	4	118		9.45
06	09	900804	18.89	01 74	05 02	4	118		4.09
07	01	900804	20.37	74 76		4	118	11 23 n 115 00 w	6.79
07	02	900804	20.37	75 76		3	118		6.79
07	03	900804	20.37	22 07		3	118	11 18 n 114 50 w	8.15
01	01	900805	20.19	76 74		2	120	10 34 n 113 37 w	2.69
02	01	900805	22.22	74 01		2	120	10 34 n 113 32 w	2.96
02	02	900805	22.22	74 01		3	120		5.93
02	03	900805	22.22	74 01		3	120		4.82
03	01	900805	22.59	75 07		2	125	10 39 n 113 23 w	8.28
04	01	900805	21.85	07 22		3	125	10 22 n 113 13 w	2.55
04	02	900805	21.85	07 22		3	125		5.10
04	03	900805	21.85	07 22		4	125		1.46
05	01	900805	23.15	01 76		4	125	10 12 n 112 56 w	8.87
06	01	900805	22.22	07 22	12 12	3	130	10 16 n 112 44 w	0.37
07	01	900805	22.22	22 75	12 12	3	132	10 15 n 112 39 w	10.74
07	02	900805	22.22	75 07	12 12	3	132		7.04
07	03	900805	22.22	07 22	12 12	3	132		2.22
07	04	900805	22.22	07 22	05 01	3	132		7.04
07	05	900805	22.22	01 76	05 01	3	132		12.22
08	01	900805	23.15	76 74	05 01	3	133	10 01 n 112 22 w	11.58
09	01	900805	23.15	22 75	07 07	3	150	10 00 n 112 13 w	5.02
09	02	900805	23.15	22 75	07 07	3	150	09 57 n 112 11 w	0.39
01	01	900806	21.85	22 75	07 07	5	160	08 04 n 111 09 w	9.47
01	02	900806	21.85	75 07	02 02	5	160	08 36 n 111 07 w	10.93
01	03	900806	21.85	07 22	09 02	5	146		5.46
01	04	900806	21.85	07 22	09 02	5	146		5.46
01	05	900806	21.85	01 76	09 02	5	146	08 27 n 111 02 w	14.93
02	01	900806	20.37	76 74		5	146	08 18 n 110 55 w	6.45
02	02	900806	20.37	76 74	09 01	5	146		2.72
02	03	900806	20.37	74 01	09 01	5	146		8.83
02	04	900806	20.37	75 07	09 01	5	146		3.06
03	01	900806	21.85	75 07	22 22	5	146	08 08 n 110 48 w	1.82
03	02	900806	21.85	75 07	22 22	5	146		4.73
04	01	900806	21.85	07 22	22 22	5	146	08 00 n 110 41 w	9.11
04	02	900806	21.85	07 22	22 22	6	146	07 56 n 110 38 w	0.36
01	01	900807	18.52	76 74		5	147	05 54 n 109 16 w	6.17
01	02	900807	18.52	76 74		5	147		0.93
02	01	900807	18.52	74 01		5	147	05 49 n 109 11 w	1.54
02	02	900807	18.52	74 01		5	150		5.25
02	03	900807	18.52	74 01		5	146		4.01
02	04	900807	18.52	01 76		5	146		5.25
02	05	900807	18.52	07 22		5	146	05 41 n 109 06 w	10.49
02	06	900807	18.52	07 22		5	146		2.47
02	07	900807	21.48	22 75		5	146		13.61
02	08	900807	21.48	75 07		5	146		1.43
02	09	900807	21.48	75 07	10 02	5	146		3.94
02	10	900807	21.48	75 07	10 01	5	146	05 29 n 108 56 w	0.72
03	01	900807	21.48	74 01	09 01	5	152	05 15 n 108 48 w	10.03
03	02	900807	21.48	01 76	08 01	5	152		6.80
03	03	900807	21.48	07 22	07 01	5	152	05 10 n 108 42 w	10.74
03	04	900807	21.48	07 22	06 12	5	155		4.30
03	05	900807	21.85	22 75	06 12	6	155		1.09

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right rec.	sun position horz. vert.	beauf. course no.	course (deg.)	position latitude longitude	km in leg
04	01	900807	21.85	75	05	01	155	05 00 n 108 35 w	7.28
04	02	900807	21.85	75	05	01	155		7.28
04	03	900807	21.85	74	05	01	155	04 55 n 108 32 w	15.30
04	04	900807	21.85	01	74	01	155		9.83
04	05	900807	21.85	01	74	01	155		5.10
04	06	900807	21.85	76	74	01	155		5.83
04	07	900807	21.85	76	74	01	155		7.65
04	08	900807	21.85	22	75	07	155	04 40 n 108 21 w	10.93
04	09	900807	21.85	75	07	22	155		8.38
04	10	900807	21.85	07	22	22	155		8.01
04	11	900807	21.85	01	76	74	155		9.83
04	12	900807	21.85	76	74	01	155		6.56
04	13	900807	21.85	76	74	01	287	04 24 n 108 11 w	2.55
04	14	900807	21.85	74	01	76	287		6.19
04	15	900807	21.85	74	01	76	287		0.36
01	01	900808	22.22	22	22	07	255	04 57 n 109 18 w	8.52
01	02	900808	22.22	75	22	07	265		2.96
01	03	900808	22.22	07	75	22	265		8.52
02	01	900808	22.22	07	75	22	265	04 56 n 109 31 w	5.19
02	02	900808	22.22	07	75	22	272		5.56
02	03	900808	22.22	01	74	76	272	04 56 n 109 25 w	11.48
02	04	900808	18.89	01	74	76	278		2.52
02	05	900808	18.89	74	76	01	278		11.65
03	01	900808	20.37	01	76	74	224	05 00 n 110 01 w	8.15
03	02	900808	20.37	01	76	74	282		1.70
03	03	900808	20.37	76	74	01	282	04 57 n 110 05 w	10.19
03	04	900808	20.37	74	01	76	282		10.87
03	05	900808	20.37	75	07	22	283	04 59 n 110 15 w	4.75
03	06	900808	20.37	75	07	22	283		1.36
03	07	900808	20.37	75	07	22	268		5.09
03	08	900808	20.37	75	07	22	268		1.70
03	09	900808	20.37	07	22	07	268		1.36
03	10	900808	20.37	07	22	07	280		12.22
03	11	900808	20.37	75	22	07	280		13.58
03	12	900808	20.37	76	74	01	280		1.36
04	01	900808	20.37	74	01	76	280	05 03 n 110 36 w	1.36
05	01	900808	20.74	75	07	22	315	05 07 n 110 40 w	3.06
05	02	900808	20.74	75	07	22	315	05 08 n 110 42 w	2.42
05	03	900808	20.74	75	07	22	315		4.49
05	04	900808	20.74	75	07	22	288		0.69
05	05	900808	20.74	07	22	11	315		3.46
05	06	900808	20.74	07	22	75	315		2.77
05	07	900808	20.74	07	22	75	280	05 13 n 110 46 w	9.68
05	08	900808	20.74	07	22	75	280	05 15 n 110 52 w	0.35
01	01	900809	20.19	74	01	76	315	05 31 n 111 54 w	4.04
02	01	900809	20.19	01	76	74	277	05 36 n 112 00 w	10.09
02	02	900809	20.19	76	74	01	277		4.37
02	03	900809	20.19	76	74	01	277		4.04
02	04	900809	20.19	22	75	07	277	05 38 n 112 09 w	10.77
02	05	900809	20.19	22	75	07	281		3.36
02	06	900809	20.19	75	07	22	281		6.73
02	07	900809	20.19	75	07	22	288	05 40 n 112 20 w	6.06
02	08	900809	20.19	07	22	75	288		13.46
02	09	900809	20.19	01	76	74	288	05 43 n 112 30 w	10.43
03	01	900809	18.89	76	74	01	288	05 47 n 112 42 w	1.26
					12	12			



Table 2. (continued)

series	leg	date	speed km/hr	observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
				left	right	horz.	vert.			latitude	longitude	
04	01	900809	20.19	22	75	07	12	5	288			12.45
04	02	900809	20.19	75	07	22	12	5	288			7.07
04	03	900809	20.19	75	07	22	12	5	288	05 52 n	112 54 w	3.70
05	01	900809	20.19	75	07	22	12	5	281			3.03
05	02	900809	20.19	74	01	76	74	5	280	05 57 n	112 56 w	15.81
05	03	900809	20.19	01	76	74	74	5	280			10.77
05	04	900809	20.19	76	74	01	76	5	280	06 01 n	113 17 w	13.46
05	05	900809	20.19	22	75	07	12	5	280			10.09
05	06	900809	20.19	75	07	22	12	5	280			1.68
05	07	900809	20.19	75	07	22	12	5	288			3.36
06	01	900809	20.56	74	01	76	74	5	280	06 06 n	113 27 w	10.28
06	02	900809	20.56	01	76	74	74	5	280			13.02
06	03	900809	20.56	01	76	74	74	5	280	06 09 n	113 39 w	0.34
01	01	900810	21.30	07	22	75	75	4	285	06 33 n	114 58 w	6.74
01	02	900810	21.30	07	22	75	75	5	285			2.84
01	03	900810	21.30	22	75	07	12	5	285			9.94
01	04	900810	21.30	75	07	22	12	5	285	06 37 n	115 12 w	8.87
01	05	900810	21.30	74	01	76	74	5	285			10.65
01	06	900810	21.30	74	01	76	74	5	287			3.55
01	07	900810	21.30	01	76	74	74	5	287			14.20
01	08	900810	21.30	76	74	01	76	5	280	06 50 n	115 40 w	9.94
02	01	900810	20.37	22	75	07	12	5	280			10.19
02	02	900810	20.37	75	07	22	12	5	280			7.81
02	03	900810	20.37	07	22	75	75	5	280			9.17
02	04	900810	20.37	01	76	74	74	5	280	06 53 n	115 52 w	2.04
03	01	900810	20.37	01	76	74	74	5	262	06 54 n	115 54 w	3.40
04	01	900810	20.37	76	74	01	76	4	284	06 55 n	116 05 w	7.13
05	01	900810	19.63	74	01	76	74	4	284	06 58 n	116 10 w	5.56
05	02	900810	19.63	75	07	22	12	4	284	06 56 n	116 12 w	12.43
05	03	900810	19.63	07	22	75	75	5	285			6.22
05	04	900810	19.63	07	22	75	75	4	285	07 01 n	116 23 w	4.25
06	01	900810	20.00	22	75	07	12	4	285	07 01 n	116 26 w	11.67
06	02	900810	20.00	22	75	07	12	4	285			1.67
06	03	900810	20.00	76	74	01	76	4	285	07 03 n	116 32 w	5.00
06	04	900810	20.00	74	01	76	74	5	286			4.33
06	05	900810	20.00	74	01	76	74	5	286			5.67
06	06	900810	20.00	74	01	76	74	5	286			3.33
06	07	900810	20.00	01	76	74	74	5	286			6.67
07	01	900810	19.26	75	07	22	12	5	288	07 08 n	116 52 w	11.88
07	02	900810	19.26	07	22	75	75	5	288			2.57
07	03	900810	19.26	07	22	75	75	5	288	07 11 n	117 00 w	0.32
01	01	900811	21.30	76	74	01	76	3	286	07 44 n	118 41 w	1.77
02	01	900811	21.30	22	75	07	12	4	302	07 53 n	118 57 w	3.19
02	02	900811	21.30	22	75	07	12	4	302			6.03
02	03	900811	21.30	75	07	22	12	4	302	07 56 n	119 01 w	5.68
02	04	900811	21.30	75	07	22	12	4	302			4.61
02	05	900811	21.30	07	22	75	75	4	300	08 01 n	119 10 w	10.65
02	06	900811	21.30	01	76	74	74	5	300			15.26
02	07	900811	21.30	76	74	01	76	5	300	08 07 n	119 19 w	6.03
02	08	900811	21.30	76	74	01	76	5	300			14.55
02	09	900811	21.30	74	01	76	74	5	300	08 12 n	119 29 w	7.10
02	10	900811	21.30	75	07	22	12	5	300			6.39
02	11	900811	19.45	75	07	22	12	4	300			5.83
03	01	900811	19.45	07	22	75	75	4	300	08 19 n	119 41 w	6.48

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	02	900811	19.45	07 22		5	301		1.30
03	03	900811	19.45	22 75		5	301		8.10
04	01	900811	19.63	74 01		5	301	08 28 n 119 56 w	3.27
04	02	900811	19.63	74 01		4	301		5.23
04	03	900811	19.63	01 76		4	301		8.18
04	04	900811	19.63	74 01		4	301	08 33 n 120 03 w	8.18
04	05	900811	19.63	22 75		4	301		8.18
05	01	900811	19.82	75 07		5	301	08 40 n 120 15 w	4.29
07	01	900811	19.26	74 01		5	301	08 46 n 120 23 w	4.29
07	02	900811	19.26	74 01		5	305	08 45 n 120 28 w	9.63
01	01	900812	20.74	76 74		5	305	08 48 n 120 32 w	0.32
01	02	900812	20.74	07 75		5	302	09 50 n 122 07 w	2.77
02	01	900812	20.74	22 07		5	302		2.42
02	02	900812	20.74	07 75		5	302	09 52 n 122 12 w	4.84
03	01	900812	20.74	76 01	04	5	302	09 53 n 122 14 w	5.53
03	02	900812	20.74	76 01	04	5	302		5.88
03	03	900812	20.74	01 74	04	5	302		4.84
03	04	900812	20.74	01 74	04	5	302		8.30
03	05	900812	20.74	74 76		5	302		13.83
03	06	900812	20.74	22 07		5	302	10 06 n 122 32 w	6.91
03	07	900812	20.74	22 07		5	302		6.91
03	08	900812	20.74	07 75		5	302		12.10
03	09	900812	20.74	07 75		5	302		2.42
03	10	900812	20.74	75 22		5	302		7.95
03	11	900812	20.74	75 22		5	302		1.38
03	12	900812	20.74	01 74		5	302		3.80
03	13	900812	20.74	01 74	04	5	302	10 18 n 122 50 w	4.15
03	14	900812	20.74	01 74		5	302		4.15
03	15	900812	20.74	74 76		5	297		3.80
04	01	900812	20.74	76 01		5	297		5.88
05	01	900812	19.82	22 07		5	300	10 32 n 123 00 w	8.30
05	02	900812	19.82	22 07		5	300	10 32 n 123 01 w	2.42
05	03	900812	19.82	22 07		5	210		1.32
05	04	900812	19.82	07 75		5	210		4.62
05	05	900812	19.82	07 75		5	300		6.94
05	06	900812	19.82	75 22		4	300		1.32
05	07	900812	19.82	75 22		4	300		11.56
05	08	900812	19.82	74 76		4	300	10 33 n 123 18 w	13.21
05	09	900812	19.82	76 01		4	300		6.61
06	01	900812	18.89	07 74		4	300		6.94
06	02	900812	18.89	07 74		4	300		6.28
06	03	900812	18.89	07 22		4	300	10 42 n 123 32 w	1.89
06	04	900812	18.89	07 22		4	300		2.83
06	05	900812	18.89	07 22		4	300		4.41
07	01	900812	21.30	75 22		4	300	10 45 n 123 37 w	3.46
07	02	900812	21.30	07 75		4	300		2.52
01	01	900813	20.37	01 76	04	4	300	10 52 n 123 49 w	8.16
01	02	900813	20.37	76 74	04	3	302	11 48 n 125 22 w	0.35
02	01	900813	21.67	22 07	04	3	302		6.79
02	02	900813	21.67	75 07	04	4	302	11 51 n 125 29 w	5.09
02	03	900813	21.67	75 07	04	4	302		13.00
02	04	900813	21.67	75 07	05	3	302		5.06
02	05	900813	21.67	07 22	04	3	302		4.69
				75 07	05	3	302		2.53
				22 07	04	3	302		3.61

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	06	900813	21.67	07 22	04 02	4	302	12 02 n 125 46 w	9.03
02	07	900813	21.67	01 76	04 02	4	302	12 03 n 125 49 w	3.61
03	01	900813	20.56	01 76	04 02	4	302		3.43
03	02	900813	20.56	76 74	04 01	4	302		20.56
03	03	900813	20.56	74 01	04 01	4	302		6.85
03	04	900813	20.56	75 07	04 01	4	302	12 14 n 126 04 w	10.96
03	05	900813	20.56	75 07	12 12	4	302		2.74
03	06	900813	20.56	07 22	12 12	4	302		15.42
03	07	900813	20.56	22 75	12 12	4	302		11.99
03	08	900813	20.56	74 01	12 12	4	302		4.45
03	09	900813	22.22	76 74	12 12	4	302	12 26 n 126 23 w	4.45
03	10	900813	22.22	74 01	12 12	4	302	12 27 n 126 25 w	10.00
03	11	900813	22.22	74 01	01 01	4	302		4.82
03	12	900813	22.22	01 76	01 01	4	302		10.00
03	13	900813	20.37	01 76	11 01	3	302		5.56
04	01	900813	20.37	07 22	11 01	3	302	12 36 n 126 40 w	1.70
04	02	900813	20.37	22 75	11 02	3	317	12 41 n 126 46 w	8.15
04	03	900813	20.37	75 07	11 02	3	317		5.09
04	04	900813	20.37	74 01	11 02	3	317		4.75
05	01	900813	21.67	01 76	11 02	3	253		7.47
05	02	900813	21.67	76 74	01 02	3	253	12 51 n 126 55 w	11.92
05	03	900813	21.67	74 01	01 03	3	253		14.45
05	04	900813	21.67	74 01	03 03	3	253	12 47 n 127 08 w	2.53
06	01	900813	21.67	74 01	11 03	3	315		2.89
06	02	900813	21.67	74 01	11 03	3	315		2.89
01	01	900814	21.48	75 22	05 02	2	300	12 47 n 127 14 w	0.36
01	02	900814	21.48	75 22	05 02	2	300	13 43 n 128 33 w	3.94
01	03	900814	21.48	22 07	04 03	1	300		8.24
01	04	900814	23.15	07 75	02 02	1	300		10.74
01	05	900814	23.15	01 74	05 02	2	300		2.51
01	06	900814	23.15	01 74	05 02	2	300		12.73
01	07	900814	23.15	74 76	05 02	2	300	13 52 n 128 50 w	8.10
01	08	900814	23.15	74 76	05 02	2	285		7.33
02	01	900814	24.08	76 01	04 02	2	285		6.94
03	01	900814	23.15	22 07	04 02	2	285	13 55 n 129 07 w	1.20
03	02	900814	23.15	07 75	04 01	2	320	13 57 n 129 09 w	15.43
03	03	900814	23.15	75 22	04 01	2	320		14.66
04	01	900814	20.93	74 76	04 01	2	320	14 14 n 129 25 w	10.42
04	02	900814	20.93	74 76	04 12	2	340		1.40
04	03	900814	20.93	74 76	03 12	2	340		6.63
04	04	900814	20.93	76 01	12 12	3	340		5.93
04	05	900814	20.93	76 01	12 12	3	340	14 26 n 129 30 w	8.72
04	06	900814	20.93	01 74	03 12	3	340		5.23
04	07	900814	20.93	01 74	03 12	3	340		4.88
04	08	900814	20.93	01 74	03 12	3	284		2.79
04	09	900814	22.22	01 74	03 12	3	284		1.05
04	10	900814	22.22	01 74	03 12	3	265		2.59
04	11	900814	22.22	07 75	03 12	3	265		3.33
04	12	900814	22.22	07 75	03 12	2	265	14 33 n 129 38 w	2.22
04	13	900814	22.22	07 75	03 12	2	265		7.04
05	01	900814	22.22	75 22	12 01	2	265		3.70
06	01	900814	22.22	75 22	12 01	1	265	14 32 n 129 46 w	12.59
06	02	900814	22.96	76 74	11 02	1	300	14 32 n 129 54 w	8.04
06	03	900814	22.96	75 22	11 02	1	300		13.78
									5.74

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. course no. (deg.)	position latitude longitude	km in leg
07	01	900814	20.37	75 07	11 03	1	14 37 n 130 11 w	12.90
07	02	900814	20.37	75 07	11 03	1	14 39 n 130 14 w	0.68
01	01	900815	22.04	74 01	08 03	3	15 29 n 131 46 w	9.18
01	02	900815	22.04	76 01	08 03	4	15 24 n 131 48 w	11.02
01	03	900815	22.04	74 01	08 03	4	15 13 n 131 52 w	14.93
01	04	900815	21.85	75 02	08 02	4		14.20
01	05	900815	21.85	75 07	08 02	4		7.65
01	06	900815	21.85	07 22	08 02	4		9.26
02	01	900815	18.52	01 76	08 01	4	14 49 n 131 02 w	9.26
02	02	900815	18.52	74 01	08 01	4	14 44 n 132 03 w	9.26
02	03	900815	18.52	74 01	08 01	4		9.57
02	04	900815	18.52	75 07	12 12	4	14 33 n 132 07 w	12.04
02	05	900815	18.52	07 22	12 12	4		12.35
02	06	900815	18.52	22 75	12 12	4		9.26
03	01	900815	18.52	76 74	03 01	4	14 13 n 132 17 w	9.88
03	02	900815	18.52	74 01	03 01	4		2.47
04	01	900815	20.37	74 01	03 01	4	14 05 n 132 19 w	7.81
04	02	900815	20.37	01 76	03 01	4		2.38
05	01	900815	20.37	01 76	03 02	4	13 56 n 132 21 w	2.04
06	01	900815	20.37	07 22	03 02	4	13 53 n 132 22 w	7.81
06	02	900815	20.37	22 75	03 02	4		7.81
06	03	900815	20.37	75 07	03 02	4	13 44 n 132 24 w	1.02
07	01	900815	20.37	74 01	03 02	3	13 42 n 132 26 w	6.11
07	02	900815	20.37	74 01	03 02	4		3.73
08	01	900815	20.37	01 76	03 03	4	13 36 n 132 25 w	1.36
08	02	900815	20.37	01 76	03 03	4		6.79
08	03	900815	20.37	76 74	03 03	4		5.09
08	04	900815	20.37	76 74	03 03	4	13 30 n 132 27 w	0.34
01	01	900816	23.15	22 75	07 07	3	11 38 n 133 07 w	7.33
01	02	900816	23.15	75 07	07 22	3		7.33
01	03	900816	23.15	07 22	07 25	3		6.17
02	01	900816	23.15	01 76	07 24	3	11 28 n 133 11 w	1.16
03	01	900816	23.15	76 74	07 24	3	11 28 n 133 14 w	7.33
04	01	900816	23.15	74 01	07 24	2	11 21 n 133 16 w	8.10
05	01	900816	23.15	75 07	07 22	1	11 07 n 133 23 w	3.09
05	02	900816	23.15	75 07	07 22	2		1.54
05	03	900816	22.22	75 07	07 22	2		6.30
05	04	900816	22.22	07 22	07 25	2		2.22
05	05	900816	22.22	07 22	07 25	2		6.67
05	06	900816	22.22	74 76	08 12	1	10 57 n 133 25 w	3.70
05	07	900816	22.22	74 76	09 12	2		8.52
05	08	900816	22.22	74 76	12 12	2		1.11
06	01	900816	22.22	76 01	12 12	2	10 49 n 133 27 w	8.15
06	02	900816	22.22	01 74	12 12	3		20.00
06	03	900816	22.22	07 75	03 01	2	10 34 n 133 31 w	5.56
07	01	900816	22.22	07 75	03 01	2	10 30 n 133 32 w	2.59
07	02	900816	22.22	07 75	03 01	2		4.44
07	03	900816	22.22	75 22	03 01	2		9.26
07	04	900816	22.22	75 22	03 01	2		5.56
07	05	900816	22.22	22 07	03 01	2		7.41
07	06	900816	22.22	22 07	03 02	2		7.41
07	07	900816	22.22	76 01	03 02	3	10 10 n 133 39 w	10.00
07	08	900816	22.22	01 74	02 02	3		9.26
07	09	900816	22.22	74 01	02 02	3		8.59

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
07	10	900816	22.22	75	03	02	203	09 51 n 133 45 w	7.04
07	11	900816	22.22	75	03	02	203		4.07
07	12	900816	22.22	75	07	02	203		11.11
07	13	900816	22.22	77	75		203		6.67
08	01	900816	22.22	07	75		201	09 40 n 133 49 w	1.85
01	01	900817	19.63	75	22	07	200	07 38 n 134 28 w	2.62
01	02	900817	19.63	75	22	07	200		8.51
01	03	900817	19.63	22	07	75	200		3.27
01	04	900817	19.63	22	07	75	200		4.91
01	05	900817	19.63	22	07	75	200		5.56
01	06	900817	19.63	77	75		200		11.12
01	07	900817	19.63	77	75		185		1.31
01	08	900817	19.63	01	74	76	185	07 19 n 134 34 w	13.09
01	09	900817	19.63	74	76	01	185		1.96
02	01	900817	19.63	74	76	01	185	07 09 n 134 33 w	9.82
02	02	900817	19.63	76	01	74	189		5.56
02	03	900817	19.63	76	01	74	189		7.28
01	01	900818	21.85	75	07	22	348	07 11 n 134 34 w	0.33
01	02	900818	21.85	07	22	75	348	07 04 n 135 13 w	7.28
01	03	900818	21.85	22	75	07	348		7.28
01	04	900818	21.85	76	74	01	345	07 16 n 135 15 w	14.57
01	05	900818	21.85	74	01	76	345		16.39
01	06	900818	21.85	01	76	74	345		3.64
01	07	900818	21.85	01	76	74	347		9.11
01	08	900818	21.85	07	75	07	347	07 32 n 135 21 w	14.57
01	09	900818	21.85	22	75	07	347		15.30
01	10	900818	21.85	75	07	22	347		13.84
01	11	900818	21.48	74	01	76	347		8.59
01	12	900818	21.48	74	01	76	320		5.73
01	13	900818	21.48	01	76	74	320		4.30
01	14	900818	21.48	01	76	74	351		10.03
01	15	900818	21.48	76	74	01	351		10.03
02	01	900818	21.30	22	75	07	351	08 26 n 135 34 w	3.55
02	02	900818	21.30	22	75	07	351		7.81
02	03	900818	21.30	75	07	22	351		12.07
02	04	900818	21.30	07	22	75	351		6.03
03	01	900818	22.22	01	76	74	351	08 48 n 135 38 w	11.11
03	02	900818	22.22	76	74	01	351		9.63
03	03	900818	22.22	22	75	07	351		3.70
03	04	900818	22.22	22	75	07	351		4.07
03	05	900818	22.22	22	75	07	331		5.19
03	06	900818	22.22	22	75	07	331		3.33
03	07	900818	22.22	75	07	22	351	09 07 n 135 41 w	9.26
03	08	900818	22.22	07	22	75	351		5.56
04	01	900818	22.22	07	22	75	351		0.37
04	02	900818	22.22	07	22	75	351		0.37
01	01	900819	20.00	74	01	76	347	09 15 n 135 42 w	0.37
01	02	900819	20.00	01	76	74	347	11 00 n 136 04 w	10.00
02	01	900819	21.11	07	22	75	347		7.33
02	02	900819	21.11	22	75	07	347	11 09 n 136 07 w	11.61
02	03	900819	21.11	75	07	22	347		12.67
03	01	900819	21.30	74	01	76	347		9.50
03	02	900819	21.30	74	01	76	348	11 27 n 136 12 w	9.23
03	03	900819	21.30	74	01	76	348		3.55
03	03	900819	21.30	01	76	74	348		2.13

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
04	01	900819	20.93	01 76	03 01	4	348	11 38 n 136 13 w	5.58
04	02	900819	20.93	76 01	03 01	4	348		9.77
05	01	900819	18.52	22 75	12 12	4	342	11 55 n 136 07 w	2.16
05	02	900819	18.52	22 75	12 12	4	325		5.56
05	03	900819	18.52	75 07	12 12	4	325		3.70
05	04	900819	18.52	75 07	12 12	4	300		1.54
05	05	900819	18.52	07 22	12 12	4	270		6.79
05	06	900819	18.52	01 76	12 01	5	270		5.56
05	07	900819	18.52	01 76	10 01	5	348	12 01 n 136 18 w	6.17
05	08	900819	18.52	74 01	10 01	5	348		12.35
05	09	900819	18.52	74 01	10 01	5	348		10.80
05	10	900819	18.52	74 01	10 01	5	230		1.54
05	11	900819	18.52	75 07	01 02	5	230	12 15 n 136 21 w	6.17
05	12	900819	13.89	07 22	01 02	5	230	12 10 n 136 24 w	6.94
05	13	900819	13.89	07 22	02 02	5	230	12 10 n 136 27 w	2.55
06	01	900819	13.89	01 76	02 02	5	228	12 09 n 136 32 w	9.72
07	01	900819	13.89	76 74	01 01	5	228	12 04 n 136 36 w	3.94
07	02	900819	13.89	76 74	01 01	5	228	12 03 n 136 37 w	0.23
01	01	900820	20.19	22 75	07 07	3	207	11 03 n 137 30 w	3.03
01	02	900820	20.19	22 75	07 07	5	207		9.08
01	03	900820	20.19	75 07	22 22	5	207		2.69
01	04	900820	20.19	75 07	22 22	5	207		3.36
02	01	900820	20.37	07 22	22 22	3	207	10 52 n 137 36 w	5.09
03	01	900820	20.37	07 22	22 22	3	207	10 49 n 137 38 w	3.06
04	01	900820	20.19	74 01	12 12	3	207	10 41 n 137 42 w	2.69
04	02	900820	20.19	74 01	12 12	5	207		7.40
04	03	900820	20.19	01 76	07 07	5	207	10 36 n 137 44 w	10.09
04	04	900820	20.19	76 74	01 01	5	207		10.09
04	05	900820	20.19	22 75	07 07	4	207	10 27 n 137 49 w	8.41
04	06	900820	20.19	22 75	07 07	4	207		5.72
04	07	900820	20.19	75 07	08 01	5	207		12.78
04	08	900820	20.19	07 22	08 01	5	207		4.37
05	01	900820	17.59	07 22	12 12	5	205	10 11 n 137 58 w	4.11
05	02	900820	17.59	07 22	12 12	5	205	10 09 n 138 00 w	11.73
05	03	900820	17.59	76 74	12 12	5	205		11.73
05	04	900820	17.59	74 01	12 12	5	203	09 55 n 138 05 w	6.74
05	05	900820	17.59	74 01	03 01	5	203	09 45 n 138 11 w	0.29
06	01	900820	18.52	75 22	03 01	5	203	09 56 n 138 11 w	8.03
06	02	900820	18.52	75 22	07 07	5	203		1.23
06	03	900820	18.52	22 07	02 01	5	203		1.23
07	01	900820	18.52	22 07	75 75	5	203	09 34 n 138 18 w	4.63
07	02	900820	18.52	76 01	74 74	5	203	09 31 n 138 19 w	7.72
07	03	900820	18.52	76 01	74 74	5	203	09 27 n 138 21 w	0.31
01	01	900821	19.45	74 01	04 03	5	317	07 53 n 139 22 w	3.24
02	01	900821	21.48	74 01	04 03	5	317	07 57 n 139 24 w	2.86
02	02	900821	21.48	01 76	74 74	5	317		10.74
02	03	900821	21.48	76 74	01 01	5	317		5.01
03	01	900821	21.48	76 74	01 01	5	321	08 06 n 139 33 w	1.79
03	02	900821	21.48	22 75	07 07	5	321		14.68
03	03	900821	21.48	75 07	22 22	5	321		13.96
03	04	900821	21.48	07 22	04 02	5	321		6.09
03	05	900821	21.48	07 22	04 01	5	321		8.24
03	06	900821	21.48	01 76	04 01	5	321	08 25 n 139 47 w	14.32
03	07	900821	21.48	76 74	04 01	5	321		7.16

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	08	900821	21.48	76 74	04 01	5	319		7.16
03	09	900821	21.48	74 01	04 01	5	319		15.04
03	10	900821	21.48	75 07	12 12	5	319	08 43 n 140 02 w	13.61
03	11	900821	21.48	07 22	12 12	5	319		2.51
03	12	900821	21.48	07 22	12 12	5	318		4.30
04	01	900821	21.48	07 22	12 01	5	318	08 53 n 140 10 w	1.79
04	02	900821	21.48	07 22	12 01	5	318	08 54 n 140 11 w	0.36
01	01	900822	21.67	07 22	12 99	3	317	10 12 n 141 17 w	1.44
01	02	900822	21.67	07 22	12 99	4	317		6.14
01	03	900822	21.67	07 22	12 75	4	317		1.81
01	04	900822	21.67	22 75	07 07	4	317	10 15 n 141 19 w	1.81
01	05	900822	21.67	22 75	07 07	4	321		9.75
01	06	900822	21.67	75 07	22 22	3	321		5.78
01	07	900822	21.67	75 07	22 22	3	321		2.89
01	08	900822	21.67	75 07	22 22	2	321		1.81
01	09	900822	21.67	74 01	04 02	2	321	10 24 n 141 28 w	5.78
02	01	900822	21.67	74 01	04 02	3	320	10 29 n 141 32 w	1.44
03	03	900822	22.04	01 76	04 02	3	320	10 30 n 141 33 w	8.08
03	02	900822	22.04	01 76	04 02	3	323	10 33 n 141 36 w	6.61
03	03	900822	22.04	76 74	04 01	3	323		10.28
04	01	900822	22.04	22 75	07 07	2	323	10 44 n 141 44 w	9.55
04	02	900822	22.04	22 75	07 07	2	323		4.04
04	03	900822	22.04	75 07	04 01	2	323		7.35
05	01	900822	22.04	75 07	04 01	2	323	10 53 n 141 52 w	4.04
05	02	900822	22.04	07 22	22 75	2	323		12.86
05	03	900822	22.04	01 76	74 01	3	323	11 01 n 141 57 w	14.69
05	04	900822	22.04	76 74	01 01	3	323		7.35
05	05	900822	22.04	76 74	01 01	3	321	11 10 n 142 04 w	2.57
06	01	900822	21.67	75 07	22 22	3	315	11 19 n 142 03 w	3.97
06	02	900822	21.67	75 07	22 22	3	315		1.81
06	03	900822	21.67	75 07	22 22	3	315		4.33
06	04	900822	21.67	75 07	22 22	3	315		3.61
06	05	900822	21.67	07 22	22 75	3	315		8.31
06	06	900822	21.67	07 22	22 75	3	315		5.78
06	07	900822	21.67	22 75	07 07	3	315		5.06
06	08	900822	21.67	22 75	07 07	3	315		0.72
07	01	900822	21.67	76 74	10 02	3	327	11 30 n 142 22 w	1.44
08	01	900822	21.85	76 74	01 01	3	327	11 32 n 142 24 w	2.19
08	02	900822	21.85	76 74	01 01	3	327	11 33 n 142 24 w	6.19
08	03	900822	21.85	22 75	07 07	2	327		11.29
08	04	900822	21.85	75 07	22 10	2	327		7.65
09	01	900822	21.85	07 22	22 75	1	327	11 43 n 142 32 w	6.19
09	02	900822	21.85	07 22	22 75	1	327	11 46 n 142 34 w	0.36
01	01	900823	21.85	01 76	04 03	1	303	12 50 n 143 53 w	10.93
01	02	900823	21.85	76 74	04 03	1	303	12 53 n 143 58 w	1.82
01	03	900823	21.85	76 74	04 03	1	305		1.82
01	04	900823	21.85	76 74	01 01	2	305		7.28
01	05	900823	21.85	74 01	04 02	2	305		6.92
01	06	900823	21.85	74 01	04 02	2	305		4.01
01	07	900823	21.85	75 07	04 02	2	305	12 59 n 144 08 w	12.02
02	01	900823	23.15	07 22	05 02	2	305		10.03
02	02	900823	23.15	07 22	05 01	2	305		10.42
02	03	900823	23.15	76 74	04 01	1	305		12.73
02	04	900823	23.15	74 01	04 01	1	305	13 09 n 144 23 w	6.17

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	01	900823	23.15	75	12	1	305	13 15 n 144 34 w	12.35
03	02	900823	23.15	07	12	1	305	13 18 n 144 39 w	7.72
04	01	900823	22.59	22	12	2	305	13 22 n 144 42 w	5.65
04	02	900823	22.59	22	12	2	305		6.78
04	03	900823	22.59	76	01	1	305	13 24 n 144 47 w	7.53
05	01	900823	23.15	74	01	2	306	13 29 n 144 56 w	6.56
06	01	900823	23.15	75	02	2	306	13 30 n 144 58 w	8.49
06	02	900823	23.15	22	02	2	306		8.87
06	03	900823	23.15	07	02	2	306		8.49
06	04	900823	23.15	01	02	2	306		3.47
06	05	900823	23.15	01	02	3	306	13 41 n 145 14 w	7.72
06	06	900823	23.15	01	03	3	306		4.24
06	07	900823	23.15	74	03	2	306		14.28
06	08	900823	23.15	76	03	2	306		10.80
06	09	900823	23.15	76	01	2	306	13 51 n 145 29 w	0.39
01	01	900824	20.74	22	75	4	302	15 09 n 147 27 w	3.11
02	01	900824	21.85	22	75	4	302	15 10 n 147 29 w	5.10
02	02	900824	21.85	75	07	4	302		5.10
02	03	900824	21.85	75	07	5	302		5.46
02	04	900824	21.85	07	22	5	302		7.28
02	05	900824	21.85	07	22	5	302		2.19
03	01	900824	21.85	74	01	5	302	15 19 n 147 44 w	1.82
04	01	900824	21.85	01	76	5	302	15 23 n 147 51 w	11.29
04	02	900824	21.85	76	74	5	302		10.93
04	03	900824	21.85	22	75	5	302	15 28 n 148 01 w	14.93
04	04	900824	21.85	75	07	5	302		12.38
04	05	900824	21.85	75	07	5	302	15 36 n 148 14 w	0.36
01	01	900825	23.15	74	01	5	302	17 39 n 151 28 w	11.57
01	02	900825	23.15	01	76	5	302	15 39 n 151 28 w	11.58
01	03	900825	23.15	07	75	5	302	17 45 n 151 39 w	15.43
01	04	900825	23.15	22	75	5	302		15.82
01	05	900825	23.15	75	07	5	302		10.42
01	06	900825	23.15	75	07	5	302		1.93
01	07	900825	23.15	75	07	5	302		1.93
02	01	900825	21.48	74	01	5	302	17 57 n 152 00 w	13.25
02	02	900825	21.48	01	76	5	302		7.16
02	03	900825	21.48	01	76	5	306	18 03 n 152 10 w	3.58
02	04	900825	21.48	01	76	5	304		1.79
02	05	900825	21.48	01	76	5	304	18 04 n 152 12 w	5.37
02	06	900825	21.48	76	74	5	304		10.74
02	07	900825	21.48	22	75	5	304	18 09 n 152 20 w	14.68
03	01	900825	18.52	84	07	5	304	18 15 n 152 28 w	3.09
03	02	900825	18.52	75	07	5	304		7.41
03	03	900825	18.52	07	22	5	304		9.88
03	04	900825	18.52	01	76	5	304	18 21 n 152 39 w	9.26
03	05	900825	18.52	01	76	5	302		3.09
03	06	900825	18.52	76	74	5	302		12.35
03	07	900825	18.52	74	01	5	302		4.01
03	08	900825	18.52	74	01	5	302	18 36 n 153 04 w	8.64
03	09	900825	18.52	75	07	5	302	18 33 n 152 58 w	2.47
03	10	900825	18.52	75	07	5	302		4.94
03	11	900825	18.52	75	07	5	302		7.72
03	12	900825	18.52	22	75	5	302		8.64
03	13	900825	18.52	76	74	5	302	18 41 n 153 12 w	12.96



Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	14	900825	18.52	74 01	11 02	5	302	18 47 n 153 19 w	8.33
03	15	900825	18.52	74 01	11 03	5	302	18 47 n 153 23 w	0.31
01	01	900831	18.52	75 07	12 12	3	135	19 44 n 154 56 w	7.72
01	02	900831	18.52	74 01	12 12	3	135	19 40 n 154 53 w	12.96
01	03	900831	18.52	76 01	02 01	3	132		11.73
01	04	900831	18.52	74 01	04 01	3	132		12.35
01	05	900831	18.52	83 07	04 01	3	132	19 25 n 154 37 w	12.35
01	06	900831	18.52	83 75	04 01	3	132		12.35
01	07	900831	18.52	75 07	04 02	3	132		7.72
01	08	900831	18.52	74 01	04 02	3	132	19 12 n 154 22 w	7.72
01	09	900831	18.52	76 74	04 02	3	132		7.72
01	10	900831	18.52	76 74	04 02	3	132		9.26
01	11	900831	18.52	83 75	05 02	3	132		9.26
01	12	900831	18.52	75 07	05 02	3	132		4.63
01	13	900831	18.52	07 83	05 03	3	132		2.78
01	14	900831	18.52	07 83	05 03	3	130		0.31
01	15	900831	18.52	83 75	05 03	3	130	18 53 n 154 01 w	2.47
01	01	900901	18.52	01 76	10 03	4	136	17 28 n 152 35 w	3.70
01	02	900901	18.52	01 76	10 03	4	136		6.17
01	03	900901	18.52	01 76	10 03	4	136		5.25
01	04	900901	18.52	76 74	10 03	4	136		2.16
01	05	900901	18.52	74 01	10 03	4	136		11.11
01	06	900901	18.52	74 01	10 03	4	136		6.17
01	07	900901	18.52	74 01	10 03	4	136		3.09
01	08	900901	18.52	75 07	10 02	4	136	17 15 n 152 21 w	8.71
02	01	900901	16.85	83 07	10 02	4	136	17 14 n 152 20 w	4.58
03	01	900901	18.33	76 07	11 02	4	136	17 09 n 152 15 w	3.97
03	02	900901	18.33	76 07	11 02	4	133		12.22
03	03	900901	18.33	83 01	11 01	4	133		12.59
03	04	900901	18.89	74 76	11 01	5	133	17 01 n 152 07 w	12.59
03	05	900901	18.89	07 83	12 01	5	133		12.59
03	06	900901	18.89	83 74	12 01	5	133		4.72
03	07	900901	18.89	76 83	12 12	5	133	16 47 n 151 51 w	7.87
03	08	900901	18.89	76 07	12 12	5	133		5.04
03	09	900901	18.89	01 83	12 12	5	133	16 42 n 151 43 w	4.63
04	01	900901	18.52	01 83	03 01	5	133		3.09
04	02	900901	18.52	74 76	04 01	5	133		1.85
04	03	900901	18.52	74 76	04 01	5	133		6.17
05	01	900901	18.52	74 76	04 01	5	133	16 37 n 151 39 w	12.35
05	02	900901	18.52	07 83	04 01	5	135	16 35 n 151 36 w	12.35
05	03	900901	18.52	83 74	04 02	5	135		12.35
05	04	900901	18.52	76 07	04 02	5	135		4.94
05	05	900901	18.52	01 83	04 02	5	135	16 20 n 151 21 w	7.41
05	06	900901	18.52	01 83	04 02	5	135		3.09
05	07	900901	18.52	74 76	04 02	5	135		5.56
05	08	900901	18.52	01 76	04 02	5	135		3.70
05	09	900901	18.52	74 83	04 02	5	135		12.35
05	10	900901	18.52	07 83	04 03	4	135		5.25
05	11	900901	18.52	83 74	05 03	4	135		0.31
05	12	900901	18.52	83 74	05 03	4	135	16 03 n 151 04 w	3.09
01	01	900902	18.52	76 07	10 03	3	132	14 43 n 149 44 w	1.85
01	02	900902	18.52	83 07	10 03	3	132		7.72
02	01	900902	18.52	83 07	10 03	4	132	14 42 n 149 43 w	12.66
02	02	900902	18.52	07 75	10 03	4	132		

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. course no.	course (deg.)	position latitude longitude	km in leg
02	03	900902	18.52	76 83	10 02	4	132	14 30 n 149 30 w	10.49
02	04	900902	18.52	74 76	11 02	4	132		12.35
02	05	900902	18.52	01 76	11 02	4	132		6.17
02	06	900902	18.52	01 76	11 02	3	132		6.17
02	07	900902	18.52	83 74	11 01	3	132		4.94
02	08	900902	18.52	83 74	11 01	3	135		7.41
02	09	900902	18.52	07 01	11 01	3	135	14 17 n 149 15 w	12.96
02	10	900902	18.52	76 83	11 01	3	135		14.82
02	11	900902	18.52	74 01	12 12	3	135		6.17
02	12	900902	18.52	74 07	12 12	3	135		3.09
02	13	900902	18.52	01 76	12 12	3	135	14 02 n 149 01 w	12.35
02	14	900902	18.52	83 74	12 12	3	135		12.35
02	15	900902	18.52	07 01	03 01	3	135		3.09
02	16	900902	18.52	07 01	03 01	3	133		9.26
02	17	900902	18.52	76 83	03 01	3	133	13 48 n 148 47 w	12.35
02	18	900902	18.52	74 07	04 01	3	133		12.35
02	19	900902	18.52	01 76	04 02	3	133		4.32
02	20	900902	18.52	01 76	05 02	3	103		4.01
03	01	900902	18.52	83 74	04 02	3	136	13 36 n 148 32 w	13.27
03	02	900902	18.52	07 01	04 02	3	136		6.17
04	01	900902	18.52	07 01	05 03	3	136		3.09
04	02	900902	18.52	76 83	05 03	3	136		6.17
04	03	900902	18.52	76 83	05 03	3	136	13 21 n 148 18 w	0.31
01	01	900903	18.33	74 01	10 03	4	135	12 07 n 147 01 w	8.56
01	02	900903	18.33	74 01	10 03	5	135		7.95
01	03	900903	18.33	76 74	10 03	5	135		7.03
02	01	900903	17.96	83 75	10 02	5	132	11 53 n 146 54 w	8.08
02	02	900903	17.96	75 07	11 02	5	132		5.99
02	03	900903	17.96	75 07	11 02	5	132		1.80
02	04	900903	17.96	07 83	11 02	5	132		7.19
02	05	900903	17.96	01 76	11 01	5	132	11 44 n 146 44 w	11.98
03	01	900903	18.71	83 75	01 12	5	132	11 28 n 146 26 w	9.04
03	02	900903	18.71	83 75	07 83	5	132		8.42
03	03	900903	18.71	75 07	03 01	5	132		9.35
03	04	900903	18.71	74 01	03 01	5	132	11 19 n 146 15 w	12.47
03	05	900903	18.71	76 74	04 01	5	132		9.04
04	01	900903	18.89	83 75	07 83	5	132		3.15
04	02	900903	18.89	83 75	07 83	5	132	11 05 n 145 58 w	3.15
04	03	900903	18.89	75 07	07 83	5	132	10 59 n 145 51 w	4.72
05	01	900903	19.45	75 07	83 83	5	132		4.72
05	02	900903	19.45	74 01	76 76	5	132		4.86
05	03	900903	19.45	74 01	76 76	5	132		10.70
05	04	900903	19.45	74 01	76 76	5	132		3.24
05	05	900903	19.45	74 01	76 76	5	132	10 53 n 145 46 w	0.32
01	01	900904	21.30	07 01	10 03	4	134	09 24 n 144 19 w	17.04
01	02	900904	21.30	74 83	10 03	3	134		3.19
01	03	900904	21.30	74 83	10 03	4	134		3.19
02	01	900904	20.74	01 74	76 76	3	138	09 11 n 144 01 w	5.19
02	02	900904	20.74	01 74	76 76	3	138		2.42
02	03	900904	21.30	07 83	75 75	3	158		0.69
03	01	900904	21.30	07 83	75 07	2	170	143 51 w	12.42
03	02	900904	21.30	83 75	07 83	2	135		11.71
03	03	900904	21.30	75 07	83 83	2	135		5.68
03	04	900904	21.30	75 07	83 83	2	135		3.55

Table 2. (continued)

series	leg	date	speed km/hr	observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
				left	right	horz.	vert.			latitude	longitude	
04	01	900904	21.30	74	01	76	12	12	135	08 45 n	143 40 w	13.84
04	02	900904	21.30	01	76	74	12	12	135			4.26
04	03	900904	21.30	01	76	74			135			2.84
04	04	900904	21.30	01	76	74			135			6.03
04	05	900904	21.30	76	74	01			135			8.16
04	06	900904	21.30	76	74	01			135			3.55
05	01	900904	21.11	83	75	07			135	08 25 n	143 19 w	3.87
05	02	900904	21.11	83	75	07			135			5.28
05	03	900904	21.11	75	07	83			135			11.96
06	01	900904	20.93	07	83	75			136	08 17 n	143 10 w	5.58
06	02	900904	20.93	07	83	75			136			1.40
06	03	900904	20.93	01	76	74			136			8.72
06	04	900904	20.93	76	74	01			136			5.23
07	01	900904	21.11	74	01	76			136	08 06 n	142 59 w	5.98
07	02	900904	21.11	75	07	83			136			8.09
07	03	900904	21.11	07	83	75			136			4.57
08	01	900904	21.11	07	83	75			138	07 58 n	142 52 w	2.46
08	02	900904	21.11	07	83	75			138	07 57 n	142 51 w	0.35
01	01	900905	20.56	01	76	74			142	06 36 n	141 30 w	3.43
01	02	900905	20.56	01	76	74	10	03	142			9.25
01	03	900905	20.56	76	74	01	10	03	145			9.59
02	01	900905	21.30	83	75	07	10	02	148	06 27 n	141 24 w	1.77
02	02	900905	21.30	83	75	07	10	02	139			8.52
02	03	900905	21.30	07	75	99	10	02	139			3.90
02	04	900905	21.30	07	75	99	10	02	139			2.48
02	05	900905	21.30	75	76	83	10	02	139			3.90
02	06	900905	21.30	75	07	83	10	02	139			9.58
02	07	900905	21.30	07	83	75	10	02	141			1.77
02	08	900905	21.30	07	22	75	10	02	141			1.06
02	09	900905	21.30	07	22	75	10	02	141			3.90
02	10	900905	21.30	07	22	75	10	01	141			5.68
02	11	900905	21.30	01	76	74	10	01	141	06 10 n	141 07 w	17.04
02	12	900905	21.30	74	74	01	11	01	141			11.36
02	13	900905	21.30	74	01	76	11	01	141			14.20
02	14	900905	21.30	75	07	22	12	12	141	05 53 n	140 52 w	14.20
02	15	900905	21.30	07	22	75	12	12	141			3.55
02	16	900905	21.30	07	22	75	12	12	141			9.23
02	17	900905	21.30	07	22	75	12	12	141			1.42
02	18	900905	21.30	83	75	07	05	01	135			14.20
02	19	900905	21.30	76	74	01	05	01	135	05 35 n	140 37 w	14.20
02	20	900905	21.30	74	01	76	05	01	135			3.55
03	01	900905	20.74	74	01	76	05	01	140	05 30 n	140 27 w	5.53
03	02	900905	20.74	01	76	74	04	01	140			13.14
03	03	900905	20.74	01	76	74	04	02	140	05 24 n	140 20 w	10.37
03	04	900905	20.74	22	75	07	04	02	140			5.19
03	05	900905	20.74	22	75	07	04	02	140			2.77
03	06	900905	20.74	22	75	07	04	02	140			7.61
03	07	900905	20.74	74	01	76	04	02	140			8.30
03	08	900905	20.74	74	01	76	04	03	145			2.07
03	09	900905	20.74	01	76	74	04	03	145			8.99
03	10	900905	20.74	01	76	74	04	03	145	05 05 n	140 03 w	0.35
01	01	900906	20.74	22	75	07	07	07	090	05 03 n	138 24 w	8.64
02	01	900906	20.37	75	07	22	11	02	100			3.40
02	02	900906	20.37	75	07	22			100			9.85

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
02	03	900906	20.37		74	01	76	11	02	100	05 03 n	138 14 w	13.58
02	04	900906	20.37		01	76	74	11	02	100			2.38
02	05	900906	20.37		01	76	74	12	02	072			11.88
02	06	900906	20.37		76	74	01	12	02	072			12.90
02	07	900906	20.37		22	75	07	12	01	072	05 05 n	137 53 w	10.19
02	08	900906	20.37		22	75	07	12	01	072			3.73
02	09	900906	20.37		75	07	22	12	01	072			7.13
02	10	900906	20.37		75	07	22	12	01	100			5.77
03	01	900906	20.37		07	22	75	12	12	100	05 08 n	137 38 w	5.09
03	02	900906	20.37		07	22	75	12	12	100			5.09
03	03	900906	20.37		01	76	74	12	12	100	05 07 n	137 33 w	13.58
03	04	900906	20.37		76	74	01	12	12	100			6.79
03	05	900906	20.37		76	74	01	05	01	090			6.79
03	06	900906	20.37		74	01	76	06	01	090			13.92
03	07	900906	20.37		75	07	22	06	01	090			12.22
04	01	900906	20.37		07	22	75	06	01	090	05 06 n	137 04 w	13.58
04	02	900906	20.37		22	75	07	06	02	090			13.58
04	03	900906	20.37		76	74	07	06	02	088	05 06 n	136 50 w	10.19
04	04	900906	20.37		76	74	07	06	02	088			3.40
04	05	900906	20.37		74	07	76	06	02	088			2.04
04	06	900906	20.37		74	07	76	06	02	088			9.85
04	07	900906	20.37		75	07	22	06	03	088			7.81
04	08	900906	20.37		07	22	75	06	03	088			7.47
04	09	900906	20.37		07	22	75	06	03	086			2.72
04	10	900906	20.37		07	22	75	06	03	086			0.34
01	01	900907	20.74		76	74	01			086	05 07 n	136 27 w	0.34
02	01	900907	19.63		22	75	07	11	02	088	05 12 n	134 49 w	4.84
02	02	900907	19.63		75	07	22	11	01	123	05 19 n	134 47 w	8.51
02	03	900907	19.63		07	22	75	11	01	123			5.89
02	04	900907	19.63		01	76	74	12	01	088	05 13 n	134 38 w	6.54
03	01	900907	16.85		01	76	74	12	01	088	05 16 n	134 35 w	4.58
03	02	900907	16.85		76	74	01	12	01	096			1.97
03	03	900907	16.85		76	74	01	12	01	096			3.09
03	04	900907	16.85		76	74	01	12	01	096			8.15
04	01	900907	16.67		74	01	76	12	12	096	05 15 n	134 23 w	7.86
04	02	900907	16.67		75	07	22	12	12	096			1.94
04	03	900907	16.67		07	22	75	12	12	096			10.83
04	04	900907	16.67		07	22	75	05	12	096			5.00
04	05	900907	16.67		07	22	75	05	12	096	05 15 n	134 13 w	6.11
04	06	900907	16.67		76	74	01	06	01	096	05 15 n	134 03 w	11.11
04	07	900907	16.67		74	01	76	06	02	096			11.11
05	01	900907	19.45		74	01	76	06	02	096	05 14 n	133 52 w	6.95
05	02	900907	19.45		01	76	74	06	02	096			9.72
05	03	900907	19.45		07	22	75	06	02	092	05 14 n	133 45 w	0.97
05	04	900907	19.45		07	22	75	06	02	092			1.62
05	05	900907	19.45		22	75	07	06	02	092			1.62
05	06	900907	19.45		22	75	07	06	02	090			6.81
05	07	900907	19.45		75	07	22	06	03	090	05 14 n	133 35 w	2.92
05	08	900907	19.45		75	07	22	06	03	088			4.86
05	09	900907	19.45		74	01	76	06	03	088			9.72
05	10	900907	19.45		01	76	74	06	03	088			3.24
05	11	900907	19.45		01	76	74	06	03	088	05 14 n	133 25 w	0.32
01	01	900908	20.19		22	75	07	06	03	094	05 21 n	131 42 w	9.42
01	02	900908	20.19		75	07	22	06	03	094			7.74

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	km	left	right	rec.	horz.			vert.	latitude	
01	03	900908	20.19	75	07	22			5	047			1.68
01	04	900908	20.19	07	22	75			5	047			7.07
02	01	900908	20.56	01	76	74	01	02	5	065	05 27 n	131 33 w	3.43
02	02	900908	20.56	76	74	01	01	02	5	065			13.70
02	03	900908	20.56	74	01	76	01	02	5	065			14.39
02	04	900908	20.56	75	07	22	01	01	5	065	05 35 n	131 18 w	1.03
02	05	900908	20.56	75	07	22	02	01	5	046			11.99
02	06	900908	20.56	07	22	75	01	01	5	046			13.70
02	07	900908	20.56	22	75	07	02	01	5	046			13.70
02	08	900908	20.56	76	74	01	02	01	5	046	05 50 n	131 03 w	1.71
02	09	900908	20.56	74	01	76	12	12	5	046			4.45
03	01	900908	20.56	75	07	22	07	01	5	046	06 11 n	130 41 w	4.45
03	02	900908	20.56	75	07	22	08	01	5	036			7.54
03	03	900908	20.56	07	22	75	08	01	5	036			5.48
03	04	900908	20.56	22	75	07	08	01	5	036			2.13
04	01	900908	21.30	22	75	07	08	02	5	036	06 22 n	130 34 w	13.49
04	02	900908	21.30	76	74	01	08	02	5	036			3.19
05	01	900908	21.30	22	75	07	08	02	5	036	06 35 n	130 25 w	6.03
05	02	900908	21.30	22	75	07	08	02	5	036			11.00
06	01	900908	21.67	07	22	75	08	03	5	036			3.25
06	02	900908	21.67	07	22	75	08	03	5	036	06 19 n	130 36 w	0.36
01	01	900909	21.48	76	74	01	01	01	5	044	06 47 n	130 17 w	10.38
01	02	900909	21.48	74	01	76	01	01	5	044	07 53 n	128 56 w	9.67
01	03	900909	21.48	01	76	74	11	01	5	044			7.16
01	04	900909	21.48	01	76	74	132	132	5	132	08 03 n	128 34 w	3.58
01	05	900909	20.37	07	22	75	75	75	5	132			6.45
01	06	900909	20.37	07	22	75	07	07	5	132			8.15
01	07	900909	20.37	22	75	07	11	02	5	138			12.90
01	08	900909	20.37	22	75	07	11	02	5	138	07 51 n	128 27 w	13.24
01	09	900909	20.37	74	01	76	11	01	5	142			11.88
01	10	900909	19.45	74	01	76	11	01	5	142			1.62
01	11	900909	19.45	01	76	74	11	01	5	142			4.86
02	01	900909	19.08	76	74	01	11	01	5	142	07 43 n	128 20 w	7.31
02	02	900909	19.08	22	75	07	12	12	5	142	07 40 n	128 17 w	6.36
02	03	900909	19.08	22	74	07	12	12	5	142			6.68
02	04	900909	19.08	75	07	22	12	12	5	142			12.72
02	05	900909	19.08	07	22	75	03	01	5	142			9.22
02	06	900909	19.08	07	22	75	04	01	5	142			3.82
02	07	900909	19.08	01	76	74	04	01	5	142			4.77
03	01	900909	20.00	74	01	76	04	01	5	142	07 21 n	127 54 w	6.67
03	02	900909	20.00	75	07	22	04	02	5	142			13.67
03	03	900909	20.00	07	22	75	04	02	5	142	07 13 n	127 46 w	6.33
03	04	900909	20.00	22	75	07	04	02	5	142			6.67
03	05	900909	20.00	22	75	07	04	02	5	142			1.67
04	01	900909	20.37	74	01	76	04	03	5	142	07 02 n	127 35 w	8.83
04	02	900909	20.37	74	01	76	04	03	5	142			8.49
04	03	900909	20.37	74	01	76	04	03	5	142	06 56 n	127 29 w	0.34
01	01	900910	20.37	75	07	22	10	03	4	137	05 42 n	126 09 w	3.06
01	02	900910	20.37	75	07	22			4	137			4.41
01	03	900910	20.37	75	07	22			3	137			5.09
01	04	900910	20.37	07	22	75			4	137			6.45
01	05	900910	20.37	07	22	75			4	137			6.79
02	01	900910	19.26	07	22	75			4	137	05 23 n	126 01 w	1.93

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	02	900910	19.26	76 01	10 02	5	137	05 32 n 126 00 w	10.27
02	03	900910	19.26	76 01	10 02	5	134		2.57
02	04	900910	19.26	74 76	10 02	5	134		12.84
02	05	900910	19.26	74 01	10 02	5	134		12.84
03	01	900910	19.08	75 07	11 01	5	134	05 17 n 125 43 w	9.54
03	02	900910	19.08	75 07	11 01	5	134		2.86
03	03	900910	19.08	72 22	11 01	5	134		9.86
03	04	900910	19.08	72 22	11 01	5	132	05 07 n 125 30 w	8.90
04	01	900910	18.15	76 74	12 12	5	132		12.70
04	02	900910	18.15	74 01	12 12	5	132		10.28
04	03	900910	18.15	74 01	04 01	5	138		1.81
04	04	900910	18.15	74 01	04 01	5	138		12.10
04	05	900910	18.15	07 22	04 01	5	138		6.35
05	01	900910	18.15	07 22	04 01	5	138	04 51 n 125 10 w	4.54
05	02	900910	18.15	22 75	04 01	5	138		12.40
05	03	900910	18.15	75 07	04 02	5	138		11.80
05	04	900910	18.15	74 01	04 02	5	138	04 40 n 124 59 w	7.56
05	05	900910	18.15	74 01	05 02	5	138		5.44
06	01	900910	18.71	07 22	04 02	5	138	04 34 n 124 54 w	3.43
06	02	900910	18.71	07 22	04 03	5	138		3.12
06	03	900910	18.71	22 75	04 03	4	138		6.24
06	04	900910	18.71	07 22	04 03	4	138		5.61
06	05	900910	18.71	07 22	04 03	4	138	04 26 n 124 46 w	0.31
01	01	900911	18.52	74 01	11 03	4	126	03 22 n 123 38 w	1.85
01	02	900911	18.52	74 01	11 03	5	126		10.80
01	03	900911	18.15	01 76	11 03	5	126		3.02
01	04	900911	18.15	01 76	11 03	5	124		8.47
01	05	900911	18.15	76 74	11 02	5	124		8.17
01	06	900911	18.15	22 75	11 02	5	124	03 11 n 123 25 w	12.40
01	07	900911	18.15	75 07	11 02	5	124		11.80
01	08	900911	18.15	07 22	11 01	5	124		12.10
01	09	900911	18.15	01 76	11 01	5	124	03 00 n 123 11 w	12.10
01	10	900911	18.15	76 74	11 01	5	134		4.84
01	11	900911	18.15	76 74	11 01	5	134		6.65
02	01	900911	16.67	74 01	12 12	5	142	02 53 n 123 01 w	7.50
02	02	900911	16.67	75 07	12 12	5	142	02 49 n 122 59 w	0.56
03	01	900911	16.67	75 07	12 12	5	142	02 49 n 122 59 w	3.06
04	01	900911	18.15	75 07	12 12	5	130	02 46 n 122 58 w	1.21
04	02	900911	18.15	07 22	12 12	5	130		5.44
04	03	900911	18.15	07 22	12 12	5	130		3.63
04	04	900911	18.15	07 22	07 01	5	076		9.07
04	05	900911	18.15	22 75	07 01	5	076		6.05
04	06	900911	18.15	76 74	06 01	5	076		3.63
05	01	900911	19.45	76 74	06 01	5	082	02 48 n 122 43 w	6.48
05	02	900911	19.45	74 01	06 01	4	082		4.54
05	03	900911	19.45	74 01	06 01	4	082		2.92
05	04	900911	19.45	74 01	06 02	4	082		2.27
05	05	900911	19.45	74 01	06 02	4	082		3.24
05	06	900911	19.45	01 76	06 02	4	090		2.27
06	01	900911	17.59	01 76	06 02	4	090	02 50 n 122 34 w	2.93
06	02	900911	17.59	07 22	06 02	4	090		2.35
06	03	900911	17.59	07 22	06 02	4	090		4.98
06	04	900911	17.59	22 75	06 02	4	090		7.62
06	05	900911	17.59	07 22	06 02	4	090		3.23

Table 2. (continued)

series	leg	date	speed km/hr	observer codes		sun position		beauf. no.	course (deg.)	position		km	
				left	right	horz.	vert.			latitude	longitude	in	leg
06	06	900911	17.59	75	07	22	06	03	3	090	02 53 n	122 24 w	3.81
06	07	900911	17.59	74	01	76	06	03	4	090			7.04
06	08	900911	17.59	74	01	76	06	03	4	095			1.76
06	09	900911	17.59	01	76	74	06	03	4	095			5.86
06	10	900911	17.59	01	76	74	06	03	4	095	02 56 n	122 14 w	0.29
01	01	900912	18.52	22	07	75	12	03	3	082	03 11 n	120 52 w	3.70
02	02	900912	18.52	22	07	75	12	03	3	070	03 14 n	120 45 w	5.56
02	02	900912	18.15	07	75	22	12	03	3	070			13.31
02	02	900912	18.15	07	75	22	12	03	3	070			1.51
02	03	900912	18.15	75	22	07	11	02	3	105	03 18 n	120 40 w	5.44
02	04	900912	18.15	75	22	07	11	02	4	105	03 19 n	120 34 w	6.95
03	01	900912	16.67	74	01	76	11	02	4	105	03 18 n	120 30 w	8.33
03	02	900912	16.67	01	76	74	12	02	4	070			8.33
03	03	900912	16.67	76	74	01	12	01	5	070			11.67
03	04	900912	16.67	22	75	07	12	01	4	070	03 18 n	120 21 w	5.83
03	05	900912	16.67	75	07	22	01	01	4	070			3.33
03	06	900912	16.67	75	07	22	12	12	4	070			1.39
03	07	900912	16.67	75	07	22	12	12	5	070			2.78
03	08	900912	16.67	07	22	75	12	12	5	070			8.33
03	09	900912	16.67	07	22	75	12	12	5	076			8.33
03	10	900912	16.67	01	76	74	12	12	5	076	03 26 n	120 03 w	9.45
03	11	900912	16.67	01	76	74	12	12	5	080			2.78
03	12	900912	16.67	76	74	01	12	12	5	080			10.00
03	13	900912	16.67	74	01	76	06	01	4	080			11.11
03	14	900912	16.67	75	07	22	06	01	4	080			4.17
04	01	900912	16.67	75	07	22	06	01	4	080	03 32 n	119 41 w	3.89
05	01	900912	17.59	07	22	75	06	01	4	080	03 33 n	119 39 w	7.92
06	01	900912	18.15	22	75	07	06	02	4	080	03 34 n	119 33 w	5.44
06	02	900912	18.15	22	75	07	06	02	4	080			2.42
06	03	900912	18.15	22	75	07	06	02	5	080			3.02
06	04	900912	18.15	22	75	07	06	02	5	080	03 35 n	119 27 w	8.47
06	05	900912	18.15	76	74	01	06	02	5	080			4.54
06	06	900912	18.15	74	01	76	06	02	5	080			4.28
07	01	900912	18.33	74	01	76	06	03	5	072	03 34 n	119 18 w	5.50
07	02	900912	18.33	75	07	22	06	03	5	072			3.06
07	03	900912	18.33	07	22	75	06	03	5	072			0.31
07	04	900912	18.33	07	22	75	06	03	5	072	03 36 n	119 11 w	9.15
01	01	900913	21.11	76	74	01	12	03	5	100	03 24 n	117 28 w	4.57
01	02	900913	21.11	74	01	76	12	03	5	100			4.57
01	03	900913	19.82	74	01	76	12	03	5	103			3.30
01	04	900913	19.82	01	76	74	12	03	5	103			3.30
01	05	900913	19.82	01	76	74	12	03	5	094	03 21 n	117 06 w	3.30
01	06	900913	19.82	07	22	75	11	02	5	094			3.30
01	07	900913	19.82	07	22	75	11	02	5	104			4.62
01	08	900913	19.82	07	22	75	11	02	5	104			5.28
01	09	900913	19.82	22	75	07	11	02	5	104			7.27
01	10	900913	19.82	22	75	07	01	02	5	070	03 21 n	117 16 w	6.61
01	11	900913	19.82	22	75	07	01	02	5	070			10.57
01	12	900913	19.82	75	07	22	11	02	5	107			1.98
01	13	900913	19.82	74	01	76	11	01	5	107	03 21 n	116 55 w	13.21
01	14	900913	19.82	01	76	74	11	01	5	107			13.21
01	15	900913	19.82	76	74	01	12	01	5	107			5.61
01	16	900913	19.82	22	75	07	12	12	5	107	03 14 n	116 35 w	7.27
01	17	900913	19.82	22	75	07	12	12	5	107			6.45
01	18	900913	20.37	75	07	22	12	12	5	113			

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
01	19	900913	20.37	75			113		1.70
01	20	900913	20.37	75	12	4	113		5.77
01	21	900913	20.37	07	12	5	113		2.38
01	22	900913	20.37	07	05	5	113		11.20
01	23	900913	20.37	01		5	113	03 06 n	13.58
01	24	900913	20.37	76	05	5	113	116 15 w	13.58
01	25	900913	20.37	74	05	5	113		8.49
01	26	900913	20.37	74	05	5	118		5.43
01	27	900913	18.52	75	05	4	118	02 59 n	7.41
01	28	900913	18.52	07	05	4	125	115 54 w	4.63
01	29	900913	18.52	07	22	4	116		4.32
01	30	900913	18.52	22	75	4	116		6.48
01	31	900913	18.52	76	74	5	116		10.19
01	32	900913	18.52	74	01	5	116		8.33
01	33	900913	18.52	01	05	5	116		5.25
01	34	900913	18.52	01	76	5	116		0.31
01	01	900914	15.74	74	11	5	102	02 48 n	7.61
01	02	900914	15.74	01	02	5	102	02 23 n	6.56
01	03	900914	15.74	07	01	5	102		7.35
01	04	900914	15.74	07	12	5	102		3.15
01	05	900914	15.74	22	01	5	102		5.25
01	06	900914	15.74	22	12	5	102		0.26
02	01	900914	16.67	22	12	5	102	02 00 n	2.50
02	02	900914	16.67	76	12	5	102	02 21 n	11.11
02	03	900914	16.67	74	12	5	102	02 21 n	11.11
02	04	900914	16.67	01	05	5	102		11.11
02	05	900914	16.67	07	05	5	102	02 18 n	11.11
02	06	900914	16.67	22	06	5	102		4.17
03	01	900914	17.59	22	06	5	102	02 17 n	6.45
03	02	900914	17.59	75	06	5	102		11.14
03	03	900914	17.59	74	06	5	102	02 15 n	7.33
03	04	900914	17.59	01	05	5	102		7.33
03	05	900914	17.59	76	05	5	102		7.33
03	06	900914	17.59	22	06	5	102		7.62
03	07	900914	17.59	75	06	5	102		7.04
03	08	900914	17.59	07	06	5	102		3.81
03	09	900914	17.59	07	06	5	102	02 12 n	0.29
01	01	900915	15.56	01	11	5	101	02 02 n	3.81
02	01	900915	15.56	01	11	5	101	02 02 n	3.81
02	02	900915	15.56	76	11	5	101		3.89
02	03	900915	15.56	74	11	5	101	02 01 n	7.78
02	04	900915	15.56	01	03	5	101		2.07
03	01	900915	15.56	74	11	5	101	02 01 n	2.85
04	01	900915	15.56	75	12	5	100	02 01 n	3.11
04	02	900915	15.56	75	12	4	100	02 03 n	2.07
04	03	900915	15.56	75	02	4	100		1.04
04	04	900915	15.56	07	22	4	100	02 02 n	1.56
05	01	900915	15.56	07	22	4	100		2.33
05	02	900915	15.56	22	75	4	100	110 21 w	2.85
05	03	900915	15.56	22	75	4	100		3.63
05	04	900915	15.56	76	12	5	100	02 02 n	1.81
06	01	900915	15.56	76	12	5	091	01 59 n	4.41
06	02	900915	15.56	74	12	5	091		1.81
06	03	900915	15.56	74	12	5	091		1.81
07	01	900915	14.82	74	05	5	100		1.98



Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
07	02	900915	14.82	74 22	05 01	5	100	02 00 n 110 05 w	1.98
07	03	900915	14.82	75 07	05 01	6	100	01 57 n 109 48 w	0.25
08	01	900915	14.82	75 07		5	105		3.21
08	02	900915	14.82	75 07		5	105		2.47
08	03	900915	14.82	07 22		5	105		1.23
08	04	900915	14.82	07 22		5	105	01 56 n 109 44 w	0.25
01	01	900916	18.71	07 22		5	088	01 40 n 108 09 w	9.35
01	02	900916	18.71	22 75		5	088		8.73
01	03	900916	18.71	22 75		5	038		3.43
01	04	900916	18.71	07 22		5	038		3.12
01	05	900916	18.71	07 22	02 02	5	038		9.04
01	06	900916	18.71	74 01	02 02	5	045	01 47 n 107 56 w	10.91
01	07	900916	18.71	74 01	02 02	5	045		1.56
01	08	900916	18.71	01 76	01 02	5	045		4.99
02	01	900916	18.71	07 22	01 01	5	045		5.92
02	02	900916	18.71	07 22	01 01	5	045	02 05 n 107 41 w	0.31
01	01	900917	20.37	76 74	01 01	5	105	03 26 n 105 27 w	5.77
01	02	900917	20.37	74 01		5	105		4.75
01	03	900917	20.37	74 01	11 03	5	105		2.04
01	04	900917	20.37	01 76	11 03	5	105		1.70
02	01	900917	15.74	07 22	05 02	5	110	03 10 n 103 51 w	3.41
02	02	900917	15.74	07 22	05 02	5	116		2.36
02	03	900917	15.74	22 75	05 02	5	116		5.25
02	04	900917	15.74	07 22	05 02	5	116		5.25
02	05	900917	15.74	75 07	05 02	5	130		3.94
02	06	900917	15.74	74 01	04 02	5	150		2.89
02	07	900917	15.74	74 01		5	150		1.05
02	08	900917	15.74	01 76		5	150		9.45
02	09	900917	15.74	74 01		5	150		2.89
02	10	900917	15.74	76 74		5	150	02 57 n 103 35 w	0.26
01	01	900918	18.89	22 75		5	142	01 34 n 102 48 w	5.04
01	02	900918	18.89	22 75		5	146		3.15
01	03	900918	18.89	07 22		5	146		7.87
01	04	900918	18.89	07 22		5	146		5.67
01	05	900918	18.89	07 22		5	146	01 23 n 102 42 w	1.26
01	06	900918	18.89	01 76		5	146		9.45
01	07	900918	18.89	01 76		5	146		4.72
01	08	900918	18.89	76 74		5	146		11.02
01	09	900918	18.89	74 01		5	146		5.35
02	01	900918	18.89	74 01		5	146	01 08 n 102 34 w	4.09
02	02	900918	18.89	75 07		5	146		11.65
02	03	900918	18.89	07 22		5	146		12.59
02	04	900918	18.89	22 75		5	146		6.30
02	05	900918	18.89	22 75		5	140		6.30
02	06	900918	18.89	76 74		5	140	00 48 n 102 23 w	4.41
02	07	900918	18.89	76 74		5	140		0.94
03	01	900918	17.59	76 74		5	140	00 45 n 102 20 w	4.69
03	02	900918	17.59	74 01		5	140		11.73
03	03	900918	17.59	01 76		5	140		2.35
03	04	900918	17.59	01 76		5	143		9.38
03	05	900918	17.59	07 22		4	143	00 31 n 102 11 w	5.57
03	06	900918	17.59	07 22		4	143		3.23
03	07	900918	17.59	07 22		4	143		2.93
03	08	900918	17.59	75 07	04 01	4	143		2.05

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	09	900918	17.59	75	04	01	143	00 20 n 102 05 w	3.23
04	01	900918	18.52	07	04	02	150	00 16 n 102 03 w	4.94
05	01	900918	18.52	74	04	02	150	00 15 n 101 59 w	1.85
06	01	900918	18.52	01	03	02	180	00 18 n 101 59 w	0.62
07	01	900918	18.52	01	76	74	191	00 18 n 101 59 w	4.63
08	01	900918	18.52	07	22	75	105	00 13 n 102 01 w	4.01
09	01	900918	18.52	22	07	07	085	00 13 n 101 59 w	1.23
09	02	900918	18.52	22	75	07	085	00 13 n 101 58 w	0.31
01	01	900919	18.52	74	07	07	084	00 30 n 100 14 w	7.72
01	02	900919	18.52	76	07	07	084		1.54
01	03	900919	18.52	74	07	06	075		1.23
02	01	900919	18.52	07	76	74	075	00 30 n 100 06 w	4.94
03	01	900919	18.52	22	75	83	075	00 27 n 100 58 w	1.54
04	01	900919	20.37	75	07	22	073	00 28 n 099 56 w	3.40
04	02	900919	20.37	75	07	22	073		3.73
04	03	900919	20.37	75	07	22	073		1.02
04	04	900919	20.37	07	22	75	073		7.47
04	05	900919	20.37	01	76	74	073		13.58
04	06	900919	20.37	76	74	01	073		6.79
04	07	900919	20.37	76	74	01	087	00 36 n 099 38 w	4.07
05	01	900919	20.37	74	01	76	087	00 39 n 099 33 w	0.34
06	01	900919	20.37	75	07	22	087	00 35 n 099 34 w	13.92
06	02	900919	20.37	07	22	75	087		1.70
07	01	900919	19.45	07	22	75	085	00 39 n 099 23 w	6.16
07	02	900919	19.45	22	75	07	085		0.97
08	01	900919	19.45	22	75	07	085	00 43 n 099 18 w	5.51
08	02	900919	19.45	22	74	01	085		1.62
09	01	900919	18.52	76	74	01	085	00 42 n 099 13 w	7.72
09	02	900919	18.52	74	01	76	085		1.54
09	03	900919	18.52	74	01	76	088		0.31
10	01	900919	18.89	74	01	76	090	00 44 n 099 08 w	7.87
11	01	900919	18.89	75	07	22	085	00 44 n 098 58 w	6.93
11	02	900919	18.89	75	07	22	085		1.26
11	03	900919	18.89	07	22	75	085		7.24
12	01	900919	18.89	76	74	01	089	00 51 n 098 42 w	6.93
12	02	900920	18.52	74	01	76	089		3.78
01	01	900920	18.52	22	75	07	089	00 51 n 098 39 w	0.31
01	02	900920	18.52	75	07	22	074	01 03 n 097 05 w	8.95
01	03	900920	18.52	75	07	22	074		2.47
02	01	900920	18.52	75	07	22	074		1.85
02	02	900920	19.45	07	22	75	074	01 06 n 096 58 w	3.40
02	03	900920	19.45	07	76	74	084		8.10
02	04	900920	19.45	01	76	74	084	01 07 n 096 52 w	6.81
02	05	900920	19.45	01	76	74	084		4.21
02	06	900920	19.45	76	74	01	080		1.94
02	07	900920	19.45	76	74	01	080		3.57
03	01	900920	19.45	74	01	76	080		3.57
04	01	900920	18.52	75	07	22	074	01 08 n 096 37 w	1.94
04	02	900920	18.52	75	07	22	075	01 04 n 096 34 w	7.41
05	01	900920	17.96	07	22	75	075		3.09
06	01	900920	18.52	07	22	75	075	01 06 n 096 26 w	1.50
06	02	900920	18.52	01	76	74	075		2.16
07	01	900920	20.37	74	01	76	068	01 09 n 096 17 w	3.70
				74	01	76	068	01 09 n 096 07 w	10.53

Table 2. (continued)

series	leg	date	speed km/hr	observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
				left	right	horz.	vert.			latitude	longitude	
07	02	900920	20.37	74	01	76		4	068	01 12 n	096 00 w	1.36
08	01	900920	19.08	74	01	76		4	068			2.86
08	02	900920	19.08	74	01	76		4	068			2.54
08	03	900920	19.08	75	07	22		5	068			12.08
08	04	900920	19.08	07	22	75		5	068			2.86
08	05	900920	19.08	07	22	75		5	068			2.23
09	01	900920	19.08	07	22	75		5	068	01 18 n	095 48 w	2.86
09	02	900920	19.08	07	22	75		5	086			3.18
09	03	900920	19.08	22	75	07		4	086			4.13
10	01	900920	18.89	76	74	01		4	085	01 20 n	095 38 w	6.93
10	02	900920	18.89	74	01	76		4	085			8.82
10	03	900920	18.89	01	76	74		4	085			6.61
10	04	900920	18.89	07	22	75		4	085			7.24
11	01	900920	18.89	07	22	75		4	085			0.63
11	02	900920	18.89	22	75	07		4	085			3.78
11	03	900920	18.89	22	75	07		4	085	01 23 n	095 19 w	0.31
01	01	900921	20.37	76	74	01		5	143	01 14 n	093 46 w	7.47
01	02	900921	20.37	76	74	01		5	143			4.07
01	03	900921	20.37	74	01	76		4	143			5.43
01	04	900921	20.37	74	01	76		4	149			3.73
01	05	900921	20.37	74	01	76		4	149			1.02
02	01	900921	20.74	01	76	74		5	149	01 03 n	093 38 w	4.84
03	01	900921	20.74	07	22	75		4	149	00 59 n	093 36 w	2.42
04	01	900921	20.74	07	22	75		4	149	00 56 n	093 34 w	1.38
04	02	900921	20.74	07	22	75		5	149			5.53
04	03	900921	20.74	07	22	75		5	149			4.84
04	04	900921	20.74	22	75	07		5	149			2.07
05	01	900921	20.74	22	75	07	10	5	149	00 50 n	093 29 w	3.46
05	02	900921	20.74	22	75	07	01	5	149			7.26
06	01	900921	20.37	75	07	22		5	149	00 43 n	093 27 w	1.02
06	02	900921	20.37	74	01	76		4	149			5.43
07	01	900921	20.37	01	76	74		4	149	00 39 n	093 19 w	4.75
08	01	900921	18.52	76	74	01		4	155	00 37 n	093 18 w	7.10
08	02	900921	18.52	22	75	07		5	155			4.32
08	03	900921	18.52	22	75	07		4	155	00 31 n	093 15 w	12.96
08	04	900921	18.52	07	22	75		4	155			11.73
08	05	900921	18.52	07	22	75		4	155			3.09
08	06	900921	18.52	07	22	75		5	155			5.56
09	01	900921	20.93	01	76	74		5	155	00 13 n	093 05 w	3.84
10	01	900921	20.93	01	76	74		5	155	00 09 n	093 03 w	1.74
10	02	900921	20.93	76	74	01		5	155			13.95
10	03	900921	22.22	74	01	76	04	4	155	00 01 s	093 00 w	2.79
11	01	900921	22.22	74	01	76		4	149			3.70
11	02	900921	22.22	75	07	22		4	149			3.33
11	03	900921	22.22	75	07	22		4	149			5.56
11	04	900921	22.22	07	22	75		4	149	00 09 s	092 55 w	1.48
12	01	900921	22.22	07	22	75		4	149			1.11
13	01	900921	21.67	01	76	74	04	4	149	00 20 s	092 52 w	7.95
13	02	900921	21.67	01	76	74	04	4	149	01 27 s	092 10 w	0.36
13	03	900921	19.82	01	76	74	04	2	149	01 45 s	091 58 w	7.60
02	01	900922	20.37	22	75	07		2	149	01 48 s	091 54 w	5.09
03	01	900922	20.37	22	75	07		2	092	01 49 s	091 49 w	5.25
04	01	900922	18.52	22	75	07	12	2	092			8.95
04	02	900922	18.52	76	01	74		2	092			

Table 2. (continued)

series	leg	date	speed km/hr	observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
				left	right	horz.	vert.			latitude	longitude	
05	01	900922	18.52	74	01	76	12	4	092	01 50 s	091 39 w	2.47
06	01	900922	18.52	74	01	76	06	4	092	01 50 s	091 36 w	4.01
06	02	900922	18.52	74	76	01	06	4	092			1.54
07	01	900922	19.82	75	07	75	06	4	092	01 51 s	091 29 w	0.99
08	01	900922	19.82	07	22	75	06	4	092	01 52 s	091 25 w	6.61
09	01	900922	19.82	22	75	07	06	4	092	01 54 s	091 20 w	9.58
09	02	900922	19.82	22	75	07	06	4	092			4.29
10	01	900922	19.82	76	74	01		4	079	01 54 s	091 12 w	0.99
11	01	900922	19.82	74	01	76	07	3	079	01 52 s	091 07 w	1.65
12	02	900922	19.82	75	07	22		3	090	01 47 s	091 03 w	1.32
12	02	900922	19.82	75	07	22		3	090			3.30
12	03	900922	19.82	75	07	22		3	090			7.60
01	01	900923	14.82	74	01	76		4	073	01 56 s	089 23 w	2.22
02	01	900923	14.82	01	76	74		4	073	01 46 s	089 20 w	1.73
03	01	900923	19.45	76	74	01	11	4	129	01 47 s	089 16 w	0.74
04	01	900923	19.45	22	75	07		4	129	01 49 s	089 13 w	6.16
05	01	900923	20.00	22	75	07		4	129	01 52 s	089 10 w	4.86
05	02	900923	20.00	75	07	22		4	129			5.33
05	03	900923	20.00	75	07	22	12	4	092	01 55 s	089 06 w	5.67
05	04	900923	20.00	75	07	22	02	4	092			1.00
05	05	900923	20.00	75	07	22	02	4	092			3.00
05	06	900923	20.00	07	22	75	02	3	092			3.00
05	07	900923	20.00	01	76	74		3	092	01 55 s	088 55 w	13.00
05	08	900923	20.00	01	76	74		3	092			5.00
05	09	900923	20.00	76	74	01		3	092			8.33
05	10	900923	20.00	74	01	76		4	092			13.33
05	11	900923	20.00	74	01	76		4	094	01 55 s	088 41 w	3.33
05	12	900923	20.00	75	07	22		4	094	01 55 s	088 35 w	10.00
05	13	900923	20.00	75	07	22	12	4	094			10.67
05	14	900923	20.00	07	22	75		5	094			2.67
05	15	900923	20.00	07	22	75	06	4	094			3.33
05	16	900923	20.00	07	22	75		4	094			3.33
05	17	900923	20.00	22	75	07		5	097	01 55 s	088 26 w	10.00
05	18	900923	20.00	22	75	07		5	097			10.00
05	19	900923	20.00	74	01	76		4	097	01 56 s	088 15 w	13.33
05	20	900923	20.00	74	01	76		4	100			10.00
05	21	900923	20.00	01	76	74		4	100	01 57 s	087 55 w	3.33
06	01	900923	18.15	07	22	75		3	100			6.35
06	02	900923	18.15	22	75	07		3	100			5.44
06	03	900923	18.15	75	07	22		3	100			5.14
07	01	900923	18.15	74	01	76		4	100	01 58 s	087 41 w	4.54
07	02	900924	20.37	75	22	74		4	100	01 59 s	087 38 w	0.30
01	01	900924	20.37	22	07	75		4	059	01 05 s	086 12 w	14.94
01	02	900924	20.37	22	07	75		4	059			7.13
01	03	900924	20.37	22	07	75		3	059			7.13
01	04	900924	20.37	07	75	22		3	059			8.49
01	05	900924	20.37	07	75	22		4	059			6.45
01	06	900924	20.37	01	76	74		4	059	00 50 s	085 53 w	6.79
01	07	900924	20.37	01	76	74		4	059			6.79
01	08	900924	20.37	76	74	01		3	059			6.79
01	09	900924	20.37	76	74	01		3	059			4.07
01	10	900924	20.37	76	74	01		3	059			9.51
01	11	900924	20.37	74	01	76		3	059			2.72

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	01	900924	20.37	74 01		3	059	00 38 s 085 38 w	3.06
02	02	900924	20.37	75 07		3	059		2.72
02	03	900924	20.37	75 07		4	059		8.49
02	04	900924	20.37	75 01		4	059		1.70
02	05	900924	20.37	07 22		4	059		8.83
03	01	900924	20.00	22 75		4	060	00 23 s 085 24 w	5.00
03	02	900924	20.00	76 74		4	060	00 21 s 085 21 w	13.33
03	03	900924	20.00	74 01		4	060		6.67
03	04	900924	20.00	74 01		4	063		5.00
04	01	900924	20.74	01 76		4	063	00 15 s 085 01 w	3.46
04	02	900924	20.74	01 76	07	4	063		2.77
04	03	900924	20.74	07 22	01	4	063		12.79
04	04	900924	20.74	22 75	02	4	063		10.37
04	05	900924	20.74	22 75	07	4	058		3.46
04	06	900924	20.74	22 75	02	4	058		13.83
04	07	900924	20.74	74 01	02	5	058	00 01 s 084 50 w	3.46
05	01	900924	21.30	01 76	01	5	038	00 00 n 084 47 w	6.03
05	02	900924	21.30	76 74	01	5	308		5.32
05	03	900924	21.30	22 75	07	4	308		3.55
05	04	900924	21.30	22 75	07	5	308		0.35
01	01	900925	22.22	01 76	74	4	304	00 05 n 084 54 w	18.89
01	02	900925	22.22	76 74	01	5	304	00 44 n 085 59 w	14.82
01	03	900925	22.22	74 01	76	5	304		14.82
01	04	900925	22.22	75 07	22	5	304	00 59 n 086 20 w	14.82
01	05	900925	22.22	75 07	22	5	304		14.82
01	06	900925	22.22	22 75	07	5	304		14.82
01	07	900925	22.22	76 74	01	5	304		4.07
02	01	900925	22.22	76 74	01	5	301	01 10 n 086 31 w	1.85
03	01	900925	22.22	74 01	76	5	301	01 13 n 086 41 w	1.85
04	01	900925	20.93	74 01	76	5	301	01 14 n 086 44 w	6.28
04	02	900925	20.93	01 76	74	5	301	01 16 n 086 46 w	5.23
04	03	900925	20.93	01 76	74	5	301		4.88
04	04	900925	20.93	01 76	74	5	301		3.84
04	05	900925	20.93	07 22	75	5	301	01 21 n 086 55 w	12.21
04	06	900925	20.93	07 22	75	5	298		1.74
04	07	900925	20.93	22 75	07	5	298		13.95
04	08	900925	20.93	75 07	22	5	298		13.95
04	09	900925	20.93	74 01	76	5	296	01 33 n 087 15 w	0.70
05	01	900925	20.93	74 01	76	5	296	01 33 n 087 15 w	9.77
05	02	900925	20.93	01 76	74	5	296		13.95
05	03	900925	20.93	76 74	01	5	296		11.51
05	04	900925	20.93	76 74	01	5	302		2.44
05	05	900925	20.93	22 75	07	5	302	01 42 n 087 34 w	3.49
05	06	900925	20.93	22 75	07	5	302		5.23
05	07	900925	20.93	75 07	22	5	302		8.72
05	08	900925	20.93	07 22	75	5	302		8.72
05	09	900925	20.93	01 76	74	5	302		10.12
05	10	900925	20.93	01 76	74	5	302		10.12
01	01	900926	16.67	22 75	07	5	302	01 54 n 087 50 w	0.35
02	01	900926	22.22	74 01	76	5	304	02 10 n 088 16 w	3.33
02	02	900926	22.22	74 01	76	5	027	02 33 n 088 28 w	4.44
02	03	900926	22.22	75 07	22	5	042		5.93
02	04	900926	22.22	07 22	75	5	042		14.08
02	05	900926	22.22	07 22	75	5	025		1.11
02	06	900926	22.22	07 22	75	5	025		4.82

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km
			km/hr		left	right	horz.	vert.			latitude	longitude	
02	06	900926	22.22		07	22	03	12	5	025			9.26
02	07	900926	22.22		22	75	12	12	5	025			3.33
02	08	900926	22.22		22	75	07	12	5	022			11.11
02	09	900926	22.22		76	74	12	12	5	022	02 57 n	088 12 w	14.82
02	10	900926	22.22		74	01	12	12	5	022			5.56
03	01	900926	22.22		75	07	22	12	5	022	03 52 n	087 48 w	5.93
01	01	900927	20.37		01	76	74	12	5	027	04 38 n	087 24 w	5.09
01	02	900927	20.37		01	76	74	12	5	030	04 42 n	087 20 w	1.02
02	01	900927	18.52		01	76	74	12	5	030			4.01
02	02	900927	18.52		76	74	01	12	5	030	04 49 n	087 17 w	8.03
03	01	900927	18.52		74	01	76	12	5	030	04 55 n	087 13 w	2.16
04	01	900927	19.45		07	22	75	07	5	030			11.67
04	02	900927	19.45		22	75	07	12	5	030			2.27
05	01	900927	19.45		22	75	07	12	5	030			2.27
05	02	900927	19.45		75	07	22	12	5	030			3.24
05	03	900927	19.45		75	07	22	12	5	017			9.72
05	04	900927	19.45		75	07	22	12	5	017	05 11 n	087 07 w	0.32
01	01	900928	18.52		22	75	07	12	5	014	06 26 n	086 32 w	5.25
01	02	900928	18.52		22	75	07	12	4	014			2.16
01	03	900928	18.52		22	75	07	12	4	020			7.10
01	04	900928	18.52		75	07	22	12	4	020			2.16
02	01	900928	18.52		75	07	22	12	4	020	06 38 n	086 29 w	3.09
03	02	900928	18.52		07	22	75	02	4	026	06 42 n	086 26 w	2.78
03	02	900928	18.52		07	22	75	02	4	026			2.16
04	01	900928	20.37		07	22	75	02	4	026	06 47 n	086 24 w	2.04
05	01	900928	20.37		01	76	74	12	4	026	06 49 n	086 23 w	5.09
06	01	900928	22.22		76	74	01	12	4	026	06 53 n	086 17 w	7.41
06	02	900928	22.22		76	74	01	12	4	026			2.96
06	03	900928	22.22		74	01	76	12	4	026			15.93
06	04	900928	22.22		75	07	22	12	4	026			4.07
07	01	900928	22.22		75	07	22	12	4	026	07 10 n	086 09 w	4.07
07	02	900928	22.22		07	22	75	02	4	026			2.96
08	01	900928	22.22		07	22	75	02	4	023	07 14 n	086 07 w	9.26
08	02	900928	21.85		22	75	07	12	4	023			10.93
08	03	900928	21.85		22	75	07	12	4	023			3.64
08	04	900928	21.85		76	74	01	12	4	023	07 25 n	086 02 w	3.28
09	01	900928	21.85		76	74	01	12	4	023	07 30 n	086 01 w	6.56
10	01	900928	21.30		74	01	76	12	4	023	07 33 n	086 00 w	5.68
11	01	900928	21.30		74	01	76	12	4	023	07 36 n	086 56 w	0.71
12	01	900928	22.22		76	74	01	12	4	020	08 08 n	085 36 w	4.44
12	02	900928	22.22		76	74	01	12	4	020	08 10 n	085 36 w	0.00
01	01	901005	20.00		77	55	71	12	3	188	07 59 n	084 59 w	1.67
01	02	901005	20.00		77	55	71	12	4	188			7.33
01	03	901005	20.00		55	71	77	12	4	188			2.33
02	01	901005	19.08		71	77	55	02	4	188	07 48 n	085 02 w	2.23
02	02	901005	19.08		71	77	55	02	4	188			3.82
02	03	901005	19.08		69	67	56	09	4	188	07 45 n	085 02 w	12.72
02	04	901005	19.08		67	56	69	09	4	188			12.72
02	05	901005	19.08		56	69	67	09	4	188			12.72
02	06	901005	19.08		77	55	71	09	4	188	07 25 n	085 06 w	5.40
02	07	901005	19.08		77	55	71	09	4	188			7.31
02	08	901005	19.08		55	71	77	10	4	188			8.58
03	01	901005	19.08		71	77	55	11	4	188	07 13 n	085 05 w	6.04
03	02	901005	19.08		71	77	55	11	4	188			6.36

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km	
			km/hr	km/hr	left	right	horz.	vert.			latitude	longitude	in leg	in leg
03	03	901005	19.08	69	67	56			4	188	07 07 n	085 06 w	4.77	
04	01	901005	18.89	69	67	56			4	188	07 03 n	085 07 w	1.26	
05	01	901005	18.89	67	56	69			5	190	07 01 n	085 04 w	1.89	
06	01	901005	18.89	77	55	71			4	194	06 49 n	085 08 w	1.26	
07	01	901005	16.67	55	71	77			4	194	06 44 n	085 10 w	4.17	
07	02	901005	16.67	55	71	77	02	02	4	194	06 41 n	085 11 w	2.22	
07	04	901005	16.67	71	77	55			4	194	06 41 n	085 11 w	4.72	
07	05	901005	16.67	71	77	55			4	194	06 37 n	085 12 w	1.11	
01	01	901007	18.52	71	77	55			4	194	03 00 n	086 36 w	0.28	
01	02	901007	18.52	71	77	55			5	278	03 00 n	086 36 w	6.17	
01	01	901007	18.52	77	55	71			5	278	03 00 n	086 40 w	3.09	
01	03	901007	18.52	77	55	71			5	278	03 00 n	086 40 w	8.64	
01	04	901007	18.52	55	71	77			5	278			1.85	
01	05	901007	18.52	55	71	77	06	02	5	278			2.47	
01	06	901007	18.52	55	71	77	06	02	5	278			3.40	
01	07	901007	18.52	56	69	67	06	02	5	278	03 01 n	086 50 w	5.25	
01	08	901007	18.52	56	69	67			5	278			7.10	
01	09	901007	18.52	69	67	56			5	278			1.54	
01	10	901007	18.52	69	67	56	06	02	5	278			4.63	
01	11	901007	18.52	69	67	56			5	278	03 03 n	087 00 w	3.70	
02	01	901007	18.52	67	56	69			5	278	03 02 n	087 03 w	5.25	
02	02	901007	18.52	67	56	69			5	278			1.85	
02	03	901007	18.52	67	56	69			5	278			5.25	
02	04	901007	18.52	71	77	55			5	278	03 03 n	087 10 w	12.35	
02	05	901007	18.52	77	55	71			5	278			1.85	
03	01	901007	18.52	77	55	71	06	01	5	278	03 04 n	087 20 w	6.17	
03	02	901007	18.52	55	71	77			5	278			4.63	
03	03	901007	18.52	55	71	77			5	278			7.72	
03	04	901007	18.52	55	69	67			5	278	03 07 n	087 30 w	2.78	
04	01	901007	18.52	56	69	67			5	278	03 07 n	087 33 w	1.23	
04	02	901007	18.52	56	69	67	12	12	5	276	03 07 n	087 34 w	5.86	
04	03	901007	18.52	69	67	56	12	12	5	276			9.26	
04	04	901007	18.52	69	67	56			5	276			3.09	
04	05	901007	18.52	67	56	69			5	276			3.09	
04	06	901007	18.52	67	56	69	11	01	5	278	03 09 n	087 46 w	9.26	
04	07	901007	18.52	71	77	55	11	01	5	278	03 09 n	087 51 w	12.35	
04	08	901007	18.52	77	55	71	11	01	5	278			12.35	
04	09	901007	18.52	55	71	77	11	02	5	278	03 11 n	088 04 w	3.09	
05	01	901007	18.52	56	69	67	11	02	5	278	03 13 n	088 08 w	6.17	
05	02	901007	18.52	56	69	67			5	278			0.62	
05	03	901007	18.52	69	67	56			5	278	03 13 n	088 11 w	2.47	
06	01	901007	18.52	69	67	56			5	278	03 14 n	088 14 w	1.85	
07	01	901007	18.52	67	56	69	12	02	5	278	03 15 n	088 15 w	3.09	
07	02	901007	18.52	71	77	55	12	03	5	278			2.78	
07	03	901007	18.52	71	77	55			5	278	03 16 n	088 19 w	1.85	
07	04	901007	18.52	71	77	55			5	273			3.09	
07	05	901007	18.52	77	55	71			5	273			1.85	
07	06	901007	18.52	77	55	71			5	273			2.78	
07	07	901007	18.52	77	55	71	12	03	5	273			3.40	
07	08	901007	18.52	55	71	77			5	273	03 17 n	088 30 w	7.41	
07	09	901007	18.52	55	71	77			5	273	03 45 n	089 52 w	0.31	
01	01	901008	18.52	67	56	69			4	024	03 50 n	089 50 w	4.94	
02	01	901008	18.52	56	69	67			4	024			1.54	
02	02	901008	18.52	56	69	67	02	03	4	024			6.79	

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. course no.	course (deg.)	position latitude longitude	km in leg
02	03	901008	18.52	55 71		4	024	03 54 n 089 48 w	12.35
02	04	901008	18.52	71 77		4	024		1.85
02	05	901008	18.52	71 77	02	4	024	04 03 n 089 44 w	0.93
03	01	901008	20.37	71 77	02	4	024	04 03 n 089 44 w	3.06
03	02	901008	20.37	71 77	02	4	024		5.43
03	03	901008	20.37	77 55	02	4	024		13.58
03	04	901008	20.37	67 56	03	5	024	04 15 n 089 39 w	8.49
04	01	901008	21.30	69 56	02	5	026	04 23 n 089 36 w	5.68
05	01	901008	21.30	69 67		5	028	04 28 n 089 35 w	2.84
05	02	901008	21.30	69 56	02	5	028	04 30 n 089 34 w	11.71
05	03	901008	21.30	55 71		4	028	04 34 n 089 32 w	18.10
05	04	901008	21.30	71 77		4	028		1.77
06	01	901008	22.04	77 55		4	028	04 49 n 089 26 w	4.04
06	02	901008	22.04	77 55	07 12	4	028		1.10
06	03	901008	22.04	77 55	04 01	4	060	04 52 n 089 24 w	8.08
06	04	901008	22.04	67 56	04 01	5	060	04 54 n 089 21 w	12.12
06	05	901008	22.04	67 56	08 01	5	012		2.57
06	06	901008	22.04	69 67	08 01	5	012		14.69
06	07	901008	22.04	69 67	08 01	5	012		6.24
06	08	901008	22.04	69 67	08 01	5	024		3.31
06	09	901008	22.04	69 67		4	055	05 11 n 089 11 w	5.14
06	10	901008	22.04	55 71		4	055	05 12 n 089 09 w	4.04
06	11	901008	22.04	55 71		4	055		5.14
06	12	901008	22.04	71 77		4	055		2.57
07	01	901008	17.59	77 55		5	055	05 19 n 090 00 w	3.52
07	02	901008	17.59	77 55		5	000	05 20 n 088 58 w	2.05
07	03	901008	17.59	67 56		5	000		1.17
08	01	901008	17.59	69 67		4	000	05 28 n 089 00 w	1.76
08	02	901008	17.59	56 69		4	000	05 30 n 089 00 w	0.29
01	01	901009	18.52	77 55		4	000	07 13 n 088 20 w	0.62
01	02	901009	18.52	77 55		4	024		4.63
01	03	901009	18.52	77 55		4	024		1.54
01	04	901009	18.52	55 71		4	024		2.47
02	01	901009	18.52	55 71		4	024	07 19 n 088 17 w	1.54
03	01	901009	18.52	69 67		4	024	07 23 n 088 17 w	7.41
04	01	901009	18.52	67 56		4	024	07 28 n 088 11 w	3.09
05	01	901009	20.00	67 56		4	024	07 31 n 088 10 w	4.00
05	02	901009	20.00	56 69	02	4	024	07 32 n 088 09 w	10.00
05	03	901009	20.00	77 55	02	4	024	07 37 n 088 06 w	11.33
05	04	901009	20.00	77 55	03	4	021	07 42 n 088 04 w	2.00
05	05	901009	20.00	55 71	03	4	021		2.67
06	01	901009	19.26	55 71	03	4	024	07 49 n 088 03 w	1.61
06	02	901009	19.26	71 77	03	4	024		8.03
07	01	901009	18.52	69 67	04	4	024	07 57 n 088 00 w	11.73
07	02	901009	18.52	67 56	04	4	024		12.96
07	03	901009	18.52	56 69	06	4	024		10.80
07	04	901009	18.52	77 55	07	4	024	08 15 n 087 50 w	8.03
08	01	901009	18.52	55 71	07	4	024	08 21 n 087 47 w	1.37
08	02	901009	20.56	71 77	07	4	024	08 28 n 087 43 w	13.70
08	03	901009	20.56	71 77	08	4	024		10.96
08	04	901009	20.56	71 77	08	4	024	08 34 n 087 40 w	2.74
08	05	901009	20.56	69 67	08	4	024		2.40
08	06	901009	20.56	69 67	08	4	015	08 35 n 087 39 w	6.17
08	07	901009	20.56	67 67	08	4	015		9.25



Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	km/hr	left	right	horz.	vert.			latitude	longitude	
08	08	901009	20.56	69	56	67	08	02	4	015			7.88
08	09	901009	20.56	77	55	71	08	02	4	015			8.57
08	10	901009	20.56	71	77	77	08	03	4	015			8.57
08	11	901009	20.56	71	77	55			4	015	08 55 n	087 33 w	8.57
08	12	901009	20.56	71	77	55			4	015	09 00 n	087 31 w	0.34
01	01	901010	20.00	69	67	67	06	03	3	258	09 47 n	088 01 w	3.67
01	02	901010	20.00	56	69	67	08	03	3	225	09 46 n	088 03 w	3.00
01	03	901010	20.00	69	67	56			3	225			1.67
01	04	901010	20.00	69	67	56	08	03	3	225			3.67
01	05	901010	20.00	69	67	56	06	03	3	263	09 43 n	088 06 w	1.33
01	06	901010	20.00	67	56	69	06	03	3	263			6.67
01	07	901010	20.00	71	77	55	06	02	3	263	09 42 n	088 11 w	13.33
01	08	901010	20.00	77	55	71	07	02	3	263			13.33
01	09	901010	20.00	55	71	77	07	02	4	263	09 39 n	088 32 w	13.33
01	10	901010	20.00	56	69	67	07	02	4	263			13.33
01	11	901010	20.00	69	67	56	07	01	4	263			3.33
02	01	901010	19.82	69	67	56	07	01	4	266	09 38 n	088 42 w	2.97
02	02	901010	19.82	67	56	69	07	01	4	266			13.21
02	03	901010	19.82	71	77	55	08	01	4	266	09 37 n	088 51 w	14.20
03	01	901010	19.26	77	55	71	10	01	4	274	09 32 n	088 57 w	7.70
03	02	901010	19.26	55	71	77	11	01	4	274			7.38
03	03	901010	19.26	56	69	67	11	01	4	274	09 32 n	089 06 w	12.84
03	04	901010	19.26	69	67	56	11	01	4	274			6.42
03	05	901010	19.26	69	67	56	11	02	4	274	09 32 n	089 14 w	6.42
03	06	901010	19.26	67	56	69	11	02	4	274			12.84
03	07	901010	19.26	71	77	55	11	02	4	274	09 33 n	089 26 w	8.03
03	08	901010	19.26	77	55	71	11	02	4	274			3.85
04	01	901010	17.59	55	71	77	11	02	4	275	09 36 n	089 35 w	5.86
04	02	901010	17.59	56	69	67	11	03	4	275			3.81
05	01	901010	17.59	69	67	56	01	03	4	220	09 35 n	089 41 w	7.33
05	02	901010	17.59	67	56	69	01	03	4	220			2.05
05	03	901010	17.59	67	56	69			4	260	09 30 n	089 45 w	4.98
05	04	901010	17.59	67	56	69			4	260	09 30 n	089 48 w	0.29
01	01	901011	18.71	55	71	81			4	230	08 44 n	091 24 w	6.86
01	02	901011	18.71	71	81	55			4	230			2.81
01	03	901011	18.71	71	81	55	08	03	4	230			4.05
01	04	901011	18.71	81	55	71	08	03	4	230			4.36
01	05	901011	18.71	81	55	71			4	230			2.49
01	06	901011	18.71	67	56	69			4	230	08 37 n	091 33 w	1.56
02	01	901011	19.08	56	69	67			4	232	08 28 n	091 42 w	3.50
02	02	901011	19.08	56	69	67			4	232			4.45
02	03	901011	19.08	69	67	56			3	232	08 25 n	091 46 w	4.13
02	04	901011	19.08	69	67	56			3	232			3.82
02	05	901011	19.08	55	71	81			4	232	08 23 n	091 48 w	9.54
02	06	901011	19.08	55	71	81	08	01	4	232	08 19 n	091 52 w	3.18
02	07	901011	19.08	81	55	71	08	01	4	232	08 18 n	091 53 w	1.59
03	01	901011	19.08	81	55	71			4	232	08 17 n	091 59 w	4.13
03	02	901011	19.08	71	55	81	10	01	4	232	08 15 n	092 00 w	5.40
04	01	901011	16.67	67	56	69			4	232	08 09 n	092 04 w	6.67
04	02	901011	16.67	67	56	69	11	01	4	232			4.44
04	03	901011	16.67	56	69	67	12	01	5	239	08 04 n	092 09 w	1.11
04	04	901011	16.67	69	67	56	12	01	5	239			5.00
04	05	901011	16.67	69	67	56	11	01	5	260	08 02 n	092 11 w	0.56
04	06	901011	16.67	55	71	81			4	260	08 02 n	092 12 w	2.78

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. course no.	course (deg.)	position		km in leg
			km/hr	km	left	right	horz.	vert.			lat	long	
04	07	901011	16.67	55	71	81			4	289	08 02 n	092 13 w	3.33
04	08	901011	16.67	55	71	81	12	01	5	237	08 02 n	092 15 w	5.00
04	09	901011	16.67	71	81	55			5	237			4.17
04	10	901011	16.67	71	81	55			4	237			1.39
04	11	901011	16.67	71	81	55			4	237	07 58 n	092 20 w	2.50
04	12	901011	16.67	71	81	55	12	01	4	237			1.67
04	13	901011	16.67	71	81	55			4	237			1.39
04	14	901011	16.67	81	55	71			4	237			8.89
05	01	901011	16.67	67	56	69			4	237	07 50 n	092 28 w	3.89
06	01	901011	16.67	56	69	67			4	237	07 49 n	092 31 w	3.89
06	02	901011	16.67	56	69	67			4	237			2.22
06	03	901011	16.67	69	67	56			4	237			3.06
06	04	901011	16.67	69	67	56			4	237			2.78
06	05	901011	16.67	55	71	81			4	237			1.11
07	01	901011	16.67	55	71	81			4	237	07 42 n	092 37 w	2.22
08	01	901011	16.67	71	81	55			5	237	07 38 n	092 42 w	2.22
08	02	901011	16.67	71	81	55			5	237			1.11
01	01	901012	18.52	69	67	56	07	03	5	245	06 46 n	093 43 w	5.56
01	02	901012	18.52	69	67	56	07	03	4	245	06 45 n	093 46 w	2.16
01	03	901012	18.52	67	56	69	07	03	4	245			3.09
01	04	901012	18.52	67	56	69	08	03	4	230	06 44 n	093 48 w	4.01
01	05	901012	18.52	77	55	71	08	02	5	230	06 42 n	093 50 w	12.35
01	06	901012	18.52	55	71	77	08	02	5	230			6.17
01	07	901012	18.52	55	71	77	08	02	5	238	06 34 n	093 56 w	6.17
01	08	901012	18.52	71	77	55	07	02	5	238	06 32 n	093 59 w	10.80
02	01	901012	18.89	69	67	56	08	01	5	238	06 28 n	094 05 w	8.50
02	02	901012	18.89	69	67	56			5	238			2.83
02	03	901012	18.89	67	56	69			5	238			5.98
02	04	901012	18.89	67	56	69	08	01	5	238			5.35
02	05	901012	18.89	56	69	67	08	01	5	234	06 21 n	094 16 w	1.26
02	06	901012	18.89	56	69	67	08	01	5	234	06 17 n	094 20 w	9.13
02	07	901012	18.89	77	55	71	09	01	4	234	06 14 n	094 21 w	5.04
03	01	901012	19.08	77	55	71	10	01	5	234			2.54
03	02	901012	19.08	55	71	77	11	01	5	234			12.72
03	03	901012	19.08	71	77	55	12	01	5	234	06 09 n	094 28 w	12.40
04	01	901012	19.63	69	67	56	12	01	4	234	06 04 n	094 35 w	12.11
04	02	901012	19.63	67	56	69	12	01	4	234			6.22
05	01	901012	20.74	67	56	69	01	01	4	234	05 57 n	094 43 w	2.07
05	02	901012	20.74	56	69	67	01	02	4	234			12.79
05	03	901012	20.74	77	55	71	01	02	4	214	05 52 n	094 50 w	8.64
05	04	901012	20.74	55	71	77	01	02	4	214			3.11
06	01	901012	20.74	71	77	55	01	02	4	214	05 43 n	094 53 w	2.42
06	02	901012	20.74	71	77	55	01	02	4	214	05 42 n	094 54 w	3.46
06	03	901012	20.74	69	67	56			4	214			7.95
06	04	901012	20.74	69	67	56			4	214			10.72
06	05	901012	20.74	67	56	69			4	214			10.37
06	06	901012	20.74	56	69	67			4	214			0.35
06	07	901012	20.74	56	69	67			4	214	05 26 n	095 04 w	0.34
01	01	901013	20.37	71	77	55			3	202	03 43 n	095 46 w	5.09
02	01	901013	20.37	71	77	55			3	199	03 42 n	095 47 w	7.81
02	02	901013	20.37	77	55	71			4	199			13.58
02	03	901013	20.37	56	69	67			4	199	03 36 n	095 49 w	13.58
02	04	901013	20.37	69	67	56			4	199			13.58
02	05	901013	20.37	67	56	69			4	199			2.04

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	01	901013	20.37	67	09	02	199	03 20 n 095 56 w	7.81
03	02	901013	20.37	71	09	02	199	03 16 n 095 57 w	7.81
04	01	901013	20.37	77			199	03 12 n 095 56 w	1.02
05	01	901013	20.37	77			204	03 09 n 095 56 w	4.07
06	01	901013	20.37	55	10	01	204	03 04 n 095 58 w	2.72
06	02	901013	20.37	55			204	03 03 n 095 59 w	3.40
06	03	901013	20.37	56			204	03 01 n 095 59 w	3.40
07	01	901013	22.22	56			204	02 57 n 096 01 w	7.41
07	02	901013	22.22	69	11	12	204		14.82
07	03	901013	22.22	67			204		4.07
07	04	901013	22.22	67			234	02 45 n 096 07 w	4.07
07	05	901013	22.22	67			234		2.96
07	06	901013	22.22	56			234		3.70
07	07	901013	22.22	67			234		3.70
07	07	901013	22.22	71			234	02 42 n 096 11 w	4.07
07	08	901013	22.22	71			234		10.74
07	09	901013	22.22	77			234		14.82
07	10	901013	22.22	55			234		14.82
07	11	901013	22.22	56			234		9.26
07	12	901013	22.22	69			234		9.26
07	13	901013	22.22	67			234		9.26
07	14	901013	22.22	71			234		2.96
08	01	901013	21.85	71	01	02	234	02 28 n 096 31 w	1.82
08	02	901013	21.85	77			234		13.11
08	03	901013	21.85	55			234		12.02
08	04	901013	21.85	55			234		0.36
01	01	901014	22.22	67			218	00 53 n 098 49 w	2.96
02	01	901014	22.22	56			215	00 50 n 098 57 w	1.85
03	01	901014	22.22	56			230	00 48 n 099 00 w	1.48
03	02	901014	22.22	69			230		7.78
03	03	901014	22.22	55			230		2.22
03	04	901014	22.22	55			225		12.59
03	05	901014	22.22	71			220		14.82
03	06	901014	22.22	77			220		14.82
03	07	901014	22.22	67	08	02	220		10.74
04	01	901014	21.11	56	08	01	220	00 32 n 099 24 w	6.69
04	02	901014	21.11	56	09	01	217	00 27 n 099 31 w	5.98
04	03	901014	21.11	69	09	01	217	00 25 n 099 34 w	2.11
04	04	901014	21.11	69	09	12	217	00 22 n 099 37 w	5.28
04	05	901014	21.11	69	10	12	217		5.28
04	06	901014	21.11	55	11	12	217	00 17 n 099 41 w	7.39
05	01	901014	20.37	77	01	01	214	00 11 n 099 46 w	8.49
06	01	901014	20.37	77	12	01	253	00 04 n 099 50 w	4.07
07	01	901014	20.37	67	12	01	240	00 02 n 099 54 w	3.73
08	01	901014	20.37	56	01	02	230	00 00 s 100 02 w	9.51
08	02	901014	20.37	69	01	02	230		4.41
09	01	901014	20.37	55	01	02	230	00 06 s 100 11 w	7.81
09	02	901014	20.37	71	01	02	230	00 09 s 100 15 w	2.38
10	01	901014	16.67	77	02	02	180	00 11 s 100 16 w	0.56
11	01	901014	16.67	55	03	03	180	00 15 s 100 17 w	4.17
11	02	901014	16.67	67	01	03	230	00 17 s 100 17 w	3.89
11	03	901014	16.67	56	01	03	230	00 19 s 100 20 w	6.67
11	04	901014	16.67	56	01	03	230	00 21 s 100 23 w	0.28
01	01	901015	22.22	77	01	03	235	01 24 s 101 56 w	11.11
01	02	901015	22.22	55			235	01 28 s 102 00 w	1.85

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	01	901015	21.48	71			235	01 29 S 102 07 W	8.95
02	02	901015	21.48	69			235	01 32 S 102 10 W	14.32
02	03	901015	21.48	67			235		8.95
02	04	901015	21.48	67	07		235	01 39 S 102 21 W	5.37
02	05	901015	21.48	56	07		235		3.58
02	06	901015	21.48	69	07		235		10.74
02	07	901015	21.48	55	08		235	01 46 S 102 29 W	14.32
02	08	901015	21.48	77	08		235		9.67
02	09	901015	21.48	55	08		235		4.65
02	10	901015	21.48	71			235		3.58
02	11	901015	21.48	77	08		235	01 56 S 102 43 W	10.74
02	12	901015	21.48	69	09		235	01 59 S 102 48 W	2.86
02	13	901015	21.48	69	09		235		2.86
03	01	901015	21.30	67			231	02 01 S 102 55 W	14.20
03	02	901015	21.30	56	12		231		13.49
04	01	901015	21.30	77			231	02 12 S 103 09 W	9.94
05	01	901015	20.37	55			231	02 16 S 103 15 W	11.20
05	02	901015	20.37	71			231		10.19
05	03	901015	20.37	71	01		231		1.70
05	04	901015	20.37	69			231	02 24 S 103 26 W	2.38
06	01	901015	21.30	67			235	02 24 S 103 29 W	7.45
07	01	901015	21.85	67			231	02 27 S 103 33 W	5.46
07	02	901015	21.85	77			231		10.20
07	03	901015	21.85	55			231		7.28
07	04	901015	21.85	71			231		1.46
07	05	901015	21.85	71			220	02 34 S 103 42 W	11.66
07	06	901015	21.85	71			220		0.36
01	01	901016	21.30	56			235	03 49 S 105 18 W	7.10
01	02	901016	21.30	69	08		235		7.10
01	03	901016	21.30	67	08		235		7.10
01	04	901016	21.30	71	08		235	03 56 S 105 28 W	4.61
01	05	901016	21.30	71	06		265	03 57 S 105 30 W	7.81
02	01	901016	21.30	77	06		265	03 58 S 105 33 W	13.84
02	02	901016	21.30	55	06		265		2.84
03	01	901016	22.22	56	09		205	04 01 S 105 48 W	13.70
03	02	901016	22.22	69	09		205		14.82
03	03	901016	22.22	67	09		205		13.70
03	04	901016	22.22	71	09		231	04 19 S 105 57 W	7.41
03	05	901016	22.22	77	12		231		7.41
03	06	901016	22.22	55	12		231		5.56
04	01	901016	16.67	69	01		228	04 34 S 106 14 W	5.56
04	02	901016	16.67	69	01		228	04 37 S 106 17 W	5.56
04	03	901016	16.67	67	01		228		5.56
05	01	901016	21.30	71	01		228	04 47 S 106 28 W	7.81
05	02	901016	21.30	77	02		228		8.16
05	03	901016	21.30	55	02		228		5.48
06	01	901016	13.70	56	10		320	04 51 S 106 35 W	6.85
06	02	901016	13.70	69	10		320		5.48
06	03	901016	13.70	69	10		320	04 46 S 106 39 W	2.28
01	01	901017	18.52	55	03		080	05 57 S 107 56 W	8.03
01	02	901017	18.52	71			080		4.63
01	03	901017	18.52	71			080	05 55 S 107 49 W	1.23
01	04	901017	18.52	77			080		0.93
02	01	901017	18.89	55	01		080	05 47 S 107 14 W	6.61
02	02	901017	18.89	55			080	05 46 S 107 11 W	1.57

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right rec.	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	03	901017	18.89	71		5	077	05 46 s 107 10 w	3.15
03	01	901017	18.52	67		5	080	05 43 s 107 06 w	6.17
03	02	901017	18.52	56		5	080	05 42 s 107 02 w	3.70
03	03	901017	18.52	56	01	5	080		2.47
03	04	901017	18.52	69	12	5	080		6.17
04	01	901017	18.52	55	05	5	080	05 39 s 106 48 w	4.94
04	02	901017	18.52	55		5	077	05 38 s 106 44 w	7.41
04	03	901017	18.52	71		4	077		12.35
04	04	901017	18.52	77		4	077		12.35
04	05	901017	18.52	67		5	077	05 32 s 106 28 w	7.72
04	06	901017	18.52	56	06	5	077		7.72
04	07	901017	18.52	69	06	5	077	05 30 s 106 19 w	7.72
04	08	901017	18.52	55	06	5	077		10.80
04	09	901017	18.52	71		5	077		6.17
04	10	901017	18.52	71	06	5	077		5.25
05	01	901017	18.52	77		5	077		3.70
05	02	901017	18.52	77		5	077		0.31
01	01	901018	18.52	69	01	5	077	05 25 s 106 01 w	6.79
01	02	901018	18.52	67	01	5	076	04 56 s 104 28 w	7.10
01	03	901018	18.52	56	01	5	076		6.48
01	04	901018	18.52	69	01	5	076		1.85
01	05	901018	18.52	77	01	5	076	04 52 s 104 19 w	4.32
01	06	901018	18.52	77	01	5	079	04 51 s 104 17 w	6.17
01	07	901018	18.52	71		5	079		6.17
02	01	901018	18.71	69	12	5	082	04 46 s 103 59 w	6.24
02	02	901018	18.71	67	12	5	082		6.24
02	03	901018	18.71	56	12	5	082		6.24
03	01	901018	17.96	69	06	5	078	04 34 s 103 11 w	5.99
03	02	901018	17.96	67	06	5	078		5.99
03	03	901018	17.96	56	06	5	078		5.99
03	04	901018	17.96	77	06	5	078	04 30 s 103 01 w	7.49
03	05	901018	17.96	55	06	5	078		7.49
03	06	901018	17.96	71	06	5	078		2.40
04	01	901018	18.15	69	06	5	078	04 25 s 102 51 w	3.63
04	02	901018	18.15	69	06	5	078	04 24 s 102 49 w	3.33
04	03	901018	18.15	69	06	5	080	04 24 s 102 47 w	0.91
04	04	901018	18.15	67	06	5	080		7.56
04	05	901018	18.15	56	06	5	080		8.47
04	06	901018	18.15	69	06	5	080	04 21 s 102 38 w	0.30
01	01	901019	18.52	71	06	3	075	03 58 s 101 09 w	3.40
01	02	901019	18.52	71		3	075	03 58 s 101 06 w	1.23
02	01	901019	18.52	71		3	075	03 57 s 101 05 w	1.85
02	02	901019	18.52	77		4	075	03 57 s 101 04 w	9.57
02	03	901019	18.52	55		4	075	03 55 s 100 59 w	4.01
02	04	901019	18.52	55		3	075		4.63
02	05	901019	18.52	56	01	4	075	03 54 s 100 55 w	12.35
02	06	901019	18.52	69	01	4	075	03 52 s 100 48 w	1.23
03	01	901019	18.52	69		4	075	03 49 s 100 46 w	0.93
03	02	901019	18.52	67		4	075		1.85
03	03	901019	18.52	56		4	075		3.09
04	01	901019	18.52	67		3	075	03 47 s 100 41 w	2.16
04	02	901019	18.52	71	01	3	075	03 47 s 100 40 w	2.47
04	03	901019	18.52	71		3	079	03 46 s 100 39 w	4.63
05	01	901019	18.52	71	01	3	079	03 46 s 100 36 w	1.85

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. course no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
06	01	901019	18.52	77	55	71	01	01	4	080	03 44 S	100 30 W	4.32
07	01	901019	18.52	55	71	77	01	01	4	080	03 42 S	100 25 W	2.78
07	02	901019	18.52	56	69	67	01	01	4	080	03 42 S	100 24 W	9.26
07	03	901019	18.52	56	69	67	12	12	4	080	03 41 S	100 19 W	3.09
07	04	901019	18.52	69	67	56	12	12	4	080			3.09
07	05	901019	18.52	69	67	56	12	12	4	080			3.09
07	06	901019	18.52	69	67	56	04	12	4	080	03 40 S	100 14 W	1.54
08	01	901019	18.52	67	56	69			4	080	03 39 S	100 10 W	4.63
08	02	901019	18.52	67	56	69			4	080			2.78
09	01	901019	18.52	71	77	55	06	01	4	080	03 38 S	100 06 W	7.72
09	02	901019	18.52	71	77	55	06	01	4	080			1.85
09	03	901019	18.52	77	55	71			4	080	03 37 S	100 01 W	0.93
10	01	901019	18.15	77	55	71	06	01	4	080	03 36 S	099 59 W	2.72
10	02	901019	18.15	77	55	71	06	01	4	080			3.33
10	03	901019	18.15	55	71	77	06	01	4	080	03 35 S	099 57 W	9.07
10	04	901019	18.15	56	69	67	06	02	4	080	03 34 S	099 52 W	6.35
10	05	901019	18.15	56	69	67	06	02	4	080			1.21
10	06	901019	18.15	69	67	56	06	02	4	080			3.93
10	07	901019	18.15	69	67	56			4	080			2.42
10	08	901019	18.15	69	67	56	06	02	3	080	03 32 S	099 45 W	1.21
10	09	901019	18.15	67	56	69	06	02	3	080			7.56
10	10	901019	18.15	71	77	55	06	02	4	080			4.54
10	11	901019	18.15	71	77	55			4	080			1.51
11	01	901019	18.15	77	55	71			4	080	03 30 S	099 38 W	7.56
11	02	901019	18.15	77	55	71			4	080	03 28 S	099 33 W	0.30
01	01	901020	19.63	67	56	69			3	074	03 01 S	098 01 W	9.82
01	02	901020	19.63	56	69	67			3	074	02 59 S	097 56 W	4.25
01	03	901020	19.63	56	69	67			4	074			5.56
01	04	901020	19.63	69	67	56			4	074	02 58 S	097 52 W	2.94
01	05	901020	19.63	69	67	56			4	074			2.62
01	06	901020	19.63	69	67	56			4	074			4.25
01	07	901020	19.63	55	71	77			4	074	02 56 S	097 47 W	3.93
01	08	901020	19.63	55	71	77	01	02	4	074	02 55 S	097 45 W	1.96
01	09	901020	19.63	55	71	77			4	074			5.89
01	10	901020	19.63	55	71	77			4	074			1.31
01	11	901020	19.63	71	77	55			4	074			4.25
01	12	901020	19.63	71	77	55			4	074			2.29
01	13	901020	19.63	71	77	55			4	074			1.64
01	14	901020	19.63	71	77	55			4	077	02 52 S	097 36 W	1.96
01	15	901020	19.63	71	77	55			4	077			2.94
01	16	901020	19.63	77	55	71			4	077			13.09
01	17	901020	19.63	67	56	69			4	077	02 50 S	097 26 W	9.82
01	18	901020	19.63	67	56	69			4	077	02 48 S	097 21 W	3.27
01	19	901020	19.63	56	69	67			4	077			1.31
02	01	901020	19.63	69	67	56			4	080	02 44 S	097 12 W	7.53
02	02	901020	19.63	55	71	77			4	080	02 43 S	097 07 W	8.18
02	03	901020	19.63	55	71	77			4	080			3.27
02	04	901020	19.63	55	71	77	02	12	4	080			1.64
02	05	901020	19.63	71	77	55			4	080	02 41 S	096 57 W	4.91
02	06	901020	19.63	71	77	55	04	01	4	080			6.22
02	07	901020	19.63	71	77	55	04	01	4	080			1.96
02	08	901020	19.63	77	55	71	05	01	4	080			3.27
03	01	901020	18.89	77	55	71			4	074	02 41 S	096 50 W	4.09
03	02	901020	18.89	67	56	69	06	01	4	074	02 40 S	096 48 W	12.59

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right rec.	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	03	901020	18.89	56 69	06 01	4	074		3.78
03	04	901020	18.89	56 69		4	074		4.41
03	05	901020	18.89	56 69	06 01	4	074		4.41
03	06	901020	18.89	69 67	06 02	4	074		12.59
03	07	901020	18.89	55 71	06 02	4	074	02 33 s	4.72
03	08	901020	18.89	55 71	06 02	4	074	02 31 s	2.83
04	01	901020	20.37	71 77	06 02	4	080	096 23 w	4.07
04	02	901020	20.37	71 77	06 02	4	080		4.07
04	03	901020	20.37	77 55	06 02	4	080		7.81
04	04	901020	20.37	67 56	06 03	4	080	096 15 w	6.79
04	05	901020	20.37	56 69	06 03	4	080		2.04
04	06	901020	20.37	56 69	06 03	4	080		6.45
04	07	901020	20.37	56 69	06 03	4	080	096 08 w	0.34
04	08	901020	20.37	77 55		4	164	095 42 w	7.00
01	01	901021	20.00	77 55		4	164		4.00
01	02	901021	20.00	55 71	10 03	4	164	095 42 w	2.67
01	03	901021	20.00	55 71	10 03	4	164		3.33
01	04	901021	20.00	71 77	10 03	4	164		1.67
01	05	901021	20.00	71 77	10 03	4	164		1.67
01	06	901021	20.00	71 77	10 03	4	164	095 41 w	1.67
02	01	901021	20.00	69 67		4	164	095 40 w	5.67
03	01	901021	19.26	69 67		4	164	095 42 w	0.96
03	02	901021	19.26	69 67	10 02	4	164		3.21
03	03	901021	19.26	77 55	10 02	4	160	095 42 w	3.85
03	04	901021	19.26	77 55	10 02	4	160		3.21
03	05	901021	19.26	77 55	10 02	4	160		1.61
04	01	901021	19.26	77 55	10 02	4	160	095 40 w	2.25
04	02	901021	19.26	55 71	10 01	4	160		2.52
05	01	901021	18.89	55 71	11 01	5	160	095 38 w	7.38
05	02	901021	18.89	71 77	11 01	5	160		2.52
05	03	901021	18.89	71 77	11 01	5	160	095 38 w	3.15
05	04	901021	18.89	71 77	11 01	5	160		2.20
05	05	901021	18.89	71 77	11 01	5	160	095 38 w	7.24
05	06	901021	18.89	69 67	11 01	5	160	095 36 w	4.72
05	07	901021	18.89	69 67	11 01	5	160		7.87
05	08	901021	18.89	67 56	12 01	5	160		10.39
05	09	901021	18.89	67 56	12 01	5	160	095 33 w	2.20
05	10	901021	18.89	56 69	12 12	4	160		12.59
05	11	901021	18.89	77 55	02 01	4	166	095 31 w	12.59
05	12	901021	18.89	55 71	03 01	4	166		2.20
06	01	901021	18.89	55 71	03 01	4	166	095 29 w	5.04
06	02	901021	18.89	55 71	03 01	4	166		2.20
07	01	901021	20.19	71 77		4	166	095 28 w	1.57
07	02	901021	20.19	71 77		4	166		3.36
07	03	901021	20.19	69 67	03 01	4	166	095 27 w	8.41
07	04	901021	20.19	67 56	03 02	4	166		6.73
08	01	901021	21.11	77 55	03 02	4	166	095 26 w	5.38
08	02	901021	21.11	77 55		4	166	095 25 w	10.56
08	03	901021	21.11	71 77		4	166	095 24 w	7.04
08	04	901021	21.11	71 77		4	166	095 23 w	0.35
01	01	901022	18.71	56 69	06 01	5	168	095 10 w	6.86
01	02	901022	18.71	56 69	06 01	5	168	095 09 w	0.94
01	03	901022	18.71	69 67		5	168		7.79
01	04	901022	18.71	71 77		5	168	095 09 w	4.68
02	01	901022	19.45	71 77		5	168	095 08 w	1.62

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. course no.	course (deg.)	position latitude longitude	km in leg
02	02	901022	19.45	71 77	10 02	5	168	06 52 s 095 08 w	3.24
02	03	901022	19.45	77 55		5	171	06 56 s 095 07 w	6.81
02	04	901022	19.45	77 55		5	171	06 59 s 095 07 w	1.30
03	01	901022	20.37	77 55		5	171		1.36
03	02	901022	20.37	55 71		4	171		8.49
03	03	901022	20.37	55 71		5	171	07 07 s 095 06 w	5.09
03	04	901022	20.37	56 69		5	171		13.58
03	05	901022	20.37	67 56		5	171		13.58
03	06	901022	20.37	67 56		5	171		13.58
03	07	901022	20.37	67 56		5	171		13.58
03	08	901022	20.37	77 55	01 12	5	171	07 27 s 095 03 w	13.58
03	09	901022	20.37	77 55	01 12	5	171		8.49
03	10	901022	20.37	55 71		5	171		5.09
03	11	901022	20.37	56 69		5	171	07 47 s 095 00 w	13.58
03	12	901022	20.37	69 67	03 01	5	171		2.04
04	01	901022	18.89	69 67	03 01	5	171	07 55 s 094 58 w	5.35
04	02	901022	18.89	67 56	03 01	5	171		12.59
04	03	901022	18.89	67 56	03 02	5	171	08 06 s 094 57 w	9.45
04	04	901022	18.89	77 55	03 02	5	169	08 10 s 094 56 w	6.30
04	05	901022	18.89	77 55	03 02	5	169		7.87
04	06	901022	18.89	55 71	03 02	5	169		6.30
04	07	901022	18.89	69 67	03 02	5	169		5.04
05	01	901022	18.89	67 56		5	169	08 26 s 094 55 w	6.30
05	02	901022	18.89	67 56		5	169	08 29 s 094 54 w	0.31
05	03	901022	18.89	67 56		5	169	09 44 s 094 21 w	8.15
01	01	901023	20.37	77 55		4	048		7.13
01	02	901023	20.37	77 55		4	048		4.75
01	03	901023	20.37	77 55		4	048		1.62
02	01	901023	19.45	67 56		4	048	09 34 s 094 09 w	9.63
03	01	901023	19.26	56 69		4	048	09 32 s 094 05 w	10.80
04	01	901023	18.52	55 71		4	044	09 25 s 093 55 w	4.94
04	02	901023	18.52	77 55		4	044	09 16 s 093 47 w	3.46
05	01	901023	20.74	71 77		4	044		12.10
05	02	901023	20.74	77 55		4	044	09 10 s 093 42 w	7.26
05	03	901023	20.74	67 56		4	040	09 07 s 093 37 w	9.40
06	01	901023	19.45	56 69		4	040		1.62
06	02	901023	19.45	56 69	12 12	4	040		11.34
06	03	901023	19.45	69 67	12 12	4	048	08 57 s 093 30 w	12.96
06	04	901023	19.45	55 71	12 12	4	048		11.02
06	05	901023	19.45	77 55	07 01	4	048	08 46 s 093 17 w	7.74
07	01	901023	20.19	77 55		4	048	08 43 s 093 14 w	8.41
07	02	901023	20.19	56 69		4	048		8.41
07	03	901023	20.19	56 69		4	048		10.09
07	04	901023	20.19	69 67		4	048		5.05
07	05	901023	20.19	55 71		4	048	08 28 s 092 58 w	5.72
07	06	901023	20.19	77 55		4	048		10.09
07	07	901023	20.19	71 77		4	048		0.34
07	08	901023	20.19	77 55		4	048	08 22 s 092 52 w	7.27
07	09	901023	20.19	77 55		4	052	07 15 s 091 36 w	6.61
01	01	901024	19.82	69 67		4	052		6.61
01	02	901024	19.82	67 56		4	052		13.21
01	03	901024	19.82	69 67		4	052		5.94
01	04	901024	19.82	56 69		4	052	07 08 s 091 28 w	7.27
01	05	901024	19.82	77 55		4	052		5.94
01	06	901024	19.82	55 71		4	052	07 01 s 091 20 w	7.27



Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
01	07	901024	19.82	71		3	052		9.91
01	08	901024	19.82	71		4	052		3.30
01	09	901024	19.82	69		4	052	06 54 s 091 12 w	9.91
01	10	901024	19.82	69	02	4	052	06 50 s 091 08 w	3.30
01	11	901024	19.82	67	02	4	052		3.30
01	12	901024	19.82	67		4	052		4.29
01	13	901024	19.82	67		4	050	06 47 s 091 04 w	5.61
01	14	901024	19.82	67		4	050		13.21
01	15	901024	19.82	77		3	050	06 40 s 090 56 w	7.27
01	16	901024	19.82	77		4	050		5.94
01	17	901024	19.82	55	12	4	050		13.21
01	18	901024	19.82	71	12	4	050		10.90
01	19	901024	19.82	71	06	4	050		2.31
01	20	901024	19.82	69		4	042	06 26 s 090 40 w	2.97
01	21	901024	19.82	69	07	4	042		10.24
01	22	901024	19.82	67	07	4	042		7.60
01	23	901024	19.82	67	07	4	048	06 17 s 090 34 w	5.61
01	24	901024	19.82	69	07	3	048		13.21
01	25	901024	19.82	77	07	4	048	06 09 s 090 26 w	8.26
01	26	901024	19.82	55	07	4	048		8.26
01	27	901024	19.82	71	07	4	048		8.26
01	28	901024	19.82	69	07	4	048		9.91
01	29	901024	19.82	67	07	4	048		9.91
01	30	901024	19.82	56	07	4	048		8.92
01	31	901024	19.82	56	07	4	048		8.92
01	01	901025	19.45	71	07	4	048	05 49 s 090 05 w	0.33
01	02	901025	19.45	71		4	050	04 42 s 088 46 w	0.97
01	03	901025	20.37	77		4	047	04 42 s 088 46 w	5.83
02	01	901025	20.37	55		4	047	04 37 s 088 39 w	7.47
02	02	901025	20.37	69		4	047	04 34 s 088 36 w	12.56
02	03	901025	20.37	56		4	047		1.02
02	04	901025	20.37	69		4	047		13.58
02	05	901025	20.37	67		4	047		13.58
02	06	901025	20.37	71		4	047	04 18 s 088 20 w	2.04
02	07	901025	20.37	77		4	044	04 18 s 088 18 w	7.67
03	01	901025	20.00	71		4	044		6.33
03	02	901025	20.00	77		4	042	04 12 s 088 11 w	1.54
04	01	901025	18.52	77	02	4	042		2.47
04	02	901025	18.52	77	02	4	042		6.17
04	03	901025	18.52	55	01	4	042		4.63
04	04	901025	18.52	55	01	4	042		4.63
04	05	901025	18.52	71	03	4	042	04 05 s 088 05 w	1.54
04	06	901025	18.52	56	03	4	042	04 00 s 088 01 w	7.10
05	01	901025	19.08	69	12	4	042		1.59
05	02	901025	19.08	69	12	4	042		12.72
05	03	901025	19.08	67	12	4	042		12.72
05	04	901025	19.08	71		4	042	03 49 s 087 51 w	12.72
05	05	901025	19.08	77		4	042		8.27
05	06	901025	19.08	77		4	042		8.27
05	07	901025	19.08	55		4	049	03 40 s 087 44 w	4.45
05	08	901025	19.08	71		4	049	03 38 s 087 42 w	7.95
05	09	901025	19.08	55		4	049		4.45
06	01	901025	18.52	56		4	049	03 32 s 087 36 w	6.48
06	02	901025	18.52	69		4	049	03 29 s 087 33 w	7.10
06	03	901025	18.52	67		4	049		6.48
06	04	901025	18.52	71		4	049		8.03
06	05	901025	18.52	77		4	049	03 22 s 087 25 w	7.72

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
06	06	901025	18.52		55	71			3	049	03 15 S	087 18 W	8.64
06	07	901025	18.52		55	71			3	049	02 12 S	087 00 W	0.31
01	01	901026	20.00		67	56			4	052	02 09 S	086 56 W	6.67
02	01	901026	19.63		56	69			4	052			8.18
02	02	901026	19.63		69	67			4	052			4.58
02	03	901026	19.63		69	67			4	052			3.27
02	04	901026	19.63		55	71			4	052	02 03 S	085 50 W	2.62
03	01	901026	19.45		55	71			4	052	02 00 S	085 44 W	1.94
03	02	901026	19.45		71	77			4	052			12.96
03	03	901026	19.45		77	55		02	4	052			6.48
03	04	901026	19.45		77	55			4	055	01 52 S	085 36 W	3.89
04	01	901026	20.37		67	56			4	051	01 49 S	085 29 W	8.49
05	01	901026	20.37		56	69			5	090	01 41 S	085 24 W	3.73
06	01	901026	19.63		69	67		01	5	090	01 40 S	085 21 W	1.64
06	02	901026	19.63		69	67			5	090			3.27
07	01	901026	19.63		55	71			5	090	01 40 S	085 18 W	1.31
07	02	901026	19.63		55	71			5	127			9.82
07	03	901026	19.63		71	77			5	127			6.54
07	04	901026	19.63		71	77		03	5	127	01 45 S	085 10 W	4.25
07	05	901026	19.63		71	77		02	5	154	01 46 S	085 09 W	2.29
07	06	901026	19.63		77	55		02	5	154			5.89
07	07	901026	19.63		77	55			5	154			3.93
07	08	901026	19.63		77	55		03	5	157			3.27
07	09	901026	19.63		67	56		03	5	157	01 53 S	085 05 W	13.09
07	10	901026	19.63		56	69		03	5	157			5.23
07	11	901026	19.63		56	69			5	157			5.89
07	12	901026	19.63		56	69		03	5	157			1.96
07	13	901026	19.63		69	67		03	5	157			1.31
07	14	901026	19.63		69	67		03	5	157			1.64
08	01	901026	19.63		69	67			5	179	02 07 S	084 59 W	6.22
08	02	901026	19.63		55	71			5	179	02 10 S	084 59 W	4.58
08	03	901026	19.63		55	71			5	179			3.60
08	04	901026	19.63		71	77			5	179	02 14 S	084 59 W	3.27
08	05	901026	19.63		71	77			5	179			7.85
08	06	901026	19.63		77	55			5	179			6.54
08	07	901026	19.63		67	56			5	179			6.22
08	08	901026	19.63		56	69		02	5	179	02 29 S	084 59 W	0.33
08	09	901026	19.63		56	69		02	5	178	04 32 S	084 58 W	2.47
01	01	901027	18.52		69	67		10	5	178	04 34 S	084 58 W	2.78
01	02	901027	18.52		69	67		10	5	178			5.25
02	02	901027	18.52		67	56		10	5	178			6.79
02	03	901027	18.52		56	69		10	5	178			9.67
03	01	901027	20.00		77	55		10	5	178	04 58 S	084 57 W	9.67
03	02	901027	20.00		55	71		12	5	178	05 02 S	084 57 W	6.00
04	01	901027	19.45		69	67		12	5	178	05 08 S	084 57 W	12.96
04	02	901027	19.45		67	56		12	5	178			6.48
04	03	901027	19.45		67	56		12	4	178	05 18 S	084 56 W	6.48
04	04	901027	19.45		56	69		02	4	178			5.51
04	05	901027	19.45		56	69			4	178	05 25 S	084 56 W	0.97
05	01	901027	18.89		56	69			4	178	05 26 S	084 56 W	4.41
05	02	901027	18.89		77	55			4	178	05 29 S	084 56 W	5.35
06	01	901027	18.89		77	55			4	178	05 32 S	084 56 W	1.26
07	01	901027	19.26		55	71		03	4	178	05 36 S	084 55 W	12.20
07	02	901027	19.26		71	77			4	178			12.52

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
07	03	901027	19.26	69		4	178	05 49 S 084 55 W	8.03
07	04	901027	19.26	67		4	178		4.49
08	01	901027	19.45	56		4	179	05 58 S 084 55 W	8.10
08	02	901027	19.45	77		4	179		6.48
08	03	901027	19.45	55		4	179		6.48
08	04	901027	19.45	71		4	179		1.62
08	05	901027	19.45	71		4	179	06 11 S 084 56 W	4.86
08	06	901027	19.45	71		4	179	06 14 S 084 56 W	0.32
01	01	901028	20.37	56		4	187	08 05 S 084 49 W	10.19
01	02	901028	20.37	69		4	187	08 10 S 084 49 W	10.19
01	03	901028	20.37	67		4	187	08 15 S 084 49 W	5.09
01	04	901028	20.37	67		4	181	08 19 S 084 50 W	3.06
02	01	901028	20.37	71		3	181	08 21 S 084 50 W	10.19
02	02	901028	20.37	71		4	181	08 26 S 084 49 W	3.40
02	03	901028	20.37	77		4	181		8.15
02	04	901028	20.37	77		4	183	08 33 S 084 49 W	5.43
02	05	901028	20.37	55		4	183		13.58
02	06	901028	20.37	66		4	183	08 43 S 084 49 W	5.09
03	01	901028	20.37	69		4	183	08 49 S 084 50 W	7.81
03	02	901028	20.37	67		4	183	08 54 S 084 50 W	13.41
04	01	901028	19.63	67		4	183	08 54 S 084 50 W	13.41
04	02	901028	19.63	71		4	183	09 01 S 084 50 W	8.18
04	03	901028	19.63	71		3	183		4.91
04	04	901028	19.63	77		3	183		13.09
04	05	901028	19.63	55		3	183		3.27
04	06	901028	19.63	55		3	177	09 17 S 084 51 W	9.82
04	07	901028	19.63	56		3	177	09 23 S 084 51 W	10.47
04	08	901028	19.63	69		4	177	09 28 S 084 50 W	2.62
04	09	901028	19.63	69		4	177		13.09
04	10	901028	19.63	67		4	177		13.09
04	11	901028	19.63	71		4	177	09 44 S 084 49 W	7.85
04	12	901028	19.63	77		4	177		1.31
05	01	901028	19.63	77		4	177	09 50 S 084 48 W	3.93
06	01	901028	19.63	56		4	177	10 00 S 084 48 W	6.54
06	02	901028	19.63	69	03	4	177		6.54
06	03	901028	19.63	67	03	4	177		3.60
06	04	901028	19.63	67	03	4	177	10 09 S 084 48 W	0.33
01	01	901029	20.56	55		3	040	11 06 S 084 40 W	3.43
02	01	901029	21.30	55		3	040	11 03 S 084 38 W	11.00
02	02	901029	21.30	71		3	040		1.77
02	03	901029	21.30	71		3	018	10 57 S 084 34 W	3.55
03	01	901029	20.74	67		2	020	10 49 S 084 33 W	13.83
03	02	901029	20.74	56		2	020	10 42 S 084 31 W	13.83
03	03	901029	20.74	69		3	020		5.19
03	04	901029	20.74	69		3	023	10 32 S 084 28 W	8.64
03	05	901029	20.74	55		3	023	10 27 S 084 26 W	10.37
04	01	901029	20.74	55	02	3	023	10 21 S 084 24 W	1.38
04	02	901029	20.74	71		2	023		3.46
04	03	901029	20.74	71	02	2	023		7.61
04	04	901029	20.74	77	02	3	023		2.77
04	05	901029	20.74	77	02	3	023		8.99
05	01	901029	19.82	67	12	3	023	09 55 S 084 17 W	7.60
05	02	901029	19.82	56	08	3	027	09 51 S 084 15 W	9.91
05	03	901029	19.82	55	08	2	027	09 46 S 084 13 W	13.21
05	04	901029	19.82	71	08	2	027		13.21

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr		left	right	horz.	vert.			latitude	longitude	
05	05	901029	19.82	77	55	71			2	027			4.95
05	06	901029	19.82	77	55	71	08	02	2	027	09 25 S	084 04 W	8.26
05	07	901029	19.82	67	56	69	08	02	3	027			8.26
05	08	901029	19.82	56	69	67	08	02	3	027			4.62
05	09	901029	19.82	56	69	67	08	02	3	021	09 19 S	084 02 W	3.63
05	10	901029	19.82	69	67	56	08	02	3	021	09 18 S	084 01 W	5.61
06	01	901029	20.56	55	71	77	08	03	3	025	09 10 S	084 01 W	12.68
06	02	901029	20.56	55	71	77	08	03	3	025	09 04 S	083 58 W	0.34
01	01	901030	18.89	69	67	56	08		3	016	07 57 S	083 34 W	4.09
02	01	901030	22.96	69	67	56			3	016	07 53 S	083 32 W	3.44
02	02	901030	22.96	67	56	69			3	016			12.63
02	03	901030	22.96	56	69	67			3	016			13.01
02	04	901030	22.96	77	55	71			3	016	07 38 S	083 28 W	5.74
03	01	901030	22.22	77	55	71			3	016	07 32 S	083 26 W	2.22
04	01	901030	22.22	55	71	77	03	02	4	016	07 28 S	083 26 W	4.82
04	02	901030	22.22	55	71	77			4	016			5.93
04	03	901030	22.22	71	77	55	02	02	4	020	07 23 S	083 25 W	9.63
04	04	901030	22.22	69	67	56	03	01	4	020	07 17 S	083 23 W	10.00
05	01	901030	22.22	67	56	69	03	01	4	020	07 10 S	083 19 W	12.96
05	02	901030	22.22	56	69	67	03	01	4	020			6.67
06	01	901030	20.37	77	55	71	03	12	3	020	06 58 S	083 15 W	1.36
07	01	901030	20.37	77	55	71			3	020	06 56 S	083 12 W	8.15
08	01	901030	22.04	55	71	77			3	020	06 48 S	083 10 W	5.43
08	02	901030	22.04	71	77	55	08	01	3	018			3.67
08	03	901030	22.04	71	77	55			3	018			3.67
08	04	901030	22.04	71	77	55			3	005	06 42 S	083 09 W	3.31
09	01	901030	21.30	69	67	56	08	01	3	020	06 38 S	083 10 W	4.26
10	01	901030	21.30	69	67	56			3	020	06 36 S	083 09 W	1.77
11	01	901030	21.48	67	56	69			3	020	06 35 S	083 08 W	12.89
11	02	901030	21.48	56	69	67			3	020			14.32
12	01	901030	21.30	77	55	71			4	021	06 17 S	083 04 W	9.94
12	02	901030	21.30	55	71	77			4	021			2.84
13	01	901030	20.56	55	71	77			4	024	06 08 S	083 03 W	2.40
13	02	901030	20.56	69	67	56			4	024			6.85
13	03	901030	20.56	67	56	69			4	024			6.85
13	04	901030	20.56	56	69	67			4	024			5.14
13	05	901030	20.56	56	69	67			4	024	05 57 S	082 59 W	0.34
01	01	901031	20.74	71	77	55			4	018	05 35 S	082 53 W	12.45
01	02	901031	20.74	77	55	71			4	018			12.79
01	03	901031	20.74	55	71	77			4	018	05 21 S	082 50 W	2.77
01	04	901031	20.74	55	71	77			4	018	05 20 S	082 49 W	4.84
01	05	901031	20.74	55	71	77			4	025	05 16 S	082 48 W	4.84
01	06	901031	20.74	56	69	67			4	025	05 14 S	082 48 W	1.73
02	01	901031	20.74	56	69	67			4	025	05 12 S	082 46 W	10.37
02	02	901031	20.74	69	67	56			4	025			4.84
03	01	901031	20.37	69	67	56			4	025	05 04 S	082 44 W	1.70
04	01	901031	20.37	67	56	69			4	025	04 57 S	082 41 W	6.11
04	02	901031	20.37	71	77	55			4	025	04 54 S	082 40 W	7.81
05	01	901031	20.37	77	55	71			4	025	04 48 S	082 38 W	2.38
06	01	901031	19.45	56	69	67			4	020	04 44 S	082 34 W	4.86
07	01	901031	19.45	56	69	67			4	020	04 42 S	082 33 W	1.62
07	02	901031	19.45	69	67	56			4	020			1.94
08	01	901031	19.45	71	77	55			4	020	04 36 S	082 32 W	6.48

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
09	01	901031	19.63	77	55	71			4	020	04 31 s	082 30 w	13.41
09	02	901031	19.63	55	71	77			4	020			7.53
10	01	901031	19.63	56	69	67			4	020	04 15 s	082 25 w	6.54
10	02	901031	19.63	69	67	56			4	020			6.22
10	03	901031	19.63	77	55	71			4	020			6.87
10	04	901031	19.63	77	55	71			4	020			3.60
10	05	901031	19.63	77	55	71			4	020	04 03 s	082 22 w	0.33
01	01	901101	22.59	67	56	69			4	020	02 53 s	081 27 w	8.28
02	01	901101	22.59	67	56	69			4	020	02 48 s	081 25 w	1.51
03	01	901101	20.37	56	69	67			4	000	02 48 s	081 22 w	10.87
03	02	901101	20.37	55	71	77			4	000	02 42 s	081 22 w	10.19
03	03	901101	20.37	71	77	55			4	005	02 37 s	081 22 w	16.98
03	04	901101	20.37	77	55	71			4	005			13.58
03	05	901101	20.37	67	56	69			4	005	02 19 s	081 21 w	9.17
03	06	901101	20.37	56	69	67			4	005			13.58
03	07	901101	20.37	56	69	67			4	015	02 07 s	081 20 w	4.41
03	08	901101	20.37	69	67	56			4	015			2.72
04	01	901101	21.11	69	67	56			4	016	02 03 s	081 18 w	9.85
04	02	901101	21.11	55	71	77			4	016	01 57 s	081 17 w	2.82
04	03	901101	21.11	55	71	77			4	150	01 56 s	081 16 w	2.11
04	04	901101	21.11	55	71	77			4	161	01 57 s	081 16 w	9.15
04	05	901101	21.11	71	77	55			4	161			10.56
04	06	901101	21.11	71	77	55			4	172	02 07 s	081 11 w	3.52
04	07	901101	21.11	77	55	71			4	172			5.63
05	01	901101	21.30	77	55	71			4	172	02 12 s	081 09 w	3.55
05	02	901101	21.30	67	55	69			4	172	02 14 s	081 08 w	11.36
05	03	901101	21.30	67	55	69			4	153	02 20 s	081 07 w	2.84
05	04	901101	21.30	56	69	67			4	150			14.20
05	05	901101	21.30	69	67	56			4	153			3.55
06	01	901101	21.30	69	67	56			4	153	02 31 s	081 01 w	9.23
06	02	901101	21.30	55	71	77			4	153	02 36 s	080 59 w	8.87
06	03	901101	21.30	71	77	55			4	153			8.87
06	04	901101	21.30	77	55	71			4	153			8.87
06	05	901101	21.30	67	56	69			4	153	02 48 s	080 52 w	7.10
06	06	901101	21.30	56	69	67			4	153			6.74
06	07	901101	21.30	56	69	67			4	153	02 56 s	080 47 w	0.35
06	08	901101	21.30	56	69	67			5	240	03 36 s	081 30 w	4.00
01	01	901108	20.00	77	55	71		08	5	240			8.33
01	02	901108	20.00	77	55	71		08	5	240			7.33
01	03	901108	20.00	55	71	77		08	5	246	03 40 s	081 39 w	5.33
01	04	901108	20.00	55	71	77		08	5	246			12.00
01	05	901108	20.00	71	77	55		07	5	246	03 43 s	081 48 w	6.67
01	06	901108	20.00	56	67	69		07	5	246			6.67
01	07	901108	20.00	67	69	56		07	5	246			6.67
01	08	901108	20.00	69	56	67		07	5	246			6.67
02	01	901108	20.00	77	55	71		08	5	246	03 49 s	082 09 w	6.67
02	02	901108	20.00	55	71	77		08	5	246			6.67
02	03	901108	20.00	71	77	55		08	5	246			6.67
03	01	901108	20.37	56	67	69		11	5	246	03 56 s	082 31 w	6.79
03	02	901108	20.37	67	69	56		11	5	246	03 57 s	082 35 w	6.79
03	03	901108	20.37	69	56	67		11	5	246			6.79
04	01	901108	20.37	77	55	71		12	4	243	04 07 s	083 01 w	2.04
04	02	901108	20.37	77	55	71		12	4	246			4.75
04	03	901108	20.37	55	71	77		12	4	246	04 08 s	083 02 w	5.09
04	04	901108	20.37	55	71	77		12	4	246			1.70

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
04	05	901108	20.37		71	77	55		4	246			2.04
04	06	901108	20.37		71	77	55	12	02	246			1.36
05	01	901108	20.37		71	77	55	12	02	246	04 11 S	083 09 W	1.70
05	02	901108	20.37		56	67	69	12	02	246	04 11 S	083 10 W	7.13
05	03	901108	20.37		56	67	69	01	02	231	04 13 S	083 14 W	1.36
06	01	901108	20.37		77	55	71	01	03	231	04 16 S	083 21 W	6.79
06	02	901108	20.37		77	55	71	01	03	231	04 18 S	083 24 W	0.34
01	01	901109	20.37		69	56	67	08	03	214	05 33 S	084 44 W	0.34
02	01	901109	20.37		69	56	67	08	03	214	05 34 S	084 45 W	7.47
02	02	901109	20.37		56	67	69	08	03	214			9.85
02	03	901109	20.37		67	69	56			214	05 41 S	084 50 W	4.07
02	04	901109	20.37		67	69	56	08	02	214			5.09
02	05	901109	20.37		71	77	55	08	02	214	05 46 S	084 54 W	4.41
03	01	901109	20.37		69	99	67	09	01	214	05 50 S	085 00 W	10.53
04	01	901109	20.37		99	67	69	09	01	214	05 56 S	085 03 W	11.54
04	02	901109	20.37		67	69	99	09	01	214			9.85
05	01	901109	20.37		71	77	55	11	12	213	06 08 S	085 13 W	11.88
05	02	901109	20.37		77	55	71	12	01	213			4.41
06	01	901109	20.37		77	55	71	01	01	213	06 17 S	085 17 W	3.73
06	02	901109	20.37		55	71	77	01	01	213	06 20 S	085 19 W	11.20
06	03	901109	20.37		69	56	67	01	01	213	06 24 S	085 22 W	13.58
06	04	901109	20.37		56	67	69	01	02	213			4.07
06	05	901109	20.37		56	67	69	01	02	213	06 33 S	085 28 W	9.51
06	06	901109	20.37		67	69	56			218			7.47
07	01	901109	20.37		71	77	55	01	02	218	06 40 S	085 36 W	3.73
07	02	901109	20.37		71	77	55			218	06 42 S	085 37 W	4.75
07	03	901109	20.37		77	55	71			218			2.38
07	04	901109	20.37		77	55	71	01	02	218	06 45 S	085 40 W	6.45
07	05	901109	20.37		55	71	77	01	02	218			8.15
07	06	901109	20.37		69	56	67	01	02	218			5.43
07	07	901109	20.37		69	56	67	01	03	218	06 54 S	085 47 W	3.06
07	08	901109	20.37		56	67	69	01	03	218			9.51
07	09	901109	20.37		67	69	56	01	03	218			1.70
07	10	901109	20.37		67	69	56			218			3.40
07	11	901109	20.37		67	69	56			218	07 02 S	085 53 W	0.34
01	01	901110	20.00		55	71	77			218	08 28 S	087 00 W	10.00
01	02	901110	20.00		71	77	55			218	08 32 S	087 03 W	10.00
01	03	901110	20.00		77	55	71			218	08 37 S	087 07 W	10.00
01	04	901110	20.00		67	69	56			218	08 41 S	087 10 W	13.33
01	05	901110	20.00		69	56	67			218			6.67
01	06	901110	20.00		69	56	67	08	02	218	08 50 S	087 17 W	6.67
01	07	901110	20.00		56	67	69	08	02	218	08 52 S	087 19 W	6.00
01	08	901110	20.00		56	67	69			218	08 54 S	087 21 W	7.33
01	09	901110	20.00		55	71	77			218	08 58 S	087 24 W	13.33
01	10	901110	20.00		71	77	55			218			13.33
01	11	901110	20.00		77	55	71	09	01	218			13.33
01	12	901110	20.00		67	69	56			218	09 14 S	087 39 W	5.00
02	01	901110	20.56		69	56	67			206	09 21 S	087 49 W	8.22
02	02	901110	20.56		56	67	69			206			7.88
02	03	901110	20.56		55	71	77			206	09 29 S	087 52 W	2.74
02	04	901110	20.56		55	71	77	01	01	206			10.96
02	05	901110	20.56		71	77	55	01	02	206			10.96
02	06	901110	20.56		71	77	55			206			2.74
02	07	901110	20.56		77	55	71	01	02	218	09 42 S	087 59 W	2.06

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	08	901110	20.56	77 55			218		2.06
03	01	901110	20.37	77 55			218	09 43 s 088 02 w	3.40
03	02	901110	20.37	67 69	01 02		218		5.09
03	03	901110	20.37	67 69			218	09 46 s 088 04 w	3.40
03	04	901110	20.37	69 56			218		3.73
03	05	901110	20.37	69 56	01 02		218		4.75
03	06	901110	20.37	56 67			218		4.07
03	07	901110	20.37	56 67			212	09 53 s 088 10 w	1.70
03	08	901110	20.37	56 67			212		1.36
03	09	901110	20.37	56 67	01 02		212		1.36
03	10	901110	20.37	55 71	01 02		212		3.06
04	01	901110	20.37	55 71			212	09 58 s 088 14 w	3.06
05	01	901110	20.37	77 77	01 03		212	10 02 s 088 16 w	3.06
05	02	901110	20.37	77 77			212		1.70
05	03	901110	20.37	71 77	01 03		212		3.40
05	04	901110	20.37	71 77	01 03		212	10 06 s 088 19 w	0.34
01	01	901111	21.30	56 67			230	11 30 s 089 24 w	6.03
01	02	901111	21.30	56 67			337		3.55
01	03	901111	21.30	67 69			337		10.29
01	04	901111	21.30	69 56			337	11 26 s 089 29 w	9.58
01	05	901111	21.30	77 55			337	11 21 s 089 31 w	14.20
01	06	901111	21.30	55 71			337		9.58
01	07	901111	21.30	55 71	04 02		337		4.61
01	08	901111	21.30	71 77	04 02		337		6.39
01	09	901111	21.30	71 77			337		7.81
01	10	901111	21.30	56 67			337	11 00 s 089 41 w	10.65
01	11	901111	21.30	56 67	04 01		337	10 55 s 089 43 w	3.55
01	12	901111	21.30	67 69	04 01		337		14.20
01	13	901111	21.30	69 56			337		4.26
01	14	901111	21.30	69 56			339	10 45 s 089 47 w	9.94
01	15	901111	20.93	77 55			339	10 40 s 089 50 w	13.95
01	16	901111	20.93	55 71			339		13.95
01	17	901111	20.93	71 77			339		8.72
01	18	901111	20.93	71 77	09 12		339		3.14
01	19	901111	20.93	71 77			339		2.09
01	20	901111	20.93	56 67			339	10 19 s 089 59 w	11.51
01	21	901111	20.93	56 67			341	10 13 s 090 02 w	2.44
01	22	901111	20.93	67 69	09 01		341		6.98
01	23	901111	20.93	67 69			341	10 08 s 090 03 w	6.98
01	24	901111	20.93	69 56			341		13.95
01	25	901111	20.93	77 55			341	09 58 s 090 08 w	1.74
01	26	901111	20.93	77 55	09 02		341		6.63
01	27	901111	20.93	55 71	09 02		341		7.32
02	01	901111	20.93	56 67			341	09 42 s 090 14 w	8.72
02	02	901111	20.93	67 69			341		6.98
03	01	901111	20.93	69 56			341	09 33 s 090 18 w	6.98
03	02	901111	20.93	69 56			341	09 29 s 090 19 w	0.35
01	01	901112	21.30	71 77			335	07 54 s 090 59 w	9.58
02	01	901112	21.30	77 55			336	07 49 s 091 03 w	8.87
02	02	901112	21.30	55 71			336		7.10
02	03	901112	21.30	69 56	04 02		341	07 42 s 091 07 w	9.94
02	04	901112	21.30	69 56			341	07 36 s 091 09 w	4.26
02	05	901112	21.30	56 67			341		14.20
02	06	901112	21.30	67 69			341		14.20

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	km/hr	left	right	horz.	vert.			latitude	longitude	
02	07	901112	21.30	71	77	55			4	341	07 21 S	091 15 W	10.65
02	08	901112	21.30	71	77	55			4	343	07 15 S	091 17 W	3.55
02	09	901112	21.30	77	55	71			4	343			14.55
02	10	901112	21.30	55	71	77			4	343			4.61
02	11	901112	21.30	55	71	77	04	12	4	343	07 00 S	091 23 W	9.23
02	12	901112	21.30	69	56	67	04	12	4	343			14.20
02	13	901112	21.30	56	67	69	12	12	4	343			4.61
03	01	901112	21.30	56	67	69	12	12	4	339	06 49 S	091 27 W	1.77
03	02	901112	21.30	67	69	56	08	12	4	339			9.58
04	01	901112	21.30	71	77	55	09	01	4	336	06 41 S	091 28 W	13.13
04	02	901112	21.30	77	55	71	09	01	4	336			2.48
05	01	901112	21.11	77	55	71	09	01	4	336	06 32 S	091 31 W	7.74
05	02	901112	21.11	55	71	77	09	01	4	336			13.72
05	03	901112	21.11	69	56	67	09	02	4	336	06 22 S	091 36 W	8.80
05	04	901112	21.11	56	67	69	09	02	4	336	06 17 S	091 39 W	8.80
05	05	901112	21.11	67	69	56			4	336			7.04
05	06	901112	21.11	67	69	56	09	02	4	336			1.76
05	07	901112	21.11	71	77	55	09	02	4	336			12.32
05	08	901112	21.11	77	55	71	09	02	4	336			12.32
05	09	901112	21.11	55	71	77	09	03	4	336			12.32
05	10	901112	21.11	55	71	77			4	336	05 56 S	091 48 W	0.35
01	01	901113	19.26	67	69	56			4	336	05 51 S	091 51 W	7.70
01	02	901113	19.26	67	69	56			4	253	04 44 S	092 44 W	4.49
01	03	901113	19.26	69	56	67			4	250	04 45 S	092 48 W	4.49
01	04	901113	19.26	56	67	69			4	250			12.20
01	05	901113	19.45	55	71	77			4	250			3.21
02	01	901113	19.45	71	77	55			4	258	04 55 S	093 00 W	11.34
02	02	901113	19.45	71	77	55	07	01	4	258			3.24
02	03	901113	19.45	71	77	55	07	01	4	258	04 56 S	093 08 W	5.19
02	04	901113	19.45	71	77	55	07	01	4	258			11.02
02	05	901113	19.45	77	55	71	07	01	4	258			4.86
02	06	901113	19.45	67	69	56	07	01	5	258	04 59 S	093 17 W	7.45
02	07	901113	19.45	67	69	56			5	258			3.57
03	01	901113	19.45	69	56	67			5	258	05 00 S	093 25 W	2.27
03	02	901113	19.45	69	56	67			5	258			5.51
03	03	901113	19.45	69	56	67	08	01	5	258	05 01 S	093 27 W	12.96
03	04	901113	19.45	56	67	69	08	01	5	258			11.34
03	05	901113	19.45	55	71	77	10	12	5	258	05 02 S	093 37 W	1.65
03	06	901113	19.82	55	71	77	11	12	5	249	05 03 S	093 43 W	3.63
03	07	901113	19.82	71	77	55			5	249			6.94
03	08	901113	19.82	71	77	55	11	01	5	249			2.64
03	09	901113	19.82	71	77	55			5	249			5.28
03	10	901113	19.82	77	55	71			4	249			7.93
03	11	901113	19.82	77	55	71			4	249			13.21
03	12	901113	19.82	67	69	56			4	249	05 08 S	093 57 W	10.24
03	13	901113	19.82	69	56	67			4	249			1.96
03	14	901113	19.82	56	67	69			4	249			6.22
04	01	901113	19.63	55	71	77			4	248	05 16 S	094 19 W	5.23
04	02	901113	19.63	55	71	77	12	02	4	248			6.22
04	03	901113	19.63	71	77	55	10	03	4	320	05 17 S	094 23 W	5.23
04	04	901113	19.63	71	77	55	10	03	4	320	05 15 S	094 25 W	0.33
01	01	901114	19.45	77	55	71			4	253	05 57 S	096 08 W	12.96
01	02	901114	19.45	55	71	77	07	03	4	253			7.13
01	03	901114	19.45	55	71	77			4	253	06 01 S	096 19 W	5.83
01	04	901114	19.45	71	77	55			4	253			3.89



Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
01	05	901114	19.45	71	77	55			4	205	06 03 s	096 24 w	6.81
01	06	901114	19.45	71	77	55	09	02	5	205			2.27
01	07	901114	19.45	56	67	69	09	02	5	205	06 08 s	096 27 w	1.62
01	08	901114	19.45	56	67	69	05	02	5	310	06 08 s	096 27 w	11.34
01	09	901114	19.45	67	69	56	05	02	5	310			7.78
02	01	901114	20.00	77	55	71	09	01	4	200	05 58 s	096 40 w	13.00
02	02	901114	20.00	55	71	77	09	01	4	200			8.33
03	01	901114	19.26	71	77	55			4	315	06 08 s	096 49 w	5.46
03	02	901114	19.26	56	67	69	12	01	4	315	06 06 s	096 52 w	4.82
04	01	901114	19.26	56	67	69	12	01	4	200	06 03 s	096 54 w	3.85
04	02	901114	19.26	67	69	56	01	01	4	200			6.42
04	03	901114	19.26	67	69	56	01	01	5	200	06 09 s	096 56 w	6.42
04	04	901114	19.26	69	56	67	01	01	5	200			3.21
05	01	901114	19.45	77	55	71	12	01	5	250	06 14 s	097 04 w	12.96
05	02	901114	19.45	55	71	77	11	02	5	250			1.62
05	03	901114	19.45	55	71	77	11	02	5	280	06 17 s	097 12 w	11.34
05	04	901114	19.45	71	77	55	11	02	5	280			3.89
05	05	901114	19.45	71	77	55	11	02	5	220	06 16 s	097 21 w	2.27
05	06	901114	19.45	71	77	55	01	02	5	220			6.81
05	07	901114	19.45	56	67	69	01	02	5	220	06 19 s	097 25 w	2.59
05	08	901114	19.45	56	67	69			5	220			3.57
05	09	901114	19.45	56	67	69			5	195	06 22 s	097 27 w	1.94
05	10	901114	19.45	67	69	56			5	195			8.10
05	11	901114	19.45	69	56	67			5	195			4.54
05	12	901114	19.45	69	56	67	02	03	5	195			2.27
05	13	901114	19.45	69	56	67	11	03	5	280	06 31 s	097 31 w	1.30
05	14	901114	19.45	77	55	71	11	03	5	280			8.10
05	15	901114	19.45	55	71	77	11	03	5	280			8.10
05	16	901114	19.45	71	77	55	11	03	5	280			1.30
06	01	901114	20.37	71	77	55			5	280	06 30 s	097 43 w	3.73
06	02	901114	20.37	71	77	55			5	280	06 30 s	097 45 w	0.34
01	01	901115	20.56	69	56	67			5	265	07 05 s	099 19 w	8.91
01	02	901115	20.56	69	56	67			5	265			7.20
01	03	901115	20.56	67	69	56			5	265	07 06 s	099 28 w	11.31
01	04	901115	20.56	67	69	56			5	265	07 06 s	099 34 w	4.80
01	05	901115	20.56	71	77	55	07	02	5	265			5.48
01	06	901115	20.56	71	77	55			5	265	07 07 s	099 39 w	3.43
01	07	901115	20.56	77	55	71			5	265			11.99
01	08	901115	20.56	55	71	77			5	265			1.71
01	09	901115	20.56	55	71	77			5	265			4.11
01	10	901115	20.56	55	71	77			5	195	07 09 s	099 50 w	6.17
01	11	901115	20.56	55	71	77	10	01	5	195			1.71
01	12	901115	20.56	55	71	77	08	01	5	250	07 13 s	099 52 w	1.71
01	13	901115	22.59	69	56	67	07	01	5	250	07 13 s	099 52 w	15.06
01	14	901115	22.59	56	67	69	07	01	5	250			4.52
01	15	901115	22.59	56	67	69			5	250	07 17 s	100 03 w	1.13
02	01	901115	20.37	71	77	55	10	12	5	250	07 23 s	100 15 w	6.79
02	02	901115	20.37	77	55	71	10	12	5	250			6.11
02	03	901115	20.37	55	71	77	10	12	5	250			7.47
03	01	901115	22.22	69	56	67	12	01	5	250	07 32 s	100 37 w	6.30
04	01	901115	23.15	56	67	69			5	250	07 34 s	100 41 w	6.56
04	02	901115	23.15	67	69	56			5	250			3.86
04	03	901115	23.15	67	69	56	12	01	5	250			3.86
05	01	901115	18.52	71	77	55			5	247	07 35 s	100 59 w	4.01

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
06	01	901115	20.00	77 55	11 02	5	290	07 40 s 101 02 w	11.00
06	02	901115	20.00	69 56	11 03	5	290	07 38 s 101 08 w	8.33
06	03	901115	20.00	56 67	11 03	5	290		8.00
07	01	901115	19.82	67 69		5	250	07 37 s 101 16 w	2.97
07	02	901115	19.82	67 69		5	250	07 38 s 101 18 w	0.33
01	01	901116	20.37	77 71		4	333	06 27 s 102 51 w	2.04
02	01	901116	20.37	77 55		4	333	06 21 s 102 51 w	5.09
02	02	901116	20.37	77 71	04 02	4	333		3.40
02	03	901116	20.37	77 55	04 02	4	333		8.49
02	04	901116	20.37	67 69		4	333	06 14 s 102 55 w	8.49
02	05	901116	20.37	67 69	04 02	4	333		5.09
02	06	901116	20.37	69 56	04 02	4	333		12.56
03	01	901116	20.37	55 71	05 01	4	328	05 59 s 103 01 w	12.56
03	02	901116	20.37	77 71	05 01	4	328		13.24
03	03	901116	20.37	77 55	05 01	4	328		12.22
03	04	901116	20.37	67 69	06 01	4	328	05 41 s 103 12 w	13.58
03	05	901116	20.37	69 56	12 12	4	328		6.79
04	01	901116	20.37	56 67	12 12	4	328		1.36
05	01	901116	20.74	67 69	12 12	4	333	05 29 s 103 20 w	4.49
05	02	901116	20.74	56 67	12 12	4	333		6.22
05	03	901116	20.74	67 69	12 12	4	333		1.73
05	04	901116	20.74	55 71	09 01	4	333	05 23 s 103 23 w	13.83
05	05	901116	20.74	77 55	09 01	4	333		8.64
05	06	901116	20.74	71 77	09 01	4	336	05 13 s 103 30 w	5.19
05	07	901116	20.74	77 55	09 01	4	336	05 10 s 103 31 w	6.91
06	01	901116	20.74	77 55	09 02	4	336	05 06 s 103 33 w	4.15
06	02	901116	20.74	67 69	09 02	4	336	05 04 s 103 34 w	4.49
07	01	901116	22.04	56 67		4	344	04 58 s 103 39 w	7.35
07	02	901116	22.04	71 77		4	344		11.02
07	03	901116	22.04	71 77		4	344		5.51
07	04	901116	22.04	71 77		4	344	04 47 s 103 43 w	5.51
07	05	901116	22.04	77 55		4	344		2.20
07	06	901116	22.04	77 55		4	344		3.31
07	07	901116	22.04	77 55		4	344		3.31
01	01	901117	20.37	56 67		3	344	04 41 s 103 45 w	0.37
01	02	901117	20.37	67 69		4	341	03 04 s 104 35 w	8.49
01	03	901117	20.37	69 56		4	341		8.15
01	04	901117	20.37	77 55		4	341		8.15
02	01	901117	20.37	77 55		4	341	02 52 s 104 40 w	9.17
03	01	901117	20.37	77 55		4	335	02 41 s 104 46 w	4.41
04	01	901117	20.37	56 67		4	335	02 39 s 104 48 w	5.09
04	02	901117	20.37	67 69		4	335	02 37 s 104 53 w	6.79
04	03	901117	20.37	56 67	05 01	4	335		2.38
04	04	901117	20.37	67 69	05 01	4	341	02 33 s 104 55 w	2.72
05	01	901117	20.37	67 69	05 01	4	341		6.79
05	02	901117	20.37	69 56	05 01	4	341	02 28 s 104 57 w	4.07
05	03	901117	20.37	55 71	05 01	4	341		6.79
05	04	901117	20.37	77 55	07 12	4	341	02 19 s 105 01 w	13.58
05	05	901117	20.37	71 77	10 01	4	280	02 09 s 105 11 w	6.79
06	01	901117	22.22	56 67	11 01	4	280		11.88
06	02	901117	22.22	67 69	11 01	4	280	02 08 s 105 16 w	12.96
06	03	901117	22.22	69 56	11 01	4	280		14.82
06	04	901117	22.22	77 55	11 02	4	280	02 06 s 105 39 w	9.26

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
06	05	901117	22.22	55 71			280		5.93
06	06	901117	22.22	55 71	11 02		280		3.33
06	07	901117	22.22	71 77			280		3.70
06	08	901117	22.22	71 77			284	02 05 s 105 50 w	5.56
06	09	901117	22.22	56 67			284		9.26
06	10	901117	22.22	67 69			284		4.44
07	01	901117	22.22	69 56			284	02 01 s 106 01 w	8.52
07	02	901117	22.22	69 56			284	02 00 s 106 06 w	0.37
07	01	901118	20.37	71 77			284	01 40 s 107 54 w	7.47
01	02	901118	20.37	77 55			284		6.79
01	03	901118	20.37	55 71			284		6.45
01	04	901118	20.37	69 56			284	01 38 s 108 06 w	13.58
01	05	901118	20.37	67 69			284		13.58
01	06	901118	20.37	67 69			284		3.40
01	07	901118	20.00	67 69			206	01 35 s 108 21 w	10.00
01	08	901118	20.00	77 55	09 02		206	01 39 s 108 23 w	11.33
02	01	901118	19.82	77 55	10 01		206	01 45 s 108 27 w	8.59
02	02	901118	19.82	71 77	10 01		206		7.60
02	03	901118	19.82	69 56	11 01		206	01 53 s 108 30 w	13.21
02	04	901118	19.82	56 67	11 01		206		13.21
02	05	901118	19.82	67 69	12 01		206		8.26
03	01	901118	19.82	71 77	01 01		210	02 13 s 108 38 w	0.66
04	01	901118	20.37	77 55	01 01		210	02 16 s 108 38 w	12.22
04	02	901118	20.37	55 71	01 02		210		11.54
04	03	901118	20.37	69 56	01 02		210	02 27 s 108 44 w	7.81
04	04	901118	20.37	56 67	01 02		210		7.47
05	01	901118	20.37	71 77			202	02 31 s 108 54 w	6.45
05	02	901118	20.37	71 77			202	02 33 s 108 56 w	2.72
05	03	901118	20.37	55 71	02 03		202		8.15
05	04	901118	20.37	55 71	02 03		191	02 39 s 108 58 w	1.02
05	05	901118	20.37	55 71	02 03		191		7.47
05	06	901118	20.37	55 71	02 03		191		0.34
01	01	901119	20.19	67 69			205	02 43 s 108 59 w	2.02
01	02	901119	20.19	67 69			205	04 17 s 109 41 w	6.06
01	03	901119	20.19	69 56			203	04 20 s 109 43 w	10.77
01	04	901119	20.19	56 67			203	04 28 s 109 47 w	2.02
01	05	901119	20.19	56 67			203		5.38
01	06	901119	20.19	56 67	09 02		203	04 35 s 109 50 w	7.40
01	07	901119	20.19	56 67			198		6.73
01	08	901119	20.19	71 77			198		6.73
01	09	901119	20.19	55 71	09 02		198	04 45 s 109 55 w	7.40
01	10	901119	20.19	77 55	09 02		195	04 47 s 109 55 w	3.03
01	11	901119	20.19	71 77	09 02		195		4.04
01	12	901119	20.19	77 55	09 02		195		12.45
01	13	901119	20.19	77 55			215	04 55 s 109 58 w	4.04
01	14	901119	20.19	67 69			281	04 59 s 110 05 w	12.59
02	01	901119	22.22	67 69			281	04 58 s 110 11 w	5.56
02	02	901119	22.22	69 56			281		7.04
02	03	901119	22.22	69 56			281		12.59
02	04	901119	22.22	56 67			281		7.04
02	05	901119	22.22	55 71			281	04 56 s 110 25 w	9.26
02	06	901119	22.22	77 55			281		9.26
02	07	901119	22.22	77 55			281	04 54 s 110 35 w	9.26
02	08	901119	22.22	67 69			281		7.41

Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	km/hr	left	right	horz.	vert.			latitude	longitude	
02	09	901119	22.22	69	56	67			4	281			7.41
02	10	901119	22.22	56	67	69	11	03	4	281			4.44
02	11	901119	22.22	56	67	69	11	03	4	281	04 51 S	110 51 W	0.37
01	01	901120	22.59	77	55	71			4	285	04 29 S	112 44 W	13.93
01	02	901120	22.59	55	71	77			4	285	04 27 S	112 51 W	14.69
01	03	901120	22.59	71	77	55			4	285			13.18
01	04	901120	22.59	56	67	69			4	285	04 23 S	113 06 W	4.52
01	05	901120	22.59	56	67	69			4	285	04 23 S	113 08 W	10.54
01	06	901120	22.59	67	69	56			4	285			15.06
01	07	901120	22.59	69	56	67			4	285			15.06
01	08	901120	22.59	77	55	71			4	281	04 18 S	113 29 W	9.79
01	09	901120	22.59	77	55	71	07	01	4	281			5.27
01	10	901120	22.59	55	71	77			4	281			9.79
01	11	901120	22.59	55	71	77			4	281			5.27
01	12	901120	22.59	71	77	55			4	281			9.41
01	13	901120	22.59	71	77	55			4	281			5.65
01	14	901120	22.59	56	67	69			4	281	04 14 S	113 53 W	13.18
01	15	901120	22.59	56	67	69	12	12	4	281			1.88
01	16	901120	22.59	67	69	56	10	01	4	281			7.53
01	17	901120	22.59	67	69	56			4	281	04 12 S	114 04 W	7.53
01	18	901120	22.59	69	56	67			4	281			7.53
01	19	901120	22.59	69	56	67			4	284	04 11 S	114 12 W	7.53
01	20	901120	22.59	77	55	71			4	284	04 10 S	114 16 W	15.44
01	21	901120	22.59	55	71	77	11	01	4	284			14.69
01	22	901120	22.59	71	77	55	11	01	4	284			3.01
02	01	901120	23.15	56	67	69	11	02	4	284	04 04 S	114 38 W	11.19
02	02	901120	23.15	67	69	56	11	02	4	284	04 03 S	114 44 W	8.10
02	03	901120	23.15	69	56	67	11	02	4	284			9.65
02	04	901120	23.15	77	55	71	11	02	4	284			10.03
02	05	901120	23.15	55	71	77	11	03	5	284			8.49
02	06	901120	23.15	71	77	55	11	03	5	284	04 01 S	115 02 W	11.57
02	07	901120	23.15	71	77	55			5	284	04 00 S	115 10 W	0.39
01	01	901121	21.30	69	56	67			5	290	03 38 S	116 56 W	9.58
01	02	901121	21.30	56	67	69			5	290			9.94
01	03	901121	21.30	67	69	56			5	290	03 36 S	117 06 W	6.39
01	04	901121	21.30	67	69	56	06	02	5	290	03 35 S	117 10 W	3.55
01	05	901121	21.30	71	77	55			4	290	03 34 S	117 12 W	6.03
01	06	901121	21.30	71	77	55			4	290			5.68
01	07	901121	21.30	71	77	55			4	288	03 33 S	117 17 W	2.48
01	08	901121	21.30	77	55	71			4	288			14.91
01	09	901121	21.30	55	71	77	06	02	4	288			10.29
01	10	901121	21.30	55	71	77			4	288			3.19
01	11	901121	21.30	69	56	67	06	01	4	288	03 29 S	117 34 W	10.65
01	12	901121	21.30	69	56	67	06	01	4	285	03 28 S	117 39 W	3.55
01	13	901121	21.30	56	67	69	06	01	4	285			12.42
02	01	901121	21.30	67	69	56	07	01	4	285	03 25 S	117 50 W	7.45
03	01	901121	21.85	71	77	55			5	285	03 24 S	117 55 W	15.30
03	02	901121	21.85	77	55	71	10	01	5	285	03 23 S	118 03 W	14.57
03	03	901121	21.85	55	71	77	10	12	5	285			14.57
03	04	901121	21.85	69	56	67	11	01	5	285	03 20 S	118 18 W	14.57
03	05	901121	21.85	56	67	69	11	01	5	285			14.57
03	06	901121	21.85	67	69	56	11	02	5	285			14.57
03	07	901121	21.85	71	77	55	11	02	4	285	03 17 S	118 41 W	9.11
03	08	901121	21.85	77	55	71	11	02	4	285			9.11

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
03	09	901121	21.85	55 71	11	02	285	03 14 s 118 55 w	9.11
03	10	901121	21.85	69 56	11	02	285		10.93
03	11	901121	21.85	56 67	11	03	285		10.93
03	12	901121	21.85	67 69	11	03	285		10.56
03	13	901121	21.85	67 69	11	03	285		0.36
01	01	901122	22.22	55 71	11	03	279	03 11 s 119 12 w	4.44
02	01	901122	22.22	67 69	11	03	280	02 54 s 121 04 w	5.93
03	01	901122	22.22	69 56	11	03	280	02 47 s 121 11 w	13.33
03	02	901122	22.22	67 69	11	03	280	02 49 s 121 20 w	13.33
03	03	901122	22.22	55 71	11	03	280	02 47 s 121 34 w	14.82
03	04	901122	22.22	71 77	07	01	280		10.00
03	05	901122	22.22	71 77	07	01	280		4.82
03	06	901122	22.22	77 55	08	01	280		14.82
03	07	901122	22.22	67 69	08	01	280	02 44 s 121 58 w	14.82
03	08	901122	22.22	69 56	09	01	280		14.82
03	09	901122	22.22	56 67	10	01	280		8.15
04	01	901122	22.04	67 69	10	01	280	02 42 s 122 19 w	4.41
04	02	901122	22.04	55 71	10	01	280	02 41 s 122 21 w	14.69
04	03	901122	22.04	71 77	11	01	280		14.69
04	04	901122	22.04	77 55	11	02	280		14.69
04	05	901122	22.04	67 69	11	02	280	02 38 s 122 47 w	9.18
04	06	901122	22.04	69 56	11	02	280		9.18
04	07	901122	22.04	67 69	11	02	280		9.18
04	08	901122	22.04	55 71	11	02	280		12.86
04	09	901122	22.04	71 77	11	02	280		4.04
04	10	901122	22.04	71 77	11	02	280	02 35 s 123 09 w	6.61
04	11	901122	22.04	71 77	11	03	280		2.94
04	12	901122	22.04	77 55	11	03	280	02 34 s 123 16 w	11.39
04	13	901122	22.04	77 55	11	03	280	02 33 s 123 21 w	0.37
01	01	901123	22.22	56 67	07	03	277	02 16 s 125 18 w	13.70
01	02	901123	22.22	67 69	07	03	277		13.70
01	03	901123	22.22	69 56	07	02	277		4.82
01	04	901123	22.22	56 67	07	02	277		8.52
01	05	901123	22.22	77 55	07	02	277	02 13 s 125 40 w	5.93
01	06	901123	22.22	77 55	06	02	280	02 13 s 125 43 w	8.89
01	07	901123	22.22	71 77	06	02	280		14.82
01	08	901123	22.22	71 77	06	02	280	02 09 s 126 03 w	14.82
01	09	901123	22.22	67 69	07	01	280		14.82
01	10	901123	22.22	69 56	07	01	280		14.82
01	11	901123	22.22	69 56	08	01	280		14.82
01	12	901123	22.22	77 55	09	01	280	02 05 s 126 26 w	14.82
01	13	901123	22.22	55 71	10	01	280		7.41
02	01	901123	23.71	71 77	10	01	280	02 02 s 126 38 w	1.98
02	02	901123	23.71	71 77	11	01	280		15.80
02	03	901123	23.71	56 67	11	01	280	02 01 s 126 47 w	15.80
02	04	901123	23.71	67 69	11	01	280		2.77
02	05	901123	23.71	69 56	06	01	051	01 59 s 126 55 w	13.04
02	06	901123	19.45	69 56	06	01	051		12.96
02	07	901123	19.45	77 55	06	02	051	01 50 s 126 47 w	8.10
02	08	901123	19.45	55 71	07	02	051		1.94
02	09	901123	19.45	55 71	07	02	053	01 46 s 126 44 w	6.16
02	10	901123	19.45	71 77	07	02	053		8.10
02	11	901123	19.45	67 69	07	03	053		6.48
02	12	901123	19.45	69 67	07	03	053		1.30

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	13	901123	19.45	67 69	06 03	4	058	01 37 S 126 35 W	5.19
02	14	901123	19.45	69 56	06 03	4	058		4.86
02	15	901123	19.45	69 56	06 03	4	058	01 33 S 126 31 W	0.32
01	01	901124	19.26	77 55		5	069	00 37 S 125 06 W	12.84
01	02	901124	19.26	77 55		5	069		3.85
02	01	901124	19.26	77 55		4	069	00 33 S 124 57 W	1.28
03	01	901124	19.63	55 71	02 02	4	062	00 32 S 124 54 W	7.20
03	02	901124	19.63	69 56	02 02	4	062	00 30 S 124 50 W	13.09
03	03	901124	19.63	67 69	02 02	4	062		13.09
03	04	901124	19.63	67 69		4	062		7.85
04	01	901124	19.26	67 69		5	062	00 19 S 124 34 W	1.93
04	02	901124	19.26	71 77		5	062	00 18 S 124 34 W	5.14
05	01	901124	20.37	71 77	08 02	5	000	00 11 S 124 26 W	7.81
05	02	901124	20.37	77 55	08 02	5	000		7.13
05	03	901124	20.37	55 71	08 02	5	000		6.79
05	04	901124	20.37	69 56	08 02	5	000	00 00 N 124 28 W	8.49
05	05	901124	20.37	56 67	08 02	5	000		8.49
05	06	901124	20.37	67 69	08 02	5	000		8.49
05	07	901124	20.37	71 77	08 03	5	000		8.49
05	08	901124	20.37	77 55	08 03	4	010	00 18 N 124 30 W	8.83
05	09	901124	20.37	77 55	08 03	4	010	00 23 N 124 29 W	0.34
01	01	901125	20.37	67 69	08 03	4	010	01 46 N 124 21 W	11.54
01	02	901125	20.37	69 56		4	010		11.54
01	03	901125	20.37	67 69		4	010		8.83
01	04	901125	20.37	56 67		4	010		2.72
01	05	901125	20.37	55 71	03 02	4	010	02 04 N 124 21 W	6.79
01	06	901125	20.37	55 71	03 02	4	010		6.79
01	07	901125	20.37	71 77		4	010		2.04
01	08	901125	20.37	71 77		4	010		8.49
01	09	901125	20.37	77 55		5	010		3.06
01	10	901125	20.37	77 55	03 02	5	010		3.06
01	11	901125	20.37	77 55		5	010	02 20 N 124 20 W	10.53
01	12	901125	20.37	67 69	04 01	5	010	02 25 N 124 20 W	13.58
01	13	901125	20.37	56 67	04 01	5	010		1.70
01	14	901125	20.37	69 56	04 01	5	012	02 33 N 124 19 W	11.88
01	15	901125	20.37	56 67	05 01	5	012		13.58
01	16	901125	20.37	67 69	05 01	5	012	02 46 N 124 18 W	13.58
01	17	901125	20.37	71 77	06 01	5	012		13.58
01	18	901125	20.37	77 55		5	012		13.58
01	19	901125	20.37	67 69	07 01	5	012	03 07 N 124 16 W	8.49
01	20	901125	20.37	67 69		5	012		5.09
01	21	901125	20.37	69 56		5	012		13.58
01	22	901125	20.37	56 67	08 01	5	012		13.58
01	23	901125	20.37	67 69		5	012	03 26 N 124 15 W	5.43
02	01	901126	20.37	55 71		4	012	03 29 N 124 15 W	6.45
02	02	901126	20.37	71 77		5	012		6.79
03	01	901126	20.37	67 69		4	020	03 40 N 124 21 W	2.38
03	02	901126	20.37	67 69		4	020		3.40
03	03	901126	20.37	67 69		4	020	03 44 N 124 20 W	0.34
01	01	901126	19.63	77 55		4	007	05 07 N 124 11 W	6.54
01	02	901126	19.63	77 55		3	010	05 10 N 124 11 W	0.33
02	01	901126	18.89	55 71		3	020	05 18 N 124 17 W	7.24
02	02	901126	18.89	67 69	03 02	3	020	05 22 N 124 16 W	11.02
02	03	901126	18.89	67 69		3	020		1.57

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
02	04	901126	18.89	67		3	020		5.67
03	01	901126	19.63	69		2	025	124 15 W	4.58
03	02	901126	19.63	67		3	025		4.58
03	03	901126	19.63	77		3	025	124 13 W	3.60
03	04	901126	19.63	77		4	025		5.23
03	05	901126	19.63	77		4	025	124 12 W	4.25
03	06	901126	19.63	55		4	025		4.25
03	07	901126	19.63	71	04	4	025		8.83
03	08	901126	19.63	71	04	4	025		1.64
03	09	901126	19.63	71	05	4	008	124 08 W	11.45
03	10	901126	19.63	56	06	4	008	124 07 W	8.83
04	01	901126	20.00	67	08	3	352	124 03 W	11.33
04	02	901126	20.00	77	08	3	352	124 04 W	7.33
05	01	901126	20.37	55	08	2	005	124 05 W	3.73
06	01	901126	20.37	56	08	2	005	124 06 W	4.07
06	02	901126	20.37	77	08	1	005		9.51
06	03	901126	20.37	77	08	1	005	124 05 W	0.34
01	01	901127	20.37	69	03	2	021	124 00 W	4.41
01	02	901127	20.37	69	03	2	021		6.11
01	03	901127	20.37	56	03	2	017	123 57 W	10.19
01	04	901127	20.37	67	03	2	017	123 55 W	10.19
01	05	901127	20.37	71	03	2	017	123 53 W	5.77
01	06	901127	20.37	71	03	2	017		2.04
01	07	901127	20.37	71	03	3	017		2.38
01	08	901127	20.37	71	03	4	017	123 51 W	1.36
01	09	901127	20.37	71	03	4	017	123 51 W	2.04
01	10	901127	20.37	77	04	4	017		13.92
01	11	901127	20.37	55	04	4	017		12.22
01	12	901127	20.37	55	04	4	017		1.02
01	13	901127	20.37	69	04	3	017	123 45 W	3.40
01	14	901127	20.37	56	04	3	017		8.15
02	01	901127	20.37	56	05	3	017	123 42 W	3.06
02	02	901127	20.37	56	05	3	017	123 42 W	10.19
02	03	901127	20.37	67	05	3	017		2.38
02	04	901127	20.37	67	05	2	017	123 39 W	3.40
03	01	901127	20.37	71	06	1	017	123 34 W	2.38
03	02	901127	20.37	71	06	1	017		1.36
04	01	901127	20.37	71	06	1	017	123 31 W	1.02
05	01	901127	20.37	77	06	4	017	123 32 W	8.83
05	02	901127	20.37	77	06	4	017	123 30 W	8.49
05	03	901127	20.37	69	07	4	017	123 29 W	13.58
05	04	901127	20.37	56	07	4	017		2.04
05	05	901127	20.37	56	07	4	017	123 25 W	3.40
06	01	901127	20.00	67	07	4	017		4.33
06	02	901127	20.00	67	07	4	017	123 22 W	13.33
06	03	901127	20.00	71	07	4	017		8.33
06	04	901127	20.00	77	07	4	017	123 20 W	1.67
06	05	901127	20.00	77	07	4	017		6.67
06	06	901127	20.00	55	07	4	017	123 19 W	1.67
07	01	901127	20.00	55	07	4	017	123 19 W	3.33
07	02	901127	20.00	71	07	4	017	123 19 W	0.33
01	01	901128	20.37	55	03	3	026	122 48 W	5.09
01	02	901128	20.37	55	03	3	026		3.40
01	03	901128	20.37	55	03	4	026		3.40

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. no.	course (deg.)	position latitude longitude	km in leg
01	04	901128	20.37	71 77	03 03	4	026		11.88
01	05	901128	20.37	77 55	03 03	4	026		11.88
01	06	901128	20.37	67 69	03 02	4	026	11 32 n 122 40 w	3.40
01	07	901128	20.37	67 69	03 02	4	026		10.19
01	08	901128	20.37	69 56	03 02	4	026		13.58
01	09	901128	20.37	67 69	03 02	4	026		6.79
01	10	901128	20.37	67 69	03 02	4	024	11 49 n 122 32 w	6.79
01	11	901128	20.37	55 71	03 02	4	024	11 52 n 122 31 w	6.79
01	12	901128	20.37	71 77	03 02	4	024	11 56 n 122 30 w	5.09
02	01	901128	20.37	71 77	04 01	4	026	12 00 n 122 30 w	10.19
02	02	901128	20.37	71 77	04 01	5	026		2.38
02	03	901128	20.37	77 55	04 01	4	026		3.40
02	04	901128	20.37	77 55	04 01	5	026		8.49
02	05	901128	20.37	67 69	05 01	5	026	12 12 n 122 25 w	13.58
02	06	901128	20.37	67 69	05 01	5	026		13.58
02	07	901128	20.37	67 69	06 01	4	026		13.58
02	08	901128	20.37	55 71	06 01	4	026	12 31 n 122 17 w	8.49
02	09	901128	20.37	55 71	07 02	5	026	12 35 n 122 15 w	3.73
02	10	901128	20.37	55 71	07 02	5	026		1.36
02	11	901128	20.37	71 77	07 02	5	026		6.79
02	12	901128	20.37	71 77	07 02	4	026	12 41 n 122 13 w	6.79
02	13	901128	20.37	77 55	07 02	4	026		13.58
02	14	901128	20.37	67 69	07 02	4	026	12 50 n 122 09 w	8.49
02	15	901128	20.37	69 56	07 02	4	026		5.43
02	16	901128	20.37	69 56	07 03	4	026		3.06
02	17	901128	20.37	56 67	07 03	4	026		1.70
02	18	901128	14.82	67 69	07 03	4	026	12 59 n 122 05 w	4.94
02	19	901128	20.00	55 71	07 03	4	026	13 02 n 122 04 w	5.67
02	20	901128	20.00	55 71	07 03	4	026	13 05 n 122 03 w	0.33
01	01	901129	20.37	56 67	02 03	5	055	14 53 n 121 05 w	6.79
01	02	901129	20.37	67 69	02 02	5	055		5.77
02	01	901129	20.37	69 56	02 02	5	055	14 52 n 120 59 w	2.38
02	02	901129	20.37	69 56	02 02	5	055	14 58 n 120 58 w	0.34
01	01	901130	19.45	77 55	02 02	4	056	17 00 n 118 25 w	11.67
01	02	901130	19.45	55 71	02 02	4	056		6.48
01	03	901130	19.45	55 71	02 03	4	056		2.59
01	04	901130	19.45	55 71	02 03	4	056		4.21
01	05	901130	19.45	71 77	02 03	5	056		0.65
01	06	901130	19.45	71 77	02 03	5	051	17 07 n 118 13 w	9.72
01	07	901130	19.45	56 67	02 02	5	051	17 10 n 118 09 w	6.48
01	08	901130	19.45	67 69	03 02	5	051		6.48
01	09	901130	19.45	69 56	03 02	5	051		6.48
02	01	901130	19.45	77 55	03 02	5	054	17 24 n 117 53 w	0.97
03	01	901130	20.00	55 71	03 02	5	054	17 26 n 117 50 w	10.00
03	02	901130	20.00	71 77	04 01	5	054	17 29 n 117 45 w	10.00
03	03	901130	20.00	56 67	05 01	5	054	17 33 n 117 41 w	3.67
04	01	901130	20.37	67 69	05 01	5	054	17 35 n 117 38 w	6.79
04	02	901130	20.37	69 56	05 01	5	054		4.07
05	01	901130	20.37	69 56	06 02	5	054	17 39 n 117 31 w	3.06
05	02	901130	20.37	77 55	06 02	4	044	17 40 n 117 30 w	13.58
05	03	901130	20.37	55 71	06 02	4	044		9.17
05	04	901130	20.37	55 71	06 02	4	044		4.41
05	05	901130	20.37	71 77	06 02	4	044		11.88
05	06	901130	20.37	71 77	06 06	4	044		1.70



Table 2. (continued)

series	leg	date	speed		observer codes		sun position		beauf. no.	course (deg.)	position		km in leg
			km/hr	date	left	right	horz.	vert.			latitude	longitude	
05	07	901130	20.37	56	67	69	07	03	4	044	17 54 n	117 15 w	6.11
06	01	901130	20.37	67	69	56	07	03	4	044	17 56 n	117 11 w	8.83
06	02	901130	20.37	67	69	56	07	03	4	044	18 00 n	117 07 w	0.34
01	01	901201	21.30	69	56	67			2	058	18 54 n	116 03 w	8.52
01	02	901201	21.30	69	56	67			3	060	18 56 n	115 59 w	4.97
01	03	901201	21.30	56	67	69			3	060			13.13
01	04	901201	21.30	67	69	56			3	060			9.23
01	05	901201	21.30	67	69	56	02	02	3	060			3.55
01	06	901201	21.30	71	77	55	02	02	4	060	19 06 n	115 45 w	14.20
01	07	901201	21.30	77	55	71	02	02	4	060			1.77
01	08	901201	21.30	77	55	71	02	02	4	055	19 10 n	115 38 w	3.55
01	09	901201	21.30	77	55	71			4	055			8.87
01	10	901201	21.30	55	71	77	03	02	4	055	19 16 n	115 31 w	3.55
01	11	901201	21.30	55	71	77			4	055			3.55
01	12	901201	21.30	55	71	77	03	02	4	055	19 19 n	115 27 w	7.10
01	13	901201	21.30	69	56	67	03	02	4	055			14.20
01	14	901201	21.30	56	67	69	04	01	4	055			4.26
01	15	901201	21.30	56	67	69			4	055			9.94
01	16	901201	21.30	67	69	56			4	055			14.20
01	17	901201	21.30	71	77	55	05	02	4	055	19 33 n	115 08 w	6.74
01	18	901201	21.30	71	77	55			4	055			2.13
01	19	901201	21.30	71	77	55			3	055			5.32
01	20	901201	21.30	77	55	71	05	02	4	055	19 39 n	114 58 w	7.10
01	21	901201	21.30	77	55	71			4	055			7.10
01	22	901201	21.30	55	71	77	08	02	4	055	19 44 n	114 51 w	8.87
01	23	901201	21.30	55	71	77			4	055			5.32
01	24	901201	21.30	69	56	67	08	02	3	343	19 46 n	114 52 w	14.20
01	25	901201	21.30	56	67	69	08	02	3	343			14.20
01	26	901201	21.30	67	69	56			4	343			14.20
01	27	901201	21.30	71	77	55			4	343	20 07 n	115 00 w	1.77
01	28	901201	21.30	71	77	55			4	343	20 08 n	115 00 w	0.35
01	01	901202	20.00	55	71	77	04	03	4	343	21 30 n	115 25 w	8.67
01	02	901202	20.00	55	71	77	04	03	5	343			3.33
01	03	901202	20.00	71	77	55	04	03	5	343			2.67
02	01	901202	19.45	55	71	77	06	02	5	343	21 58 n	115 34 w	6.48
02	02	901202	19.45	71	77	55	06	02	5	343			6.81
02	03	901202	19.45	77	55	71	06	02	5	343			5.51
02	04	901202	19.45	77	55	71	06	02	5	343	22 07 n	115 38 w	0.65
03	01	901202	19.63	67	69	56	07	02	5	347	22 18 n	115 42 w	6.54
03	02	901202	19.63	69	56	67	07	02	5	347			6.54
03	03	901202	19.63	56	67	69	07	02	5	347			6.54
04	01	901202	19.63	55	71	77	08	02	5	347	22 39 n	115 49 w	11.45
04	02	901202	19.63	71	77	55	08	02	5	347	22 45 n	115 58 w	12.11
04	03	901202	19.63	77	55	71	08	02	5	347			11.45
04	04	901202	19.63	67	69	56	08	03	5	347	22 57 n	115 55 w	6.54
04	05	901202	19.63	69	56	67	08	03	5	347			6.87
04	06	901202	19.63	69	56	67	08	03	5	347	23 04 n	115 57 w	0.33
01	01	901203	19.63	56	67	69	04	03	5	346	24 12 n	116 19 w	10.14
01	02	901203	19.63	67	69	56	04	03	5	346			10.80
01	03	901203	19.63	69	56	67	04	03	5	346	24 23 n	116 23 w	4.25
01	04	901203	19.63	69	56	67	04	02	5	346			6.54
01	05	901203	19.63	77	55	71	04	02	5	346	24 28 n	116 24 w	13.09
01	06	901203	19.63	55	71	77	05	02	5	346			13.09
01	07	901203	19.63	71	77	55	05	02	5	346			4.58

Table 2. (continued)

series	leg	date	speed km/hr	observer codes left right	sun position horz. vert.	beauf. course no.	course (deg.)	latitude	longitude	position in leg	km	
01	08	901203	19.63	71	77	55	05	02	05	24 44 n	116 29 w	8.51
01	09	901203	19.63	56	67	69	06	02	06	24 49 n	116 31 w	6.54
01	10	901203	19.63	67	69	56	06	02	06			2.62
02	01	901203	19.63	69	56	67	06	02	06	24 55 n	116 28 w	4.25
02	02	901203	19.63	69	56	67	06	02	06	24 57 n	116 28 w	2.29
03	01	901203	19.63	77	55	71	07	02	07	25 06 n	116 34 w	0.33
04	01	901203	19.82	55	71	77	07	02	07	25 11 n	116 33 w	6.61
04	02	901203	19.82	71	77	55	08	02	08	25 14 n	116 34 w	6.61
05	01	901203	19.82	56	67	69	08	02	08	25 27 n	116 41 w	6.61
05	02	901203	19.82	67	69	56	08	02	08			6.61
05	03	901203	19.82	69	56	67	08	02	08	25 33 n	116 44 w	9.91
05	04	901203	19.82	56	67	69	09	03	09	25 38 n	116 47 w	9.91
05	05	901203	19.82	77	55	71	09	03	09	25 43 n	116 49 w	8.92
05	06	901203	19.82	55	71	77	09	03	09	25 47 n	116 52 w	7.27
05	07	901203	19.82	55	71	77	09	03	09	25 50 n	116 54 w	0.33
01	01	901204	20.00	71	77	55	04	03	04	27 56 n	117 43 w	4.33
02	01	901204	20.00	77	55	71	04	03	04	27 57 n	117 46 w	6.00
02	02	901204	20.00	77	55	71	04	03	04	28 00 n	117 48 w	3.33
02	03	901204	20.00	55	71	77	05	03	05	28 02 n	117 48 w	9.33
02	04	901204	20.00	55	71	77	05	03	05	28 07 n	117 50 w	0.33
01	01	901205	12.96	56			06	02	06			4.32
01	02	901205	12.96	67			06	02	06	30 32 n	117 24 w	11.88
01	03	901205	12.96	55			07	02	07	30 38 n	117 24 w	12.96
01	04	901205	12.96	71			07	02	07	30 45 n	117 23 w	11.88
02	01	901205	13.15	77	99		07	02	07	30 52 n	117 22 w	13.15
02	02	901205	13.15	77	99		07	02	07	30 59 n	117 21 w	0.22

Table 3. Marine mammal sightings, classified by species code, encountered in the eastern tropical Pacific during July 28 through December 6, 1990.

Sightings by Species														
species: UNID. SMALL 7-9FT BLACK WHALE species code: 1														
(FERESA/PEPONCEPHALA)														
date	series	leg	sight	sun position	beauf. detected	perp. dist.(km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size	est		species code	
											number	vert. number		best
yr	mo	dy	hr	min	sec	az	alt	dir	deg	min	sec	deg	min	sec
900914	01	06	01		5	22	2.2	02 22 n	113 12 w	7.0	32.0	20.0		

Table 3. (continued)

Sightings by Species														
species: OFFSHORE SPOTTED DOLPHIN (STENELLA ATTENUATA)														
species code: 2														
date	series	leg	sight	sun position		beauf. number	detected	perp. dist.(km)	latitude	longitude	proportion	mean school size		low
				horz.	vert.							best	low	
yr	mo	dy	hr	min	sec				deg	min	(% of school)	best	low	
900731	04	04	03			1	22	1.9	21 17 n	119 04 w	100.0	41.0	36.0	
900731	07	01	05	12	12	1	75	1.9	21 08 n	119 01 w	100.0	78.0	66.0	
900731	11	01	09	03	01	2	07	3.2	20 40 n	118 47 w	100.0	42.0	37.0	
900731	14	01	14	04	02	2	01	2.7	20 20 n	118 41 w	100.0	19.0	15.0	
900731	16	01	16	04	02	2	07	1.7	20 09 n	118 39 w	100.0	78.0	69.0	
900804	03	01	01			5	01	0.7	12 01 n	116 13 w	100.0	33.0	25.0	
900804	07	03	03			3	07	0.3	11 18 n	114 50 w	100.0	40.0	20.0	
900805	06	01	04	12	12	3	07	0.7	10 16 n	112 44 w	100.0	65.0	27.0	
900805	08	01	06	05	01	3	76	5.6	09 58 n	112 18 w	4.5	178.0	135.0	
900809	02	09	02			5	76	3.4	05 45 n	112 36 w	15.7	158.0	80.0	
900810	06	06	03			5	01	0.7	07 07 n	116 46 w	76.7	400.0	265.0	
900813	03	13	03			3	01	0.5	12 36 n	126 40 w	40.0	78.0	63.0	
900813	05	04	05	11	03	3	74	1.6	12 48 n	127 10 w	100.0	62.0	51.0	
900814	01	08	01	05	02	2	74	2.5	13 56 n	129 01 w	51.2	261.0	221.0	
900815	01	06	01	08	02	4	22	0.7	14 55 n	131 58 w	7.7	165.0	123.0	
900815	02	06	02	12	12	4	75	0.3	14 13 n	132 14 w	15.0	168.0	115.0	
900904			03			3	76	1.1	09 07 n	143 57 w	81.6	130.0	87.0	
900905	01	03	01	10	03	4	74	4.1	06 27 n	141 22 w	100.0	45.0	36.0	
900915	03	01	02	11	02	5	74	5.9	02 01 n	110 29 w	19.8	362.0	278.0	
900918	03	09	04	04	01	4	75	4.7	00 24 n	102 06 w	100.0	430.0	321.0	
900919	02	01	03	12	03	4	76	5.0	00 30 n	100 05 w	100.0	583.0	462.0	
900919	05	01	10	12	01	3	01	5.9	00 39 n	099 33 w	100.0	215.0	186.0	
900919	10	01	17	06	01	3	01	4.3	00 45 n	099 03 w	100.0	572.0	486.0	
900920	03	01	03	12	01	4	01	3.1	01 08 n	096 36 w	100.0	68.0	52.0	
900921	06	02	04			4	74	2.9	00 41 n	093 25 w	76.7	207.0	175.0	
900923	02	02	05			4	01	2.8	01 50 s	089 18 w	100.0	280.0	225.0	
901008	03	04	04	03	01	5	67	0.0	04 15 n	089 39 w	100.0	34.0	28.0	
901013	03	02	04	09	02	4	71	5.4	03 12 n	095 59 w	23.3	235.0	217.0	
901014	01	01	01			4	56	4.8	00 52 n	098 50 w	100.0	95.0	77.0	
901014	05	01	05	01	01	4	71	2.7	00 08 n	099 49 w	100.0	382.0	347.0	
901014	07	01	06	12	01	4	56	1.4	00 01 n	099 56 w	100.0	203.0	183.0	
901020	02	08	06	05	01	4	55	1.7	02 39 s	096 51 w	100.0	98.0	83.0	
901029	04	05	03	02	01	3	55	1.7	10 09 s	084 19 w	100.0	464.0	411.0	
901110	01	12	03	02	01	4	67	0.5	09 16 s	087 40 w	100.0	343.0	267.0	
901112	02	13	02	12	12	4	56	0.0	06 50 s	091 26 w	81.7	7.0	5.0	
901114	02	02	02	09	01	4	55	0.3	06 09 s	096 44 w	30.0	92.0	67.0	
901117	01	04	02			4	55	1.2	02 49 s	104 42 w	94.0	235.0	188.0	
901122	01	01	01			4	71	1.9	02 54 s	121 06 w	100.0	105.0	83.0	
901127	02	04	04	05	01	2	69	4.1	08 54 n	123 39 w	96.0	427.0	348.0	
901203	03	01	02	07	02	5	55	4.9	25 06 n	116 34 w	100.0	108.0	98.0	

Table 3. (continued)

Sightings by Species															
species: SPINNER DOLPHIN (STENELLA LONGIROSTRIS)															
species code: 3															
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean	school	size	est
yr	mody	number	horz.	vert.	number	by	dist.(km)	deg	min	deg	min	(% of school)	best	low	
900819	04	02	05	03	01	4	74	7.5	11 45 n	136 14 w	46.7	37.0	37.0	16.0	

Table 3. (continued)

Sightings by Species															
species: EASTERN SPINNER DOLPHIN (STENELLA LONGIROSTRIS) species code: 10															
date	series	leg	sight number		sun horz.	sun vert.	position	beauf. number	detected by	perp. dist.(km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size est	
			01-03	04-06										best	low
900805	08	01	06	05	01		3	76	5.6	09 58 n	112 18 w	70.5	178.0	135.0	
900808	02	05	02				5	74	0.4	04 59 n	109 52 w	100.0	35.0	20.0	
900809	02	09	02				5	76	3.4	05 45 n	112 36 w	11.0	158.0	80.0	
900810	06	06	03				5	01	0.7	07 07 n	116 46 w	23.3	400.0	265.0	
900813	03	13	03	11	01		3	01	0.5	12 36 n	126 40 w	26.7	78.0	63.0	
900915	03	01	02	11	02		5	74	5.9	02 01 n	110 29 w	0.2	362.0	278.0	
900928	01	04	01				4	07	0.3	06 36 n	086 29 w	100.0	162.0	125.0	
901005	03	03	03				4	67	0.6	07 04 n	085 07 w	100.0	95.0	82.0	

Table 3. (continued)

Sightings by Species															
species: WHITEBELLY SPINNER DOLPHIN (STENELLA LONGIROSTRIS) species code: 11															
date	series	leg	sight	sun position		beauf.	detected	perp.	lat. (km)	deg min	longitude	deg min	proportion	mean school size	
				horz.	vert.									number	by
900814	01	08	01	05	02	2	74	2.5	13 56	n	129 01	w	23.7	261.0	221.0
900815	01	06	01	08	02	4	22	0.7	14 55	n	131 58	w	75.7	165.0	123.0
900815	02	06	02	12	12	4	75	0.3	14 13	n	132 14	w	51.7	168.0	115.0
900815	04	02	04	03	01	4	76	0.4	14 02	n	132 20	w	67.0	3.0	3.0
900815	07	02	06	03	02	4	74	6.8	13 36	n	132 27	w	100.0	112.0	95.0
900903	01	03	01	10	03	5	76	0.5	11 57	n	146 52	w	100.0	37.0	31.0
900904			03			3	76	1.1	09 07	n	143 57	w	18.4	130.0	87.0
900904	01	03	01	10	03	4	74	1.5	09 15	n	144 10	w	100.0	103.0	55.0
900921	06	02	04			4	74	2.9	00 41	n	093 25	w	23.2	207.0	175.0
901013	01	01	01			3	55	0.0	03 43	n	095 46	w	100.0	16.0	12.0
901013	03	02	04	09	02	4	71	5.4	03 12	n	095 59	w	76.7	235.0	217.0
901023	02	01	02			4	67	0.5	09 33	s	094 09	w	50.0	370.0	337.0
901023	03	01	03			4	56	1.7	09 28	s	094 01	w	100.0	1708.0	1533.0
901117	01	04	02			4	55	1.2	02 49	s	104 42	w	6.0	235.0	188.0
901122	02	01	02			4	67	1.3	02 46	s	121 14	w	100.0	230.0	187.0
901127	02	04	04	05	01	2	69	4.1	08 54	n	123 39	w	4.0	427.0	348.0

Table 3. (continued)

Sightings by Species														
species: STRIPED DOLPHIN (S. COERULEALBA)														
date	series	leg	sight	sun position		beauf. number	by	perp. dist.(km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size est		species code: 13
				horz.	vert.							best	low	
900730	03	38	01	04	02	1	01	0.3	23 47 n	120 04 w	100.0	12.0	10.0	
900731	01	07	01			3	22	3.2	21 47 n	119 15 w	100.0	117.0	99.0	
900731	08	01	06	12	12	1	76	2.5	21 01 n	118 58 w	100.0	121.0	109.0	
900731	12	03	10	04	01	2	07	1.8	20 30 n	118 41 w	100.0	15.0	11.0	
900731	15	01	15	04	02	2	76	3.9	20 18 n	118 40 w	100.0	52.0	43.0	
900801	01	02	01	08	03	2	74	2.9	18 30 n	118 45 w	100.0	18.0	15.0	
900805	05	01	03			4	01	5.4	10 09 n	112 52 w	100.0	22.0	16.0	
900809	01	01	01			5	74	0.3	05 31 n	111 54 w	100.0	37.0	11.0	
900809	02	09	02			5	76	3.4	05 45 n	112 36 w	73.3	158.0	80.0	
900809	04	03	04			5	07	3.3	05 52 n	112 56 w	100.0	30.0	7.0	
900810	01	08	01			5	74	5.0	06 44 n	115 32 w	100.0	70.0	43.0	
900812	03	15	01			5	74	5.2	10 25 n	123 01 w	100.0	5.0	5.0	
900813	06	01	06	11	03	3	74	1.1	12 47 n	127 14 w	100.0	122.0	99.0	
900814	06	03	05	11	02	2	22	5.8	14 40 n	130 07 w	100.0	60.0	39.0	
900816	04	01	04			2	01	7.0	11 18 n	133 16 w	67.7	125.0	95.0	
900816	08	01	12			2	75	0.0	09 39 n	133 49 w	100.0	102.0	80.0	
900817	01	09	01			5	74	0.6	07 01 n	134 34 w	100.0	111.0	89.0	
900818	01	15	01	10	12	5	76	0.4	08 19 n	135 32 w	100.0	35.0	14.0	
900818	02	04	02	10	01	5	07	0.8	08 42 n	135 36 w	100.0	40.0	27.0	
900821	01	01	01	04	03	5	01	1.6	07 55 n	139 23 w	100.0	25.0	18.0	
900823	05	01	04	11	02	2	76	0.0	13 30 n	144 58 w	62.0	5.0	4.0	
900908	01	04	01			5	07	6.4	05 24 n	131 30 w	100.0	37.0	28.0	
900908	04	02	02	08	02	5	74	2.2	06 18 n	130 37 w	100.0	37.0	19.0	
900912	01	02	01	12	03	3	07	0.1	03 13 n	120 48 w	100.0	15.0	7.0	
900912	03	14	04	06	01	4	75	0.1	03 32 n	119 42 w	100.0	13.0	10.0	
900918	05	01	06	04	02	3	22	0.0	00 14 n	101 56 w	100.0	43.0	35.0	
900918	07	01	08			4	74	6.8	00 15 n	102 02 w	100.0	48.0	40.0	
900918	08	01	10			3	07	1.6	00 17 n	101 59 w	100.0	44.0	34.0	
900919	01	03	02	12	03	3	07	5.5	00 10 n	101 59 w	100.0	44.0	30.0	
900919	03	01	05	12	02	3	75	2.6	00 32 n	100 08 w	100.0	43.0	36.0	
900919	09	03	15	06	01	3	74	1.8	00 43 n	099 08 w	100.0	16.0	13.0	
900919	11	04	18			3	22	1.4	00 46 n	098 49 w	100.0	48.0	35.0	
900920	02	07	02	12	02	4	76	1.6	01 08 n	096 41 w	100.0	298.0	250.0	
900920	06	02	06			4	76	1.8	01 10 n	096 15 w	100.0	35.0	26.0	
900920	09	03	07			4	75	1.3	01 19 n	095 43 w	100.0	88.0	51.0	
900921	08	06	06			5	07	2.2	00 15 n	093 07 w	100.0	72.0	53.0	
900921	11	04	07			4	22	0.3	00 07 s	092 56 w	100.0	85.0	67.0	
900922	07	01	17	06	01	2	76	1.1	01 54 s	091 11 w	100.0	412.0	303.0	
900922	08	01	15	06	01	4	75	0.6	01 51 s	091 29 w	100.0	63.0	48.0	
900925	01	07	02			5	74	5.6	01 52 s	091 22 w	100.0	69.0	53.0	
900926	01	04	04			6	99	1.3	01 12 n	086 41 w	100.0	47.0	37.0	
900927	01	02	01			5	01	1.3	03 32 n	087 56 w	100.0	3.0	3.0	
900927	01	02	01			5	01	1.3	04 41 n	087 22 w	100.0	36.0	27.0	



Table 3. (continued)

Sightings by Species														
species: STRIPED DOLPHIN (S. COERULEDALBA)														
species code: 13														
date	series	leg	sight	sun position		beauf. number	detected	perp. dist.(km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size est		
				horz.	vert.							best	low	
ymody	number	sight	horz.	vert.	number	by	dist.	deg min	deg min	(% of school)	best	low		
900928			09		5	99	0.0	08 12 n	085 35 w	100.0	10.0	8.0		
900928	04	01	03		4	07	0.9	06 48 n	086 23 w	100.0	31.0	23.0		
900928	08	04	06	12	4	76	1.0	07 27 n	086 01 w	100.0	30.0	25.0		
901007	04	08	02	11	5	55	2.1	03 11 n	088 05 w	100.0	48.0	42.0		
901008	04	01	06	02	5	56	1.2	04 24 n	089 36 w	100.0	35.0	28.0		
901008	07	03	08		5	67	4.0	05 22 n	088 58 w	100.0	33.0	23.0		
901010	04	02	05	11	4	56	1.0	09 36 n	089 40 w	100.0	43.0	35.0		
901012	01	08	01	07	5	77	0.5	06 29 n	094 03 w	100.0	43.0	33.0		
901013	02	05	03		4	56	2.4	03 21 n	095 54 w	100.0	12.0	9.0		
901014	02	01	02		4	69	1.2	00 49 n	098 58 w	100.0	25.0	19.0		
901014	04	06	04	11	4	55	0.2	00 16 n	099 42 w	100.0	193.0	177.0		
901014	11	03	09	01	3	67	2.2	00 21 s	100 23 w	100.0	34.0	28.0		
901015	01	02	01		2	71	1.6	01 28 s	102 01 w	100.0	15.0	13.0		
901015	02	13	02		4	67	2.5	02 01 s	102 50 w	100.0	38.0	32.0		
901016	02	02	02	06	5	71	0.7	03 59 s	105 42 w	100.0	12.0	8.0		
901017	02	03	01		5	71	0.8	05 44 s	107 09 w	100.0	10.0	8.0		
901020	01	19	02		4	56	4.3	02 47 s	097 19 w	100.0	128.0	113.0		
901021	07	04	06	03	4	56	0.8	04 53 s	095 26 w	100.0	27.0	21.0		
901023	01	03	01		4	77	1.5	09 37 s	094 13 w	100.0	208.0	178.0		
901023	02	01	02		4	67	0.5	09 33 s	094 09 w	50.0	370.0	337.0		
901025	01	02	01		4	71	0.0	04 40 s	088 43 w	100.0	0.0*	4.0		
901025	02	06	02		4	71	0.2	04 18 s	088 19 w	100.0	8.0	7.0		
901026	04	01	03		4	67	4.1	01 46 s	085 26 w	100.0	33.0	22.0		
901109	04	02	03	09	4	69	5.5	06 04 s	085 08 w	100.0	162.0	147.0		
901112	03	02	03	08	4	69	1.9	06 43 s	091 29 w	100.0	30.0	22.0		
901113	01	04	01		4	56	3.5	04 49 s	092 58 w	100.0	101.0	85.0		
901113	04	03	05	10	4	71	0.9	05 15 s	094 25 w	100.0	57.0	40.0		
901114	01	09	01	05	5	69	0.3	06 02 s	096 36 w	100.0	63.0	50.0		
901114	04	04	04	01	5	56	2.3	06 14 s	096 58 w	100.0	133.0	93.0		
901116	01	01	01		4	71	0.5	06 26 s	102 52 w	100.0	18.0	16.0		
901120	01	22	01	11	4	77	0.3	04 07 s	114 35 w	100.0	73.0	57.0		
901126	01	02	01		3	77	2.5	05 10 n	124 11 w	100.0	138.0	103.0		
901126	02	04	03		3	69	0.3	05 30 n	124 14 w	100.0	61.0	48.0		
901126	03	10	04	06	3	67	1.7	06 07 n	124 06 w	100.0	100.0	77.0		
901127	04	01	05		1	71	1.0	08 59 n	123 31 w	100.0	73.0	67.0		
901130	05	07	04	07	4	67	1.7	17 56 n	117 12 w	100.0	0.0*	2.0		
901203	01	10	01	06	5	69	4.1	24 53 n	116 32 w	100.0	302.0	257.0		

Table 3. (continued)

Sightings by Species															
species: ROUGH-TOOTHED DOLPHIN (STENO BREDANENSIS) species code: 15															
date	series	leg	sight number		sun horz.	sun vert.	position	beauf. number	detected by	perp. dist.(km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size est	
			horz.	vert.										best	low
900805	07	05	05	01	05	01	3	01	01	0.7	10 02 n	112 23 w	100.0	6.0	6.0
900812	04	01	02	05	05	02	5	76	01	1.4	10 33 n	123 01 w	100.0	2.0	2.0
900910	05	05	05	05	05	02	5	01	01	0.0	04 36 n	124 54 w	35.7	12.0	9.0
900927	04	02	03	03	03	02	5	22	22	0.7	05 02 n	087 09 w	100.0	16.0	15.0
901011	06	05	05	05	05	05	4	55	55	0.0	07 43 n	092 37 w	100.0	16.0	11.0
901012	03	03	03	01	12	01	5	77	77	0.4	06 04 n	094 34 w	100.0	17.0	16.0
901112	04	02	04	09	09	01	4	55	55	1.8	06 34 s	091 31 w	100.0	10.0	9.0
901118	03	01	05	01	01	01	4	77	77	1.0	02 13 s	108 38 w	100.0	127.0	98.0

Table 3. (continued)

Sightings by Species															
species: "SHORT-SNOURED WHITEBELLY" (DELPHINUS DELPHIS OFFSHORE)															
species code: 17															
date	series	leg	sight	sun position		beauf.	detected	perp.	lat. (km)	deg min	longitude	deg min	proportion	mean school size est	
				horz.	vert.									(% of school)	best
yr	mo	day	hr	min	sec	ft	by	dist.	deg	min	deg	min	of school	best	low
900803	02	11	01	05	01	5	76	0.2	12 57 n	117 47 w	100.0	165.0	100.0	136.0	
900921	05	02	03	01	01	5	07	0.2	00 45 n	093 27 w	100.0	113.0	100.0	77.0	
900921	12	01	08	08	12	4	22	4.7	00 10 s	092 54 w	100.0	517.0	100.0	442.0	
900922			08	12	12	2	83	0.4	01 48 s	091 53 w	100.0	407.0	100.0	320.0	
900922			12			4	01	0.0	01 52 s	091 31 w	100.0	87.0	100.0	57.0	
900922	01	01	03			2	01	0.0	01 31 s	092 08 w	100.0	205.0	100.0	145.0	
900922	07	01	13	06	01	4	75	0.6	01 51 s	091 29 w	4.3	412.0	100.0	303.0	
900922	10	01	16			4	76	3.1	01 54 s	091 11 w	100.0	277.0	100.0	218.0	
900922	11	01	18	07	02	4	74	5.5	01 52 s	091 06 w	100.0	737.0	100.0	600.0	
900922	12	02	19			3	07	1.5	01 47 s	091 01 w	100.0	177.0	100.0	83.0	
900923	01	01	01			4	74	5.1	01 55 s	089 21 w	100.0	1367.0	100.0	1033.0	
900928			08			3	76	3.0	08 04 n	085 41 w	100.0	673.0	100.0	583.0	
901009	05	05	03	03	01	4	55	2.6	07 45 n	088 03 w	100.0	313.0	100.0	303.0	
901009	06	02	04	03	01	4	71	3.0	07 54 n	088 00 w	100.0	90.0	100.0	80.0	
901009	07	04	06	07	01	4	55	0.1	08 20 n	087 50 w	100.0	120.0	100.0	108.0	
901011	02	06	02	08	01	4	71	0.4	08 18 n	091 53 w	100.0	83.0	100.0	68.0	
901026	08	08	07	02	03	5	56	0.1	02 29 s	084 59 w	100.0	1050.0	100.0	867.0	
901029	02	03	02			3	71	1.5	10 55 s	084 33 w	100.0	940.0	100.0	843.0	
901101	02	01	02			4	56	6.3	02 47 s	081 25 w	100.0	500.0	100.0	448.0	
901109	06	06	05			4	69	4.5	06 40 s	085 34 w	100.0	553.0	100.0	500.0	
901109	07	10	07			4	67	0.4	07 02 s	085 53 w	100.0	243.0	100.0	203.0	
901204			02	07	02	4	55	1.1	28 41 n	118 09 w	100.0	275.0	100.0	240.0	
901204	01	01	01	04	03	3	71	2.2	27 58 n	117 44 w	100.0	203.0	100.0	190.0	
901205			01	06	02	3	56	0.2	30 30 n	117 25 w	100.0	250.0	100.0	200.0	
901205			02	07	02	4	99	1.9	30 59 n	117 21 w	100.0	675.0	100.0	600.0	

Table 3. (continued)

Sightings by Species																
species: BOTTLENOSED DOLPHIN (TURSTOPS TRUNCATUS)																
species code: 18																
date	series	leg	sight	sun position		beauf. number	by	detected	perp. dist. (km)	lat. deg	lat. min	long. deg	long. min	proportion (% of school)	mean school size est	
				horz.	vert.										best	low
900731	10	02	08	03	01	2	75	0.4	20	44	n	118	48	100.0	19.0	15.0
900731	13	01	12	03	02	2	01	3.9	20	24	n	118	41	100.0	21.0	16.0
900816	02	01	02			3	76	3.3	11	28	n	133	11	95.0	35.0	28.0
900816	04	01	04			2	01	7.0	11	18	n	133	16	32.3	125.0	95.0
900816	05	08	08	12	12	2	76	1.4	10	49	n	133	26	100.0	2.0	2.0
900819	01	02	01			4	01	0.6	11	08	n	136	07	12.5	15.0	10.0
900822	05	05	03	11		3	74	8.5	11	11	n	142	05	25.0	37.0	31.0
900822	06	08	04	11		3	22	3.6	11	32	n	142	16	20.4	13.0	10.0
900823	05	01	04	11		2	76	0.0	13	30	n	144	58	13.0	5.0	4.0
900914	01	06	01	12		5	22	2.2	02	22	n	113	12	24.3	32.0	20.0
900919	06	02	11			4	07	2.2	00	37	n	099	25	38.3	147.0	123.0
900922	04	02	09			2	01	0.3	01	50	s	091	41	23.7	45.0	35.0
901015	05	04	04			4	67	2.1	02	25	s	103	26	25.0	42.0	33.0
901019	05	01	03	01	01	3	71	5.1	03	46	s	100	35	28.3	40.0	29.0
901027	05	02	05			4	55	1.0	05	31	s	084	56	100.0	13.0	11.0
901028	02	06	02			4	69	2.6	08	46	s	084	49	58.3	205.0	167.0
901029	01	01	01			3	55	0.4	11	05	s	084	40	33.3	63.0	55.0
901030	04	04	05	03		4	67	1.7	07	12	s	083	22	100.0	26.0	21.0
901030	06	01	08	03	12	3	55	5.6	06	57	s	083	14	100.0	38.0	30.0
901031			06			4	77	1.5	04	46	s	082	37	23.3	28.0	25.0
901031	07	02	08			4	69	2.5	04	40	s	082	32	85.0	117.0	95.0
901031	08	01	09			4	71	0.0	04	35	s	082	31	56.7	24.0	20.0
901031	10	03	12			4	71	2.6	04	06	s	082	23	100.0	15.0	12.0
901031	10	04	13			4	77	3.7	04	03	s	082	22	100.0	53.0	51.0
901101	04	07	03			4	55	1.1	02	09	s	081	11	100.0	75.0	53.0
901101	05	05	04			4	69	0.2	02	30	s	081	02	100.0	3.0	3.0
901108	05	02	03	12	02	4	67	6.7	04	12	s	083	13	19.8	190.0	169.0
901109	03	01	02	09	01	4	69	3.4	05	51	s	085	01	50.0	25.0	20.0
901116	02	06	02	04	02	4	56	5.0	06	01	s	103	02	9.3	390.0	352.0
901117	06	10	07			4	69	4.7	02	03	s	106	00	60.0	35.0	25.0

Table 3. (continued)

Sightings by Species														
species: RISSO'S DOLPHIN (GRAMPUS GRISEUS) species code: 21														
date	series	leg	sight	sun position		beauf. number	detected	perp. dist. (km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size est		low
				horz.	vert.							best	low	
ymdy	number	number	number	by	by	by	by	deg min	deg min	(% of school)	best	low	low	
900910	05	05	05	01	01	5	01	0.0	04 36 n	124 54 w	31.0	12.0	9.0	
900911	05	06	07	76	02	4	76	2.2	02 51 n	122 33 w	100.0	5.0	4.0	
900919	07	12	12	22	12	4	22	0.1	00 39 n	099 20 w	100.0	14.0	11.0	
901015	03	02	03	56	01	4	56	0.2	02 10 s	103 07 w	100.0	9.0	6.0	
901018	03	06	02	71	02	5	71	2.3	04 27 s	102 52 w	100.0	12.0	5.0	
901025	03	02	03	55	02	4	55	0.7	04 12 s	088 12 w	100.0	12.0	10.0	
901028	02	06	02	69	02	4	69	2.6	08 46 s	084 49 w	41.7	205.0	167.0	
901028	03	01	03	69	01	4	69	1.1	08 53 s	084 50 w	100.0	16.0	10.0	
901030	01	01	01	67	01	3	67	1.3	07 54 s	083 33 w	100.0	7.0	7.0	
901030	05	02	06	69	01	4	69	0.3	07 00 s	083 16 w	100.0	19.0	16.0	
901030	08	04	12	71	08	3	71	4.4	06 40 s	083 09 w	100.0	12.0	10.0	
901030	10	01	13	67	01	3	67	2.0	06 35 s	083 09 w	100.0	13.0	10.0	
901030	11	02	15	56	02	3	56	1.1	06 25 s	083 05 w	100.0	12.0	8.0	
901030	12	02	18	71	02	4	71	0.0	06 11 s	083 02 w	82.5	28.0	17.0	
901031	01	01	01	71	01	4	71	0.1	05 32 s	082 53 w	100.0	7.0	4.0	
901031	01	05	02	55	01	4	55	0.9	05 16 s	082 48 w	100.0	12.0	10.0	
901031	01	05	03	71	03	4	71	2.4	05 15 s	082 48 w	100.0	0.0*	153.0	
901109	01	01	01	69	03	4	69	0.3	05 33 s	084 44 w	100.0	12.0	12.0	
901110	01	07	01	56	02	4	56	0.9	08 54 s	087 21 w	100.0	6.0	5.0	
901110	02	08	05	55	08	4	55	1.2	09 44 s	088 01 w	100.0	10.0	8.0	
901118	01	05	02	67	02	4	67	1.8	01 36 s	108 16 w	100.0	10.0	8.0	
901127	02	01	03	56	03	3	56	1.3	08 45 n	123 42 w	100.0	8.0	6.0	
901203			03	56	08	5	56	0.1	25 24 n	116 40 w	100.0	11.0	10.0	

Table 3. (continued)

Sightings by Species															
species: FRASER'S DOLPHIN															
(LAGENDELPHIS HOSEI)															
species code: 26															
date	series	leg	sight	number	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean school size		
													est	low	
yr	mody	horz.	vert.	number	by	dist.(km)	deg	min	deg	min	deg	min	best	low	
900907	01	01	01	2	76	1.4	05	12	n	134	47	w	80.8	1017.0	847.0
900912	02	04	03	3	75	3.0	03	17	n	120	38	w	33.0	1175.0	903.0
901116	02	06	02	4	56	5.0	06	01	s	103	02	w	85.3	390.0	352.0

Table 3. (continued)

Sightings by Species														
species: MELON-HEADED WHALE (PEPONOCEPHALA ELECTRA) species code: 31														
date	series	leg sight	sun position	beauf. detected	perp. dist.(km)	deg min	latitude	deg min	longitude	proportion (% of school)	mean school size	est		
												number	horz.	vert.
yr	mody	number	horz.	vert.	number	by	dist.(km)	deg min	deg min	deg min	deg min	deg min	deg min	deg min
900907	01	01	01	01	2	76	1.4	05 12 n	134 47 w	19.2	1017.0	847.0		
900912	02	04	03	11	02	75	3.0	03 17 n	120 38 w	0.3	1175.0	903.0		

Table 3. (continued)

Sightings by Species														
species: PYGMY KILLER WHALE (FERESA ATTENUATA) species code: 32														
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean school	size	est
900823		01	04	02		2	99	0.0	12 03 n	144 13 w	100.0	8.0	7.0	
900906	01	01				3	22	0.5	05 03 n	138 20 w	100.0	24.0	21.0	
900924		04				5	01	0.0	00 00 s	084 43 w	100.0	5.0	3.0	
901124	02	01				4	55	0.9	00 33 s	124 57 w	100.0	53.0	50.0	



Table 3. (continued)

Sightings by Species														
species: FALSE KILLER WHALE														
(PSEUDORCA CRASSIDENS)														
species code: 33														
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitud	longitud	proportion	mean school	size	est
														-----
yr	mo	day	hr	min	sec	km	km	deg	min	deg	min	deg	min	low
900822	06	08	04	11	02	3	22	3.6	11 32 n	142 16 w	79.6	13.0	10.0	
900909	01	11	01	11	01	5	76	0.0	07 45 n	128 20 w	100.0	8.0	6.0	
901016	06	02	04	10	02	5	56	2.5	04 46 s	106 39 w	100.0	19.0	14.0	
901118	01	08	03	09	02	4	77	0.1	01 45 s	108 26 w	100.0	5.0	4.0	
901126	05	01	05	08	02	3	55	1.4	06 27 n	124 05 w	100.0	33.0	26.0	

Table 3. (continued)

Sightings by Species																	
species: PILOT WHALE (GLOBICEPHALA SP.)																	
species code: 34																	
date	series	leg	sight	sun position		beauf.	detected	perp. dist.(km)	lat	deg	min	long	deg	min	proportion	mean school size	
				horz.	vert.											number	by
900918			05	04	01	4	22	5.7	00	24	n	102	06	w	100.0	5.0	5.0
900918	09	01	12			3	22	2.9	00	13	n	101	58	w	100.0	15.0	9.0
900919	06	02	11	12		4	07	2.2	00	37	n	099	25	w	61.7	147.0	123.0
900922		01	01			3	76	0.2	01	23	s	092	11	w	100.0	9.0	7.0
901014	04	02	09			2	01	0.3	01	50	s	091	41	w	76.3	45.0	35.0
901015	05	04	07	01	02	4	67	1.6	00	05	s	100	09	w	100.0	17.0	14.0
901018	03	04	04			4	67	2.1	02	25	s	103	26	w	75.0	42.0	33.0
901018	03	04	01	06		5	71	1.6	04	30	s	102	59	w	100.0	0.0*	4.0
901019	05	01	03	01	01	3	71	5.1	03	46	s	100	35	w	71.7	40.0	29.0
901020		01	01	01	02	4	99	0.6	02	51	s	097	32	w	100.0	0.0*	4.0
901021	05	12	05	03	01	4	55	0.9	04	37	s	095	29	w	100.0	0.0*	16.0
901026	06	02	05			5	67	1.2	01	40	s	085	18	w	100.0	11.0	9.0
901027	01	01	01	10	02	5	69	0.1	04	33	s	084	58	w	100.0	14.0	11.0
901029	01	01	01			3	55	0.4	11	05	s	084	40	w	33.3	63.0	55.0
901031		06	06			4	77	1.5	04	46	s	082	37	w	43.3	28.0	25.0
901031	07	02	08			4	69	2.5	04	40	s	082	32	w	15.0	117.0	95.0
901031	08	01	09			4	71	0.0	04	35	s	082	31	w	43.3	24.0	20.0
901031	09	01	10			4	77	1.6	04	24	s	082	28	w	100.0	9.0	8.0
901108	05	02	03	12	02	4	67	6.7	04	12	s	083	13	w	13.0	190.0	169.0
901109	03	01	02	09	01	4	69	3.4	05	51	s	085	01	w	50.0	25.0	20.0
901114	03	02	03			4	67	1.8	06	04	s	096	54	w	100.0	11.0	10.0
901116	02	06	02	04	02	4	56	5.0	02	03	s	103	02	w	5.3	390.0	352.0
901117	06	10	07			4	69	4.7	06	01	s	106	00	w	40.0	35.0	25.0
901118	01	03	01			4	71	1.0	01	38	s	108	04	w	100.0	6.0	5.0
901123	01	13	01	10	01	4	71	0.4	02	03	s	126	37	w	80.0	40.0	32.0
901124	01	01	01			5	77	0.1	00	36	s	125	03	w	100.0	11.0	10.0
901124	01	01	02			5	77	0.4	00	35	s	125	01	w	100.0	7.0	7.0

Table 3. (continued)

Sightings by Species																		
species: SHORT-FINNED PILOT WHALE (GLOBICEPHALA MACRORHYNCHUS)																		
species code: 36																		
date	series	leg	sight	sun position		beauf.	detected	perp.	lat. (km)	deg	min	longitude	deg	min	proportion (% of school)	mean school size	size est	
				horz.	vert.												number	by
900803	03	05	02	05	02	5	07	2.2	12	48	n	117	31	w	100.0	8.0	6.0	
900808	03	12	03			3	74	0.1	05	03	n	110	37	w	100.0	33.0	26.0	
900813	02	07	02	04	02	4	76	0.2	12	03	n	125	48	w	100.0	10.0	9.0	
900816	07	10	11	03	02	3	22	5.0	09	51	n	133	45	w	100.0	7.0	5.0	
900819	01	02	01			4	01	0.6	11	08	n	136	07	w	62.5	15.0	10.0	
900822	05	05	03			3	74	8.5	11	11	n	142	05	w	50.0	37.0	31.0	
900823	06	07	05	11	03	2	76	7.8	13	45	n	145	21	w	100.0	10.0	5.0	
900914	01	06	01			5	22	2.2	02	22	n	113	12	w	35.3	32.0	20.0	
900928	02	01	02			4	07	2.1	06	40	n	086	28	w	100.0	23.0	15.0	
901009	03	01	02			4	56	0.1	07	28	n	088	13	w	100.0	25.0	21.0	
901010	01	11	02	07	01	4	67	0.6	09	38	n	088	41	w	100.0	27.0	24.0	
901031	04	02	04			4	71	0.7	04	50	s	082	38	w	100.0	23.0	20.0	

Table 3. (continued)

Sightings by Species																	
species: KILLER WHALE (ORCINUS ORCA)																	
species code: 37																	
date	series	leg	sight	sun position		beauf.	detected	perp.	lat. deg	lat. min	longitude	deg	min	proportion	mean school size		
				number	horz.										vert.	number	by
yr	mo	day	hr	min	sec	ft	ft	ft	deg	min	deg	min	deg	min	sec	ft	ft
900815	06	03	05	03	02	4	07	3.7	13	44	n	132	24	w	100.0	8.0	6.0
900816			05			3	99	2.2	11	16	n	133	20	w	100.0	2.0	2.0
900924	03	04	03			4	01	1.5	00	15	s	085	10	w	100.0	5.0	4.0
901008	01	01	01			4	56	0.6	03	48	n	089	51	w	100.0	3.0	3.0
901113	03	14	04			4	56	1.1	05	15	s	094	16	w	100.0	14.0	12.0
901115	05	01	01			5	71	3.7	07	37	s	101	01	w	30.0	4.0	3.0
901118	02	05	04	12	01	4	69	0.4	02	07	s	108	36	w	100.0	7.0	6.0
901130	02	01	01	03	02	5	55	1.0	17	25	n	117	52	w	100.0	2.0	2.0

Table 3. (continued)

Sightings by Species														
species: SPERM WHALE (PHYSETER MACROCEPHALUS)														
species code: 46														
date	series	leg	sight	sun position		beauf. number	detected	perp. dist.(km)	latitude	longitude	proportion	mean school size		est
				horz.	vert.							best	low	
ymrday	number	horz.	vert.	number	by	dist.(km)	deg min	deg min	deg min	(% of school)	best	low		
900804			02	10	01	5	99	6.4	11 46 n	115 52 w	100.0	3.0	2.0	
900922			04			3	22	3.1	01 35 s	092 05 w	100.0	1.0	1.0	
900922			05			3	99	1.8	01 45 s	092 59 w	100.0	1.0	1.0	
900922	01		02			2	01	1.8	01 30 s	092 08 w	100.0	2.0	2.0	
900922	02		06			2	07	3.5	01 46 s	091 58 w	100.0	5.0	5.0	
900923	03		07	11	02	4	74	0.9	01 49 s	089 15 w	100.0	1.0	1.0	
900927	02		02			5	74	2.9	04 39 n	087 23 w	100.0	4.0	4.0	
901010	01		09	07	02	4	71	5.7	09 40 n	088 26 w	100.0	4.0	4.0	
901013	02		01	02		3	77	5.6	03 41 n	095 47 w	100.0	6.0	6.0	
901014	03		07	03	01	4	56	0.8	00 29 n	099 28 w	100.0	1.0	1.0	
901023	05		03	05		4	67	4.1	09 09 s	093 41 w	100.0	3.0	3.0	
901027	06		01	06		4	77	3.6	05 34 s	084 56 w	100.0	7.0	6.0	
901027	08		02			4	55	2.9	06 04 s	084 56 w	100.0	12.0	11.0	
901029	05		06	08	02	3	56	4.0	09 18 s	084 01 w	100.0	15.0	12.0	
901029	06		01	08	03	3	71	3.7	09 05 s	083 59 w	100.0	2.0	2.0	
901030	03		01	04		3	71	1.7	07 31 s	083 26 w	100.0	26.0	23.0	
901108	05		02	12	02	4	67	6.7	04 12 s	083 13 w	0.5	190.0	169.0	
901201	01	26	01			4	67	4.3	20 06 n	114 59 w	18.3	9.0	7.0	

Table 3. (continued)

Sightings by Species														
species: DWARF SPERM WHALE (KOGIA SIMUS) species code: 48														
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean school	size	est
ymody	number	horz.	vert.	number	by	dist.(km)	deg min	deg min	deg min	(% of school)	best	low		
901126	06	02	07	08	03	1	77	0.6	06 45 n	124 15 w	100.0	3.0	3.0	

Table 3. (continued)

Sightings by Species														
species: BEAKED WHALE (ZIPHIID) species code: 49														
date	series	leg	sight	sun position		beauf.	detected	perp.	latitude	longitude	proportion	mean school size est		
				number	horz.							vert.	number	by
yr	mody			horz.	vert.									
900731	02	02	02	09	02	2	76	6.8	21 31 n	119 10 w	100.0	2.0	2.0	
900918	03	06	03			4	22	2.2	00 28 n	102 09 w	100.0	3.0	3.0	
901023	06	01	07			4	69	1.4	09 05 s	093 36 w	100.0	1.0	1.0	
901027	04	03	03	12	12	4	56	2.3	05 20 s	084 56 w	100.0	2.0	2.0	
901028	01	04	01			4	56	0.1	08 20 s	084 50 w	100.0	2.0	2.0	
901031	06	01	07			4	67	0.2	04 42 s	082 34 w	100.0	1.0	1.0	
901114	05	16	06	11	03	5	71	0.9	06 29 s	097 42 w	100.0	2.0	2.0	
901125	01	01	01			4	69	0.7	01 49 n	124 21 w	100.0	2.0	2.0	

Table 3. (continued)

Sightings by Species																		
species: UNID. MESOPLODONT (MESOPLODON SP.)																		
species code: 51																		
date	series	leg	sight	sun	position	beauf.	detected	perp.	dist.(km)	latitude	deg	min	longitude	deg	min	proportion	mean school size est	
																	(% of school)	best
yr	mo	dy	hr	min	sec	ft	by	by	by	deg	min	sec	deg	min	sec	best	low	
900809	03	01	03	12	12	5	74	0.7	05	47	n	112	42	w	100.0	2.0	2.0	
900907	03	04	03	12	12	4	74	1.0	05	15	n	134	26	w	100.0	1.0	1.0	
900907	03	04	04	12	12	4	76	0.0	05	15	n	134	23	w	100.0	3.0	3.0	
900923	05	21	09			4	01	2.2	01	57	s	087	56	w	100.0	2.0	2.0	
900924	01	11	01			3	01	0.6	00	38	s	085	38	w	100.0	2.0	2.0	
900925	01	01	01			5	01	1.0	00	48	n	086	05	w	100.0	2.0	2.0	
900928	06	04	05			4	07	0.0	07	08	n	086	10	w	100.0	1.0	1.0	
901019	07	02	04	01	01	4	69	0.1	03	42	s	100	23	w	100.0	2.0	2.0	
901020	02	01	03			4	69	0.2	02	43	s	097	07	w	100.0	1.0	1.0	
901021	05	09	03	12	12	4	67	0.1	04	25	s	095	32	w	100.0	1.0	1.0	
901108	03	01	01	11	01	5	56	0.5	03	57	s	082	34	w	100.0	3.0	3.0	
901113	02	05	03	07	01	4	55	0.7	04	58	s	093	15	w	100.0	1.0	1.0	
901121	01	13	01	06	01	4	67	0.8	03	26	s	117	48	w	100.0	4.0	3.0	



Table 3. (continued)

Sightings by Species														
species: BLAINVILLE'S BEAKED WHALE														
(MESOPLODON DENSIROSTRIS)														
species code: 59														
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean school	size est	
													number	horz.
900921	07	01	05	07	01	4	01	5.0	00 37 n	093 18 w	100.0	4.0	4.0	
901121	02	01	02	07	01	4	69	0.4	03 25 s	117 54 w	100.0	4.0	4.0	

Table 3. (continued)

Sightings by Species														
species: CUVIER'S BEAKED WHALE (ZIPHIUS CAVIROSTRIS)														
species code: 61														
date	series	leg	sight number	sun position		perp. dist.(km)	perp. dist.(km)	latitude deg min	longitude deg min	proportion (% of school)	mean school size		size est	
				horz.	vert.						beauf. number	by		best
900808			04				0.2	05 02 n	110 36 w	100.0	3.0	3.0	3.0	
900808	01	03	01				0.2	04 56 n	109 28 w	100.0	1.0	1.0	1.0	
900816	06	02	09	12			0.1	10 39 n	133 29 w	100.0	1.0	1.0	1.0	
900823	03	02	03	12			0.2	13 20 n	144 42 w	100.0	3.0	3.0	2.0	
900904	03	01	04				0.0	08 58 n	143 51 w	100.0	1.0	1.0	1.0	
900904	04	01	07	12			0.7	08 42 n	143 36 w	100.0	1.0	1.0	1.0	
900906	03	07	03	06			0.5	05 06 n	137 05 w	100.0	2.0	2.0	1.0	
900910	03	04	03	11			0.9	05 07 n	125 30 w	100.0	3.0	3.0	3.0	
900919	08	02	14	06			0.9	00 41 n	099 15 w	100.0	2.0	2.0	2.0	
900920	01	03	01				0.1	01 06 n	096 58 w	100.0	2.0	2.0	2.0	
900926			03	12			0.0	03 07 n	088 08 w	100.0	2.0	2.0	2.0	
901009	07	02	05	04			0.7	08 07 n	087 55 w	100.0	2.0	2.0	1.0	
901029	05	07	05	08	02		0.4	09 25 s	084 04 w	100.0	3.0	3.0	2.0	
901030			11				0.0	06 48 s	083 10 w	100.0	3.0	3.0	3.0	

Table 3. (continued)

		Sightings by Species										species code: 70	
		species: RORQUAL (BALAENOPTERA SP.)											
date	series	leg	sight	sun position		beauf. number	detected	perp. dist. (km)	latitude	longitude	proportion	mean school size	
				horz.	vert.							(% of school)	best
yr	mo		number	horz.	vert.		by	deg min	deg min				
900813	01	02	01	04	03	3	01	1.3	11 52 n	125 27 w	100.0	1.0	1.0
900813	04	04	04	11	02	3	76	3.5	12 49 n	126 54 w	100.0	1.0	1.0
900910		06	06	05	02	5	01	0.9	04 36 n	124 53 w	100.0	1.0	1.0
900911	03	01	04	12	12	5	07	4.6	02 48 n	122 58 w	33.5	2.0	2.0
900911	04	02	05	12	12	5	07	4.1	02 44 n	122 55 w	50.0	2.0	2.0
900918			07	03	02	4	01	0.0	00 15 n	102 00 w	100.0	1.0	1.0
900918			09			3	07	1.2	00 14 n	102 00 w	100.0	1.0	1.0
900920	04	01	05	01	01	5	07	3.9	01 05 n	096 31 w	100.0	3.0	3.0
900923		02	02			4	74	0.0	01 53 s	089 21 w	100.0	2.0	2.0
900923	02	02	04			4	76	1.3	01 49 s	089 18 w	100.0	1.0	1.0
901008	02	03	03			4	71	3.0	03 59 n	089 46 w	100.0	1.0	1.0
901009			07	07	01	4	99	0.9	08 28 n	087 43 w	100.0	0.0*	0.0*
901010			03	08	01	4	99	5.9	09 37 n	088 59 w	100.0	1.0	1.0
901016			01	06	02	5	99	0.2	03 58 s	105 34 w	100.0	1.0	1.0
901016	03	05	03	09	12	5	71	0.1	04 24 s	106 02 w	100.0	1.0	1.0
901017	04	02	02			5	71	2.8	05 37 s	106 43 w	100.0	1.0	1.0
901017	04	09	04			5	55	1.2	05 27 s	106 09 w	100.0	1.0	1.0
901017	04	10	05	06	03	5	71	3.1	05 26 s	106 05 w	100.0	1.0	1.0
901019	02	06	01	01	02	4	67	0.0	03 52 s	100 48 w	100.0	1.0	1.0
901020	03	01	07			4	71	0.7	02 41 s	096 49 w	100.0	1.0	1.0
901026	08	03	06			5	71	0.3	02 14 s	084 59 w	100.0	1.0	1.0
901029	05	03	04	08	01	2	71	5.8	09 42 s	084 11 w	100.0	1.0	1.0
901113		02	02			4	71	0.0	04 52 s	092 59 w	100.0	1.0	1.0
901117	02	01	03			4	71	0.7	02 41 s	104 46 w	100.0	1.0	1.0

Table 3. (continued)

Sightings by Species															
species: MINKE WHALE (B.ACUTOROSTRATA)															
species code: 71															
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean	school	size	
yr	mo	dy	hr	min	sec	km	by	dist.	deg	deg	(% of school)	best	best	low	
90	11	08	06	01	04	01	03	4	71	1.0	04 17 s	083 22 w	100.0	2.0	2.0

Table 3. (continued)

Sightings by Species														
species: BRYDE'S WHALE														
(B. EDENI)														
species code: 72														
date	series	leg	sight	sun position		beauf. number	by	detected	perp. dist.(km)	lat. deg min	long. deg min	proportion (% of school)	mean school size est	
				horz.	vert.								best	low
yr	mo	dy	no	no	no	no	no	no	no	no	no	no	no	no
900731			11	04	01	1	07	2.2	20 28 n	118 41 w	100.0	2.0	2.0	
900801	02	14	03	02	01	2	74	2.2	17 14 n	119 09 w	100.0	1.0	1.0	
900815	03	02	03	03	01	4	76	0.1	14 05 n	132 19 w	100.0	1.0	1.0	
900816	05	02	06			2	22	0.0	11 04 n	133 23 w	100.0	1.0	1.0	
900911	01	11	02	11	01	5	01	0.2	02 53 n	123 02 w	100.0	1.0	1.0	
900911	02	01	03	12	02	5	01	0.9	02 52 n	123 01 w	100.0	2.0	2.0	
901014	09	02	08	01	02	4	71	0.3	00 09 s	100 15 w	100.0	2.0	2.0	
901021	01	06	01	10	03	4	71	0.0	03 38 s	095 41 w	100.0	2.0	2.0	
901030			07			4	67	1.1	06 59 s	083 15 w	100.0	1.0	1.0	
901030	07	02	10			3	55	0.3	06 49 s	083 10 w	100.0	1.0	1.0	

Table 3. (continued)

Sightings by Species														
species: BLUE WHALE (B. MUSCULUS)														
species code: 75														
date	series	leg	sight	sun position		beauf. detected	perp. dist.(km)	lat. deg min	long. deg min	prop. (% of school)	mean school size		est	
				horz.	vert.						number	by		best
900922	03	01	07	12	12	2	0.7	01 48 s	091 53 w	100.0	1.0	1.0	1.0	
900922	06	02	11	06	01	4	3.3	01 50 s	091 32 w	100.0	2.0	2.0	2.0	
901011	03	02	04	10	01	4	0.7	08 13 n	092 03 w	100.0	1.0	1.0	1.0	
901019	08	02	05			4	0.3	03 38 s	100 06 w	100.0	1.0	1.0	1.0	
901021	02	01	02			4	0.9	03 43 s	095 39 w	100.0	2.0	2.0	2.0	
901023	05	03	06			4	1.0	09 07 s	093 40 w	100.0	1.0	1.0	1.0	
901202	01	03	01	04	03	5	0.2	21 38 n	115 28 w	100.0	3.0	3.0	2.0	

Table 3. (continued)

Sightings by Species															
species: HUMPBACK WHALE (MEGAPTERA NOVAEANGLIAE) species code: 76															
yrmo	date series	leg	sun sight	horz. number	vert. number	beauf.	detected	perp. dist.(km)	deg min	latitude	deg min	longitude	proportion (% of school)	mean school size est	
														best	low
900923				08	11	01	4	99	0.0	01 49 S	089 15 W	100.0	1.0	1.0	
901031				14			4	71	0.2	04 03 S	082 22 W	100.0	1.0	1.0	
901031	05	01		05			4	55	3.1	04 47 S	082 38 W	100.0	4.0	4.0	
901031	09	02		11			4	71	0.7	04 20 S	082 27 W	100.0	2.0	2.0	

Table 3. (continued)

Sightings by Species																	
species: UNIDENTIFIED DOLPHIN																	
species code: 77																	
date	series	leg	sight	sun position		beauf. number	detected	perp. dist. (km)	lat	deg	min	long	deg	min	w		
				horz.	vert.												
ymrday	number	by	number	by	dist. (km)	deg	min	deg	min	deg	min	deg	min	low			
900801	03	02	04	03	01	3	76	0.2	17	07	n	119	10	w	100.0	2.0	2.0
900801	04	04	05	03	02	4	07	4.0	16	54	n	119	13	w	100.0	2.0	2.0
900801	05	01	06	03	02	4	07	0.3	16	46	n	119	17	w	100.0	1.0	1.0
900805	01	01	01			2	76	3.3	10	34	n	113	36	w	100.0	3.0	3.0
900805	05	01	02			4	01	3.3	10	09	n	112	52	w	100.0	250.0	5.0
900808	04	01	05	11	03	4	76	0.3	05	07	n	110	41	w	100.0	2.0	2.0
900809	05	07	05			5	22	3.0	06	03	n	113	25	w	100.0	0.0*	2.0
900814	03	03	02	04	01	2	07	0.6	14	14	n	129	24	w	100.0	2.0	1.0
900816	01	03	01			3	22	2.2	11	28	n	133	11	w	100.0	7.0	5.0
900816	02	01	02			3	76	3.3	11	28	n	133	11	w	5.0	35.0	28.0
900816	03	01	03			3	74	1.2	11	24	n	133	15	w	100.0	5.0	3.0
900816	06	03	10	03	01	2	07	0.0	10	31	n	133	32	w	100.0	4.0	4.0
900818	03	08	03			5	22	2.9	09	15	n	135	42	w	100.0	10.0	10.0
900819	03	03	04	03	01	4	76	4.0	11	35	n	136	14	w	100.0	1.0	1.0
900819	04	02	05	03	01	4	74	7.5	11	45	n	136	14	w	20.0	37.0	16.0
900821	02	03	02			5	76	1.3	08	04	n	139	30	w	100.0	3.0	3.0
900822	01	09	01	04	02	2	74	1.3	10	27	n	141	30	w	100.0	0.0*	1.0
900822	02	01	02	04	02	3	01	6.1	10	29	n	141	32	w	100.0	5.0	4.0
900823	02	02	02	05	02	2	84	0.0	13	05	n	144	18	w	100.0	1.0	1.0
900823	06	08	06	11	03	2	01	2.2	13	47	n	145	23	w	100.0	5.0	3.0
900825	03	09	02	05	01	5	84	0.2	18	09	n	152	20	w	100.0	1.0	1.0
900901	03	09	01	12	12	5	76	0.0	16	41	n	151	44	w	100.0	3.0	3.0
900902	02	01	10	10	03	3	99	1.0	14	42	n	149	42	w	100.0	3.0	2.0
900902	02	02	02	10	02	4	85	0.0	14	32	n	149	32	w	100.0	2.0	2.0
900904	02	03	02			3	01	3.3	09	08	n	143	58	w	100.0	6.0	3.0
900904	03	04	06			2	07	0.1	08	47	n	143	42	w	100.0	3.0	3.0
900904	07	03	08			2	07	0.7	07	58	n	142	52	w	100.0	5.0	4.0
900905	02	20	02	05	01	5	74	1.8	05	29	n	140	29	w	100.0	10.0	3.0
900906	02	10	02	12	01	5	75	0.5	05	08	n	137	39	w	100.0	1.0	1.0
900907	02	01	02	11	02	3	07	0.2	05	18	n	134	46	w	100.0	2.0	2.0
900909	02	06	02	04	01	5	07	1.8	07	26	n	128	02	w	100.0	7.0	2.0
900910	02	05	02	11	02	5	01	1.3	05	18	n	125	45	w	100.0	5.0	1.0
900911	04	06	06	06	01	5	76	7.5	02	47	n	122	45	w	100.0	2.0	2.0
900912	06	05	06	06	02	5	01	0.6	03	36	n	119	20	w	100.0	10.0	2.0
900915	01	01	01	11	03	5	76	6.4	02	02	n	110	41	w	100.0	1.0	1.0
900915	05	04	03	12	01	5	74	0.0	02	02	n	110	17	w	100.0	0.0*	1.0
900919	03	08	04	01	01	4	76	0.0	00	29	n	100	02	w	100.0	10.0	5.0
900919	03	01	05	12	02	3	75	0.1	00	36	n	099	38	w	100.0	1.0	1.0
900919	04	07	09	12	01	4	76	0.1	00	27	n	099	58	w	31.3	102.0	87.0
900919	08	01	13	12	12	4	22	1.9	00	37	n	099	36	w	100.0	5.0	3.0
900919	10	01	16	06	01	3	74	3.8	00	41	n	099	15	w	100.0	1.0	1.0
900920	04	04	11	06	01	4	01	8.8	00	44	n	099	07	w	100.0	30.0	10.0
900921	09	04	09	11	01	4	22	0.0	01	06	n	096	35	w	100.0	2.0	2.0
900921	09	04	09	11	01	4	22	0.4	00	15	s	092	56	w	100.0	75.0	4.0



Table 3. (continued)

Sightings by Species														
species: UNIDENTIFIED DOLPHIN														
species code: 77														
date	series	leg	sight	sun position		beauf. number	detected	perp. dist.(km)	latitude	longitude	proportion	mean school size		low
				horz.	vert.							best	low	
yr	mo	dy	no	hr	mi		by		deg	min	(% of school)			
900921	04	04	02	10	02	5	22	1.8	00 50 n	093 31 w	100.0	1.0	1.0	
900923		03	03			4	01	0.0	01 53 s	089 21 w	100.0	187.0	77.0	
900924	02	05	02			4	07	3.9	00 30 s	085 27 w	100.0	13.0	6.0	
900925	03	01	04			5	76	0.6	01 14 n	086 45 w	100.0	4.0	2.0	
900926		05	05			6	99	0.3	03 42 n	087 52 w	100.0	7.0	5.0	
900928	05	01	04			4	76	2.5	06 54 n	086 20 w	100.0	10.0	3.0	
900928	10	01	07			4	01	4.0	07 36 n	085 58 w	100.0	3.0	1.0	
901005	02	08	02	10	01	4	55	3.2	07 14 n	085 07 w	100.0	0.0*	3.0	
901005	04	01	04			4	69	3.3	07 02 n	085 07 w	100.0	30.0	10.0	
901008	02	03	02			4	55	0.2	03 55 n	089 48 w	100.0	0.0*	2.0	
901008	05	04	07			4	71	4.3	04 44 n	089 27 w	100.0	0.0*	2.0	
901008	08	01	09			4	56	1.5	05 30 n	089 00 w	100.0	0.0*	10.0	
901009	02	01	01			4	55	2.1	07 20 n	088 16 w	100.0	10.0	5.0	
901010	03	08	04	11	02	4	71	1.8	09 34 n	089 33 w	100.0	0.0*	1.0	
901011	08	02	06			5	71	0.1	07 36 n	092 43 w	100.0	0.0*	3.0	
901012	02	07	02	09	01	4	77	0.6	06 16 n	094 22 w	100.0	2.0	2.0	
901012	05	04	04	01	02	4	55	2.0	05 47 n	094 53 w	100.0	0.0*	4.0	
901013	06	01	06	10	01	4	71	6.5	03 04 n	095 58 w	100.0	0.0*	3.0	
901013	07	14	07			4	55	0.3	02 18 n	096 46 w	100.0	0.0*	5.0	
901020	02	05	04			4	77	6.8	02 41 s	096 58 w	100.0	1.0	1.0	
901022	01	04	01			5	71	0.1	06 48 s	095 08 w	100.0	0.0*	2.0	
901023	04	02	04			4	71	0.0	09 18 s	093 49 w	100.0	0.0*	3.0	
901023	06	05	08	07	01	4	71	0.9	08 48 s	093 20 w	100.0	0.0*	1.0	
901025	04	06	04	03	01	4	69	0.1	04 02 s	088 02 w	100.0	1.0	1.0	
901025	05	08	05			4	55	1.1	03 35 s	087 38 w	100.0	0.0*	1.0	
901026	02	04	01			4	71	3.0	02 02 s	085 48 w	100.0	0.0*	2.0	
901026	03	04	02			4	55	3.4	01 50 s	085 34 w	100.0	0.0*	2.0	
901028	06	03	06	03	03	4	56	0.6	10 09 s	084 48 w	100.0	0.0*	5.0	
901030		03	14			3	67	5.9	06 33 s	083 07 w	100.0	0.0*	5.0	
901030	02	03	02			3	56	7.7	07 42 s	083 29 w	100.0	0.0*	200.0	
901030	02	04	03			3	77	0.0	07 35 s	083 27 w	100.0	10.0	9.0	
901030	12	02	18			4	71	0.0	06 11 s	083 02 w	17.5	28.0	17.0	
901030	07	08	06	01	03	4	56	6.7	06 59 s	085 50 w	100.0	0.0*	4.0	
901112	02	13	02	12	12	4	56	0.0	06 50 s	091 26 w	18.3	7.0	5.0	
901114	02	02	02	09	01	4	55	0.3	06 09 s	096 44 w	3.3	92.0	67.0	
901114	05	03	05	11	02	5	71	8.0	06 17 s	097 14 w	100.0	0.0*	1.0	
901115	05	01	01			5	71	3.7	07 37 s	101 01 w	3.3	4.0	3.0	
901116	03	05	03	12	12	4	69	0.2	05 32 s	103 18 w	100.0	1.0	1.0	
901117	01	03	01			4	56	5.6	02 55 s	104 39 w	100.0	0.0*	75.0	
901117	03	01	04			4	71	3.5	02 36 s	104 49 w	100.0	0.0*	2.0	
901117	04	04	05	05	01	4	69	0.6	02 29 s	104 57 w	100.0	1.0	1.0	
901117	05	06	06	10	01	4	77	0.8	02 09 s	105 16 w	100.0	12.0	10.0	
901121	03	12	03	11	03	4	67	0.3	03 12 s	119 09 w	100.0	218.0	150.0	
901122	04	12	03	11	03	4	55	1.0	02 33 s	123 21 w	100.0	150.0	75.0	

Table 3. (continued)

Sightings by Species														
species: UNIDENTIFIED DOLPHIN														
species code: 77														
date	series	leg	sight	sun position		beauf.	detected	perp.	latitud	longitud	proportion	mean school size		est
				horz.	vert.							number	by	
901123	01	13	01	10	01	4	71	0.4	02 03 s	126 37 w	20.0	40.0	32.0	
901125	01	23	02	08	03	5	67	0.2	03 26 n	124 15 w	100.0	0.0*	4.0	
901126	02	01	02	08	03	1	78	0.4	06 41 n	124 05 w	100.0	1.0	1.0	
901129	01	02	01	02	02	3	71	0.1	05 21 n	124 16 w	100.0	0.0*	3.0	
901201	01	26	01	02	02	5	69	0.7	14 57 n	121 01 w	100.0	20.0	10.0	
			01			4	67	4.3	20 06 n	114 59 w	48.3	9.0	7.0	

Table 3. (continued)

Sightings by Species														
species: UNIDENTIFIED SMALL WHALE														
species code: 78														
date	series	leg	sight	sun position		beauf.	detected	perp.	latitude	longitude	proportion	mean school size est		low
				number	horz.							vert.	by	
yr	mo	dy	hr	min	sec									
900731	09	02	07	12	12	3	74	1.6	20 52 n	118 53 w	100.0	2.0	2.0	2.0
900814	04	13	03	12	01	2	07	3.5	14 21 n	129 29 w	100.0	3.0	3.0	3.0
900816	05	04	07			2	22	2.3	11 00 n	133 24 w	100.0	1.0	1.0	1.0
900904	03	03	05			2	07	0.5	08 50 n	143 45 w	100.0	1.0	1.0	1.0
900925	04	09	05			5	01	0.9	01 33 n	087 15 w	100.0	2.0	2.0	2.0
900926			01			6	99	0.2	02 15 n	088 22 w	100.0	1.0	1.0	1.0
901013	06	01	05	10	01	4	71	5.2	03 04 n	095 58 w	100.0	1.0	1.0	1.0
901028	04	12	05			4	77	0.7	09 49 s	084 49 w	100.0	1.0	1.0	1.0
901030			16			3	99	0.1	06 24 s	083 04 w	100.0	0.0*	0.0*	1.0
901127			01	03	03	2	99	0.0	08 06 n	123 57 w	100.0	1.0	1.0	1.0
901127	01	04	02	03	02	2	69	6.2	08 12 n	123 55 w	100.0	1.0	1.0	1.0

Table 3. (continued)

Sightings by Species														
species: UNIDENTIFIED LARGE WHALE														
species code: 79														
date	series	leg	sight	sun position		beauf. detected	perp. dist. (km)	lat. deg min	long. deg min	proportion (% of school)	mean school size		size est	
				number	horz.						number	by		best
900911	01	02	01	11	03	5	0.6	03 19 n	123 35 w	100.0	74	1.0	1.0	
900918			11			3	0.0	00 11 n	101 59 w	100.0	07	1.0	1.0	
900919	04	02	06	01	02	4	5.9	00 30 n	099 52 w	100.0	07	1.0	1.0	
900919	12	01	19			4	0.4	00 51 n	098 39 w	100.0	76	2.0	2.0	
900920	10	04	08			4	0.5	01 22 n	095 22 w	100.0	22	1.0	1.0	
901007	01	11	01			5	2.8	03 03 n	087 01 w	100.0	69	8.0	6.0	
901008	03	04	05	03	01	4	5.2	04 16 n	089 39 w	100.0	67	1.0	1.0	
901011			03			4	0.1	08 17 n	091 54 w	100.0	81	1.0	1.0	
901011	01	06	01			4	0.4	08 36 n	091 33 w	100.0	67	1.0	1.0	
901017	04	07	03	06	02	5	4.9	05 29 s	106 18 w	100.0	69	1.0	1.0	
901022	04	07	03			5	3.2	08 24 s	094 54 w	100.0	67	2.0	2.0	
901026	05	01	04			5	2.0	01 41 s	085 22 w	100.0	56	1.0	1.0	
901028	04	04	04			3	4.9	09 10 s	084 51 w	100.0	55	1.0	1.0	
901110	01	09	02			4	4.1	08 59 s	087 25 w	100.0	55	1.0	1.0	
901116	05	07	04	09	01	4	3.3	05 10 s	103 31 w	100.0	77	1.0	1.0	
901118	04	01	06	01	01	4	6.9	02 19 s	108 39 w	100.0	55	1.0	1.0	
901124	03	03	04	02	02	4	0.7	00 23 s	124 40 w	100.0	56	1.0	1.0	

Table 3. (continued)

Sightings by Species													
species: UNIDENTIFIED KOGIA (KOGIA SP.?) species code: 80													
date	series	leg	sight	sun	position	beauf.	detected	perp.	latitude	longitude	proportion	mean school size	est
yr	mo	dy	hr	min	sec	ft	km	km	deg	min	(% of school)	best	low
900814	06	01	04	11	02	1	76	1.1	14 33 n	129 55 w	100.0	1.0	1.0

Table 3. (continued)

Sightings by Species																	
species: SPOTTED DOLPHIN (STENELLA ATTENUATA) species code: 90																	
ymody	date	series	leg	sight	number	horz.	vert.	sun position	beauf.	detected	perp.	latitude	longitude	proportion	mean school size	est	
																by	dist.(km)
901101	06	05	05	4	67	1.4	02 53 s	080 49 w	100.0	217.0	170.0						

Table 3. (continued)

Sightings by Species														
species: UNIDENTIFIED CETACEAN														
species code: 96														
date	series	leg	sight number	sun position		beauf. number	detected by	perp. dist.(km)	lat. deg min	long. deg min	proportion (% of school)	mean school size est		low
				horz.	vert.							best	low	
900731	06	01	04	12	12	1	22	4.4	21 10 n	119 02 w	100.0	0.0*	0.0*	0.0*
900802	02	06	01	11	12	4	74	1.2	15 10 n	117 35 w	100.0	0.0*	0.0*	2.0
900825			01	05	01	5	99	0.0	18 04 n	152 12 w	100.0	2.0	2.0	2.0
900912	04	01	05	06	01	4	75	0.0	03 33 n	119 39 w	100.0	1.0	1.0	1.0
900914	02	06	02	06	01	5	75	0.6	02 17 n	112 42 w	100.0	2.0	2.0	1.0
900922	05	01	10	12	12	4	74	0.5	01 50 s	091 39 w	100.0	8.0	8.0	6.0
901022	03	12	02	03	01	5	56	0.1	07 53 s	094 59 w	100.0	2.0	2.0	2.0
901027	03	02	02	12	12	5	55	1.2	05 06 s	084 57 w	100.0	1.0	1.0	1.0
901027	04	05	04			4	69	0.4	05 25 s	084 56 w	100.0	2.0	2.0	2.0
901030	07	01	09			3	55	0.3	06 52 s	083 11 w	100.0	1.0	1.0	1.0
901030	11	02	17			3	69	0.1	06 23 s	083 04 w	100.0	0.0*	0.0*	2.0
901101	01	01	01			4	56	0.1	02 49 s	081 25 w	100.0	1.0	1.0	1.0
901108	04	06	02	12	02	4	55	0.2	04 11 s	083 09 w	100.0	1.0	1.0	1.0
901109	05	02	04	12	01	4	77	0.8	06 16 s	085 18 w	100.0	2.0	2.0	2.0
901110		04	04			4	69	0.1	09 21 s	087 45 w	100.0	2.0	2.0	2.0
901112	01	01	01			4	71	2.0	07 50 s	091 02 w	100.0	1.0	1.0	1.0
901119	02	07	01			4	55	0.1	04 53 s	110 39 w	100.0	1.0	1.0	1.0

Table 3. (continued)

Sightings by Species														
species: UNIDENTIFIED WHALE														
species code: 98														
yrbody	date series	leg	sight number	sun position		beauf. number	detected by	perp. dist. (km)	lat. deg min	long. deg min	proportion (% of school)	mean school size		size est
				horz.	vert.							best	low	
900731			13	04	02	2	76	0.3	20 22 n	118 41 w	100.0	2.0	2.0	2.0
900801			02	08	02	2	99	3.0	18 20 n	118 46 w	100.0	1.0	1.0	1.0
900810			02			5	76	0.4	06 45 n	115 33 w	100.0	2.0	2.0	1.0
900815	04	02	04	03	01	4	76	0.4	14 02 n	132 20 w	33.0	3.0	3.0	3.0
900819	02	02	02			4	22	3.6	11 19 n	136 10 w	100.0	1.0	1.0	1.0
900819	02	03	03	03	02	4	75	1.4	11 25 n	136 11 w	100.0	1.0	1.0	1.0
900819	05	02	06	12	12	4	75	3.8	11 57 n	136 08 w	100.0	1.0	1.0	1.0
900912			02			3	75	0.0	03 13 n	120 48 w	100.0	1.0	1.0	1.0
900918			13				22	0.0	00 13 n	101 57 w	100.0	1.0	1.0	1.0
900918	01	04	01			5	22	0.7	01 25 n	102 43 w	100.0	2.0	2.0	1.0
900921			01			4	99	5.1	01 08 n	093 41 w	100.0	1.0	1.0	1.0
900922	08	01	14	06	01	4	75	0.0	01 52 s	091 23 w	100.0	1.0	1.0	1.0
900923	03	01	06	11	02	4	74	2.7	01 48 s	089 15 w	100.0	1.0	1.0	1.0
900925	02	01	03			5	76	4.4	01 14 n	086 42 w	100.0	1.0	1.0	1.0
900926	02	03	02			5	07	7.4	02 40 n	088 23 w	100.0	1.0	1.0	1.0
901005	02	05	01	09	02	4	69	2.3	07 31 n	085 05 w	100.0	3.0	3.0	2.0
901021	05	10	04	02	01	4	77	0.0	04 28 s	095 31 w	100.0	1.0	1.0	1.0
901124			05			5	99	2.4	00 18 s	124 32 w	100.0	1.0	1.0	1.0



Table 3. (continued)

Sightings by Species																				
species: SEI/BRYDE'S WHALE (BALAENOPTERA EDENI/BOREALIS)																				
species code: 99																				
date	series	leg	sight	number	horz.	sun	position	beauf.	detected	perp.	dist.(km)	deg	min	longitude	deg	min	proportion	mean school size	best	low
900910	01	05	01	03	10	03	4	75	0.2	05	33	n	126	01	w	100.0	1.0	1.0		
900910	04	05	04	01	04	04	5	07	0.9	04	51	n	125	11	w	100.0	1.0	1.0		
900911	03	01	04	12	12	12	5	07	4.6	02	48	n	122	58	w	16.5	2.0	2.0		
900911	04	02	05	12	12	12	5	07	4.1	02	44	n	122	55	w	50.0	2.0	2.0		
900916		01	01	08	01	08	6	07	0.1	02	37	n	107	15	w	100.0	1.0	1.0		
900918	01	09	02	10	10	02	5	01	1.1	01	11	n	102	35	w	100.0	3.0	3.0		
900919	01	01	01	01	01	01	3	74	2.0	00	31	n	100	10	w	100.0	3.0	3.0		
900919	04	04	07	01	01	01	4	07	2.6	00	31	n	099	49	w	100.0	2.0	2.0		
901019	04	03	02	03	04	03	3	55	0.2	03	46	s	100	36	w	100.0	2.0	2.0		
901020	02	06	05	04	04	04	4	55	0.1	02	41	s	096	56	w	100.0	1.0	1.0		
901116	06	02	05	09	09	02	4	67	2.0	05	02	s	103	35	w	100.0	6.0	6.0		
901118	05	05	07	02	02	02	4	71	0.3	02	43	s	108	59	w	100.0	1.0	1.0		
901128	01	12	01	03	05	01	4	71	0.9	11	56	n	122	30	w	100.0	1.0	1.0		
901130	03	03	02	05	05	01	5	69	0.4	17	34	n	117	39	w	100.0	1.0	1.0		
901130	04	02	03	05	05	01	5	56	2.0	17	38	n	117	33	w	100.0	2.0	2.0		

Table 4. Marine mammal school size estimates for each observer, classified by species code, for all sightings encountered in the eastern tropical Pacific during July - September (Part A) and October - December (Part B), 1990.

A: Sightings encountered July 28 through September 29, 1990.

species	date	sight no.	obs 1			obs 7			obs 22			obs 74			obs 75			obs 76			obs 83		
			best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	
species 1: UNID. SMALL 7-9FT BLACK WHALE	900914	01			21			21		1			16		20								
species 2: OFFSHORE SPOTTED DOLPHIN	900731	03	45	100	38	100	38	100	38	100	45	100	35	100	45	100							
	900731	05	80	100	62	100	62	100	62	100	80	100	68	100	70	100							
	900731	09	45	100	49	100	49	100	49	100	45	100	33	100	40	100							
	900731	14	24	100							25	100			9	100							
	900731	16	85	100	84	100	84	100	84	100	85	100	65	100	35	100							
	900804	01	30	100							35	100	15	100	35	100							
	900804	03	90	100	15	100	15	100	15	100	90	100	15	100	35	100							
	900805	04	95	100	35	100	35	100	35	100	95	100	15	100	35	100							
	900805	06	170	3							410	10			95	5							
	900809	02	85	5							350	35			40	7							
	900810	03	375	80							425	70			400	80							
	900813	03	80	65	80	30	80	30	80	30	130	65	60	80	60	80							
	900813	05	37	100							105	100			55	100							
	900814	01	230	55							440	70			260	80							
	900815	01	90	1	120	15	120	15	15	30	320	20			140	2							
	900815	02	160	15	145	30	145	30	145	30	60	100			40	100							
	900905	01	35	100							600	99			600	99							
	900915	02																					
	900918	04	380	100	440	100	440	100	440	100	550	100	350	100	650	100							
	900919	03	550	100	415	100	415	100	415	100	550	100	650	100	650	100							
	900919	10	230	100							340	100	125	100	180	100							
	900919	17	350	100	660	100	660	100	660	100	1050	100	350	100	450	100							
	900920	03	75	100							45	100			85	100							
	900921	04	185	55	80	92	80	92	80	92	340	80			225	80							
	900923	05	275	100							325	100			240	100							
species 3: SPINNER DOLPHIN	900819	05	80	90	25	50	25	50	25	50													
species 10: EASTERN SPINNER DOLPHIN	900805	06	170	97							410	90			95	95							
	900808	02	18	100							25	100			16	100							
	900809	02	85	5							350	25			40	3							
	900810	03	375	20							425	30			400	20							
	900813	03	80	35	80	70	80	70	80	70	130	35			60	20							
	900915	02													600	1							
	900928	01	230	100	130	100	130	100	130	100			125	100									
species 11: WHITEBELLY SPINNER DOLPHIN	900814	01	230	45							440	30			260	20							
	900815	01	90	99	120	85	120	85	120	85	320	80			140	98							
	900815	02	160	85	145	70	145	70	145	70					3	67							
	900815	04																					

Table 4A. (continued)

species	date	sight no.	obs 1		obs 7		obs 22		obs 74		obs 75		obs 76		obs 83	
			best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct
species 11: WHITEBELLY SPINNER DOLPHIN																
900815	06		100	100					165	100			70	100		
900903	01		20	100	50	100		45	100		30	100	40	100		
900904	01				90	100		160	100							60
900921	04	185	45		80	8		340	20				225	20		
species 13: STRIPED DOLPHIN																
900730	01	9	100					18	100				9	100		
900731	01	135	100	85	100	78	100	270	100	66	100		70	100		
900731	06	130	100	75	100			220	100				60	100		
900731	10			18	100	15	100			10	100		17	100		
900731	15			65	100	42	100			50	100					
900801	01	24	100	18	100			16	100				13	100		
900805	03	20	100					30	100				16	100		
900809	01	15	100					80	100				15	100		
900809	02	85	90					350	40				40	90		
900809	04			25	100	35	100						40	100		
900810	01	50	100					120	100				40	100		
900812	01	5	100					6	100				5	100		
900813	06	120	100	130	100	40	100	240	100	10	100		80	100		
900814	05							190	63				75	75		
900816	12	110	65	150	100	75	100			80	100		110	100		
900817	01	100	100	120	100			115	100				10	100		
900818	01			50	100	30	100	60	100							
900818	02															
900821	01	25	100					4	75				4	75		
900823	04	7	98										40	100		
900908	01	30	100	40	100								25	100		
900908	02	25	100					60	100							
900912	01			25	100	15	100			4	100					
900912	04			18	100	16	100			12	100		7	100		
900918	06	50	100					55	100				40	100		
900918	08	35	100					45	100				35	100		
900918	10			85	100	27	100			80	100		20	100		
900919	02			50	100	28	100			20	100					
900919	05			95	80	120	92			90	34		18	100		
900919	15	18	100					18	100				11	100		
900919	18	40	100					60	100				45	100		
900920	02	260	100					185	100				450	100		
900920	06	35	100					45	100				25	100		
900920	07			150	100	65	100			50	100		75	100		
900921	06			80	100	60	100									
900921	07			95	100	85	100			75	100					
900922	13			260	92	475	95									
900922	15			75	100	62	100			70	100					
900925	02	55	100					45	100				40	100		
900927	01	45	100					32	100				30	100		
900928	03	45	100					30	100				25	100		
900928	06	35	100					25	100				30	100		

Table 4A. (continued)

species	date	sight no.	obs 1		obs 7		obs 22		obs 74		obs 75		obs 76		obs 83	
			best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct
species 15: ROUGH-TOOTHED DOLPHIN																
	900805	05	7	100					6	100			6	100		
	900812	02	2	100					2	100			2	100		
	900910	05							10	37			10	70		
	900927	03			25	100	18	100			6	100				
species 17: "SHORT-SNOUDED WHITEBELLY"																
	900803	01	210	100					320	100			50	100		
	900921	03	190	100			85	100					65	100		
	900921	08	380	100			750	100					500	100		
	900922	03	350	100			190	100								
	900922	13	260	8			475	5								
	900922	16	130	100												
	900922	18	900	100									400	100		
	900922	19											50	100		
	900923	01	1200	100									2000	100		
species 18: BOTTLENOSED DOLPHIN																
	900731	08	25	100			16	100					15	100		
	900731	12	18	100												
	900816	02	35	97												
	900816	04	110	35												
	900816	08														
	900819	01	28	5												
	900822	03	60	30												
	900822	04	16	5												
	900823	04	7	2												
	900914	01														
	900919	11	300	20												
	900922	09	80	25												
species 21: RISSO'S DOLPHIN																
	900910	05														
	900911	07	5	100												
	900919	12	14	100												
species 26: FRASER'S DOLPHIN																
	900907	01	650	65												
	900912	03	1400	85												
			1500	99												
species 31: MELON-HEADED WHALE																
	900907	01	650	35												
	900912	03	1400	15												
			1500	1												
species 32: PYGMY KILLER WHALE																
	900906	01	40	100												
species 33: FALSE KILLER WHALE																
	900822	04	16	95												
	900909	01	18	100												

Table 4A. (continued)

species	date	sight no.	obs 1			obs 7			obs 22			obs 74			obs 75			obs 76			obs 83		
			best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	
species 34: PILOT WHALE																							
	900918	12			15	100			14	100													
	900919	11			300	80			85	55													
	900922	09	80	75							28	79			55	50				28	75		
species 36: SHORT-FINNED PILOT WHALE																							
	900803	02			12	100			3	100													
	900808	03	48	100							24	100								26	100		
	900813	02	16	100							3	100								11	100		
	900816	11							7	100													
	900819	01	28	95					10	80										31	80		
	900822	03	60	70							20	75								10	100		
	900823	05							21	66													
	900914	01			40	100			18	100										16	40		
	900928	02																		12	100		
species 37: KILLER WHALE																							
	900815	05	8	100					6	100										6	100		
	900924	03	5	100					5	100										5	100		
species 46: SPERM WHALE																							
	900922	02	2	100					1	100													
	900922	06	5	100					5	100													
	900923	07									1	100											
	900927	02	4	100							4	100								5	100		
species 49: BEAKED WHALE																							
	900731	02																					
	900918	03							3	100													
species 51: UNID. MESOPLDONT																							
	900809	03	2	100							2	100								2	100		
	900907	03									1	100											
	900907	04									3	100								3	100		
	900923	09	2	100																			
	900924	01	2	100							2	100											
	900925	01	2	100							2	100								2	100		
	900928	05			1	100																	
species 59: BLAINVILLE'S BEAKED WHALE																							
	900921	05	4	100							4	100											
species 61: CUVIER'S BEAKED WHALE																							
	900808	01							1	100													
	900816	09																					
	900823	03	3	100																2	100		
	900904	04	1	100																			
	900904	07																					
	900906	03	1	100																			
	900910	03	2	100					2	100													
	900910	03	4	100					1	100													
	900919	14	1	100					2	100													

Table 4A. (continued)

species	date	sight no.	obs 1		obs 7		obs 22		obs 74		obs 75		obs 76		obs 83	
			best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct
species 61: CUVIER'S BEAKED WHALE																
	900920	01			2	100										
species 70: RORQUAL																
	900813	01	1	100	1	100			1	100				1	100	
	900813	04	1	100	1	100			1	100				1	100	
	900911	04	3	67	2	50										
	900911	05	2	50	3	100										
	900920	05	3	100												
	900923	04												1	100	
species 72: BRYDE'S WHALE																
	900801	03	1	100	1	100			1	100				1	100	
	900815	03												1	100	
	900816	06	1	100	1	100			1	100				1	100	
	900911	02	1	100	2	100			1	100				1	100	
	900911	03	2	100	2	100			2	100				2	100	
species 75: BLUE WHALE																
	900922	07	1	100	1	100										
	900922	11	1	100	2	100			2	100				2	100	
species 77: UNIDENTIFIED DOLPHIN																
	900801	04			2	100			2	100				2	100	
	900801	05			1	100										
	900801	06														
	900805	01												3	100	
	900805	02							250	100						
	900808	05												2	100	
	900814	02			2	100										
	900816	01	35	3			7	100								
	900816	02							40	12						
	900816	03							5	100						
	900816	10			4	100										
	900818	03					10	100								
	900819	04			80	10	25	50								
	900819	05														
	900821	02														
	900822	02	5	100												
	900823	06	5	100												
	900901	01	3	100												
	900904	02														
	900904	06			3	100										
	900904	08			5	100										
	900905	02							10	100						
	900906	02														
	900907	02			2	100										
	900909	02	16	100	2	100										
	900910	02	5	100												
	900911	06														
	900912	06	10	100												

Table 4A. (continued)

date	sight no.	obs 1		obs 7		obs 22		obs 74		obs 75		obs 76		obs 83	
		best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct
species 77: UNIDENTIFIED DOLPHIN															
	900915	01													
	900919	05	95	20	120	8							1	100	
	900919	09								90	66		5	100	
	900919	13			1	100									
	900919	16						30	100						
	900921	02			1	100									
	900924	02	20	100	15	100				5	100		2	100	
	900925	04			5	100							10	100	
	900928	04			10	100							1	100	
	900928	07			5	100							1	100	
species 78: UNIDENTIFIED SMALL WHALE															
	900731	07							2	100					
	900814	03	3	100											
	900816	07			1	100									
	900904	05	1	100											
	900925	05			2	100									
species 79: UNIDENTIFIED LARGE WHALE															
	900911	01	1	100					1	100			1	100	
	900919	06													
	900919	19											2	100	
	900920	08			1	100									
species 80: UNIDENTIFIED KOGIA															
	900814	04											1	100	
species 96: UNIDENTIFIED CETACEAN															
	900912	05								1	100				
	900914	02								2	100				
	900922	10						8	100						
species 98: UNIDENTIFIED WHALE															
	900815	04											3	33	
	900819	02			1	100									
	900819	03											1	100	
	900819	06											1	100	
	900918	01			1	100									
	900922	14											1	100	
	900923	06													
	900925	03											1	100	
	900926	02	3	100											
species 99: SEI/BRYDE'S WHALE															
	900910	01	1	100									1	100	
	900910	04	1	100											
	900911	04	3	33											
	900911	05	2	50											
	900918	02	3	100				3	100				3	100	
	900919	01	3	100				3	100				3	100	

Table 4A. (continued)

date	sight no.	obs 1			obs 7			obs 22			obs 74			obs 75			obs 76			obs 83		
		best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	

species 99: SEI/BRYDE'S WHALE  
 900919 07 1 100 2 100



Table 4B. Sightings encountered October 4 through December 6, 1990.

date	sight no.	obs 55			obs 56			obs 67			obs 69			obs 71			obs 77			obs 81		
		best est.	pct		best est.	pct		best est.	pct		best est.	pct		best est.	pct		best est.	pct		best est.	pct	
species 2: OFFSHORE SPOTTED DOLPHIN																						
901008	04			50	100		25	100		27	100		80	30		275	20					
901013	04	350	20																			
901014	01	610	100	150	100	85	100	50	100				260	100	275	100						
901014	05			220	100	250	100	140	100													
901014	06	95	100																			
901020	06	515	100	600	100	480	100	260	100													
901029	03			400	100	450	100	180	100													
901110	03			4	75	12	90	5	80													
901112	02	75	90																			
901114	02	325	97																			
901117	02	200	100																			
901122	01			500	97	360	95	420	96													
901127	04																					
901203	02	50	100																			
species 10: EASTERN SPINNER DOLPHIN																						
901005	03	140	100	75	100	70	100															
species 11: WHITEBELLY SPINNER DOLPHIN																						
901013	01	12	100																			
901013	04	350	80																			
901023	02	500	60	380	40	230	50															
901023	03	2000	100	1875	100	1250	100															
901117	02	325	3																			
901122	02	250	100	300	100	140	100															
901127	04	500	3	360	5	420	4															
species 13: STRIPED DOLPHIN																						
901007	02	45	100																			
901008	06	35	100	40	100	30	100															
901008	08	30	100	40	100	30	100															
901010	05	60	100	30	100	40	100															
901012	01	45	100																			
901013	03	15	100	10	100	12	100															
901014	02	30	100	20	100	25	100															
901014	04	245	100																			
901014	09			50	100	25	100	26	100													
901015	01	17	100	40	100	40	100															
901015	02	15	100																			
901016	02	15	100																			
901017	01	15	100																			
901020	02	130	100	135	100	120	100															
901021	06	20	100	20	100	40	100															
901023	01	300	100	165	100	160	100															
901023	02	500	40	380	60	230	50															
901025	02	7	100																			

Table 4B. (continued)

species	date	sight no.	obs 55		obs 56		obs 67		obs 69		obs 71		obs 77		obs 81	
			best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct
species 13: STRIPED DOLPHIN																
901026	03		190	100	30	100	25	100	45	100	145	100	150	100		
901109	03				50	100	27	100	14	100						
901112	03		50	100	100	100	75	100	180	100						
901113	01				60	100	75	100	35	100						
901113	05				60	100	85	100	45	100						
901114	01				150	100	175	100	75	100						
901114	04															
901116	01		20	100							14	100	20	100		
901120	01		45	100							45	100	130	100		
901126	01		115	100							100	100	200	100		
901126	03				100	100	50	100	34	100						
901126	04				120	100	110	100	70	100						
901127	05		70	100							69	100	80	100		
901203	01				350	100	275	100	280	100						
species 15: ROUGH-TOOTHED DOLPHIN																
901011	05		16	100							12	100	20	100		
901012	03				15	100					12	100	10	100		
901112	04		9	100							150	100	180	100		
901118	05		50	100												
species 17: "SHORT-SNOUDED WHITEBELLY"																
901009	03		570	100												
901009	04										170	100	200	100		
901009	06		190	100							90	100	70	100		
901011	02		130	100							100	100	70	100		
901026	07				1100	100	650	100	1400	100	80	100			40	100
901029	02		1020	100							500	100	1300	100		
901101	02				500	100	450	100	550	100						
901109	05				450	100	570	100	640	100						
901109	07				250	100	240	100	240	100						
901204	01		300	100							160	100	150	100		
species 18: BOTTLENOSED DOLPHIN																
901015	04						45	20	40	30						
901019	03		20	20							60	40	40	25		
901027	05		14	100							9	100	15	100		
901028	02				100	60	275	55	240	60						
901029	01		40	40							70	60				
901030	05				40	100	20	100	18	100						
901030	08		32	100							45	100				
901031	08		30	70			115	80	120	90						
901031	09										20	40	22	60		
901031	12										15	100				
901031	13		36	100							22	100	100	100		
901101	03		50	100							25	100	150	100		
901101	04								3	100						
901108	03										190	80				
901109	02				500	10	350	12	320	6						
901116	02															

Table 4B. (continued)

species	date	sight no.	obs 55			obs 56			obs 67			obs 69			obs 71			obs 77			obs 81		
			best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.
species 18: BOTTLENOSED DOLPHIN																							
	901117	07										35	60										
species 21: RISSO'S DOLPHIN																							
	901015	03				12	100					5	100										
	901018	02																					
	901025	03	12	100																			
	901028	02				100	40		275	45	240	40											
	901028	03							8	100	25	100											
	901030	01				6	100		9	100	7	100											
	901030	06				30	100		15	100	12	100											
	901030	12																					
	901030	13				12	100		11	100	16	100											
	901030	15				12	100																
	901030	18																					
	901031	01																					
	901031	02	12	100																			
	901109	01																					
	901110	01				6	100																
	901110	05	10	100																			
	901118	02							10	100													
	901127	03				8	100																
species 26: FRASER'S DOLPHIN																							
	901116	02				500	85		350	85	320	86											
species 32: PYGMY KILLER WHALE																							
	901124	03	50	100																			
species 33: FALSE KILLER WHALE																							
	901016	04				18	100		20	100	20	100											
	901118	03																					
	901126	05				50	100		35	100													
species 34: PILOT WHALE																							
	901014	07				17	100		16	100	18	100											
	901015	04							45	80	40	70											
	901019	03	20	80																			
	901026	05				10	100		10	100	13	100											
	901027	01							12	100	16	100											
	901029	01																					
	901031	08	40	60					115	20	120	10											
	901031	09	30	30																			
	901031	10																					
	901108	03																					
	901109	02																					
	901114	03				12	100		11	100	25	50											
	901116	02				500	5		350	3	320	8											
	901117	07																					
	901118	01																					
	901123	01	30	80																			

Table 4B. (continued)

species	date	sight no.	obs 55			obs 56			obs 67			obs 69			obs 71			obs 77			obs 81		
			best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	obs	best est.	pct	
species 34: PILOT WHALE	901124	01	10	100										15	100			9	100				
	901124	02																7	100				
species 36: SHORT-FINNED PILOT WHALE	901009	02	35	100			18	100			21	100											
	901010	02	35	100			23	100			24	100											
	901031	04	28	100										20	100			22	100				
species 37: KILLER WHALE	901008	01	3	100			4	100			3	100											
	901113	04	18	100			11	100			14	100											
	901115	01												6	90								
	901118	04	6	100							7	100											
	901130	01	2	100										2	100			2	100				
species 46: SPERM WHALE	901010	01												4	100								
	901013	02																6	100				
	901014	03	1	100			1	100			1	100											
	901023	05					3	100															
	901027	06	6	100										10	100			5	100				
	901027	07	12	100																			
	901029	06																5	100				
	901029	07																5	100				
	901030	04	26	100														22	100				
	901108	03																30	100				
901201	01																190	2					
species 48: DWARF SPERM WHALE	901126	07	3	100										3	100			3	100				
species 49: BEAKED WHALE	901023	07																					
	901027	03	2	100														1	100				
	901028	01	2	100														2	100				
	901031	07																					
	901114	06																					
	901125	01																2	100				
species 51: UNID. MESOPLDONT	901019	04																					
	901020	03																2	100				
	901021	03																1	100				
	901108	01																					
	901113	03	3	100																			
	901113	03	1	100																			
	901121	01																4	100				
species 59: BLAINVILLE'S BEAKED WHALE	901121	02																					

Table 4B. (continued)

species	date	sight no.	obs 55		obs 56		obs 67		obs 69		obs 71		obs 77		obs 81	
			best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct	best est.	pct
species 61: CUVIER'S BEAKED WHALE																
	901009	05			3	100	2	100								
	901029	05														
species 70: RORQUAL																
	901008	03									1	100				
	901016	03									1	100				
	901017	02									1	100				
	901017	04									1	100				
	901017	05									1	100				
	901019	01														
	901020	07			1	100					1	100				
	901026	06									1	100				
	901029	04									1	100				
	901117	03									1	100				
species 71: MINKE WHALE																
	901108	04	2	100							2	100	2	100		
species 72: BRYDE'S WHALE																
	901014	08	2	100							2	100	3	100		
	901021	01	2	100	2	100	2	100	2	100	2	100	2	100		
	901030	10	1	100							1	100	1	100		
species 75: BLUE WHALE																
	901011	04	1	100							1	100			1	100
	901019	05	1	100						1	100	1	100			
	901021	02	2	100	2	100	1	100	1	100	2	100	2	100		
	901023	06	1	100	1	100	1	100	1	100	2	100	2	100		
	901202	01	2	100							2	100	2	100		
species 76: HUMPBACK WHALE																
	901031	05	5	100							3	100	5	100		
	901031	11	2	100							2	100	2	100		
species 77: UNIDENTIFIED DOLPHIN																
	901005	04							30	100						
	901009	01	10	100									2	100		
	901012	02											1	100		
	901020	04														
	901025	04							1	100						
	901030	03	10	100									10	100		
	901030	18			4	25	12	10	5	20	42	25	15	10		
	901112	02	75	10												
	901114	02														
	901115	01									6	10				
	901116	03							1	100						
	901117	05							1	100						
	901117	06									10	100				
	901121	03			200	100	375	100					15	100		
	901122	03	150	100												

Table 4B. (continued)

species	date	sight no.	obs 55			obs 56			obs 67			obs 69			obs 71			obs 77			obs 81		
			best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.	best est.	pct	est.
species 77: UNIDENTIFIED DOLPHIN																							
			30		20																		
	901123	01																					
	901129	01				20		100															
	901201	01																					
species 78: UNIDENTIFIED SMALL WHALE																							
	901013	05																					
	901028	05																					
	901127	02				1		100															
species 79: UNIDENTIFIED LARGE WHALE																							
	901007	01																					
	901008	05																					
	901011	01				1		100															
	901017	03				1		100															
	901022	03				2		100															
	901026	04				1		100															
	901028	04																					
	901110	02				1		100															
	901116	04				1		100															
	901118	06				1		100															
	901124	04				1		100															
species 90: SPOTTED DOLPHIN																							
	901101	05				200		100															
species 96: UNIDENTIFIED CETACEAN																							
	901022	02				2		100															
	901027	02				1		100															
	901027	04																					
	901030	09				1		100															
	901101	01																					
	901108	02				1		100															
	901109	04																					
	901112	01																					
	901119	01				1		100															
species 98: UNIDENTIFIED WHALE																							
	901005	01																					
	901021	04																					
species 99: SEI/BRYDE'S WHALE																							
	901019	02				2		100															
	901020	05				1		100															
	901116	05																					
	901118	07																					
	901128	01				1		100															
	901130	02				1		100															
	901130	03				2		100															

Table 5. Summary of marine mammal sightings encountered in the eastern tropical Pacific during July 28 through December 6, 1990.

species name (scientific name)	species sightings			means of school		size estimates best / (n)
	code	total	pure mixed	low / (n)	high / (n)	
OFFSHORE SPOTTED DOLPHIN (STENELLA ATTENUATA)	2	40	25	15	123.09( 40)	192.84( 40) 152.02( 40)
SPINNER DOLPHIN (STENELLA LONGIROSTRIS)	3	1	0	1	7.47( 1)	70.98( 1) 17.28( 1)
EASTERN SPINNER DOLPHIN (STENELLA LONGIROSTRIS)	10	8	3	5	51.26( 8)	98.66( 8) 68.70( 8)
WHITEBELLY SPINNER DOLPHIN (STENELLA LONGIROSTRIS)	11	16	6	10	158.54( 16)	222.34( 16) 184.37( 16)
STRIPED DOLPHIN (S. COERULEALBA)	13	81	75	6	50.61( 81)	92.11( 79) 66.08( 79)
ROUGH-TOOTHED DOLPHIN (STENO BREDANENSIS)	15	8	7	1	20.03( 8)	30.59( 8) 24.79( 8)
"SHORT-SNOURED WHITEBELLY" (DELPHINUS DELPHIS OFFSHORE)	17	25	24	1	334.28( 25)	515.55( 25) 401.51( 25)
BOTTLENOSED DOLPHIN (TURSIOPS TRUNCATUS)	18	30	10	20	22.15( 30)	33.79( 30) 27.24( 30)
RISSO'S DOLPHIN (GRAMPUS GRISEUS)	21	23	20	3	17.37( 23)	19.11( 22) 14.51( 22)
FRASER'S DOLPHIN (LAGENODELPHIS HOSEI)	26	3	0	3	427.54( 3)	625.79( 3) 514.05( 3)
UNIDENTIFIED DOLPHIN	77	94	85	9	9.30( 94)	63.66( 67) 18.40( 67)
SPOTTED DOLPHIN (STENELLA ATTENUATA)	90	1	1	0	170.00( 1)	367.00( 1) 217.00( 1)

Table 5. (continued)

species name (scientific name)	species species sightings			means of school		size estimates	
	code	total	pure mixed	low / (n)	high / (n)	best / (n)	best / (n)
UNID. SMALL 7-9FT BLACK WHALE (FERESA/PEPONOCEPHALA)	1	1	0 1	1.40( 1)	3.50( 1)	2.24( 1)	2.24( 1)
MELON-HEADED WHALE (PEPONOCEPHALA ELECTRA)	31	2	0 2	82.67( 2)	123.11( 2)	99.39( 2)	99.39( 2)
PYGMY KILLER WHALE (FERESA ATTENUATA)	32	4	4 0	20.25( 4)	28.50( 4)	22.50( 4)	22.50( 4)
FALSE KILLER WHALE (PSEUDORCA GRASSIDENS)	33	5	4 1	11.59( 5)	21.67( 5)	15.07( 5)	15.07( 5)
PILOT WHALE (GLOBICEPHALA SP.)	34	27	14 13	15.02( 27)	25.40( 24)	19.38( 24)	19.38( 24)
SHORT-FINNED PILOT WHALE (GLOBICEPHALA MACRORHYNCHUS)	36	12	9 3	13.32( 12)	21.86( 12)	17.10( 12)	17.10( 12)
KILLER WHALE (ORCINUS ORCA)	37	8	7 1	4.49( 8)	6.26( 8)	5.27( 8)	5.27( 8)
SPERM WHALE (PHYSETER MACROCEPHALUS)	46	18	16 2	4.78( 18)	7.02( 18)	5.31( 18)	5.31( 18)
DWARF SPERM WHALE (KOGIA SIMUS)	48	1	1 0	3.00( 1)	3.00( 1)	3.00( 1)	3.00( 1)
BEAKED WHALE (ZIPHIID)	49	8	8 0	1.87( 8)	2.12( 8)	1.87( 8)	1.87( 8)
UNID. MESOPLONDON (MESOPLONDON SP.)	51	13	13 0	1.85( 13)	2.15( 13)	1.92( 13)	1.92( 13)
BLAINVILLE'S BEAKED WHALE (MESOPLONDON DENSTROSTRIS)	59	2	2 0	4.00( 2)	4.50( 2)	4.00( 2)	4.00( 2)
CUVIER'S BEAKED WHALE (ZIPHIUS CAVIROSTRIS)	61	14	14 0	1.79( 14)	2.07( 14)	2.07( 14)	2.07( 14)
RORQUAL (BALAENOPTERA SP.)	70	24	22 2	1.12( 23)	1.39( 23)	1.12( 23)	1.12( 23)
MINKE WHALE (B.ACUTOROSTRATA)	71	1	1 0	2.00( 1)	2.00( 1)	2.00( 1)	2.00( 1)
BRYDE'S WHALE (B. EDENI)	72	10	10 0	1.40( 10)	1.40( 10)	1.40( 10)	1.40( 10)
BLUE WHALE (B. MUSCULUS)	75	7	7 0	1.43( 7)	1.57( 7)	1.57( 7)	1.57( 7)
HUMPBACK WHALE (MEGAPTERA NOVAEANGLIAE)	76	4	4 0	2.00( 4)	2.25( 4)	2.00( 4)	2.00( 4)
UNIDENTIFIED SMALL WHALE	78	11	11 0	1.36( 11)	1.40( 10)	1.40( 10)	1.40( 10)
UNIDENTIFIED LARGE WHALE	79	17	17 0	1.41( 17)	2.18( 17)	1.53( 17)	1.53( 17)
UNIDENTIFIED KOGIA (KOGIA SP.?)	80	1	1 0	1.00( 1)	1.00( 1)	1.00( 1)	1.00( 1)
UNIDENTIFIED CETACEAN	96	17	17 0	1.75( 16)	2.86( 14)	1.93( 14)	1.93( 14)
UNIDENTIFIED WHALE	98	18	17 1	1.11( 18)	1.44( 18)	1.28( 18)	1.28( 18)
SEI/BRYDE'S WHALE	99	15	13 2	1.76( 15)	2.03( 15)	1.76( 15)	1.76( 15)



Table 6. Summary of distance searched, dolphin schools detected, and rates of encountering dolphins by observers aboard the McArthur in the eastern tropical Pacific during July 28 through December 6, 1990.

	Distance Searched (km) <sup>1</sup>	Percent Distance Searched	Number Schools Detected	Percent Schools Detected	Detection Rate (Schools/1000 km)	S.E. Detection Rate	Number <sup>2</sup> Days Searched
All Data	17819	100	272	100	15.26	2.32	105
Inshore	3036	17	60	22	19.76	15.40	21
Middle	3667	21	61	22	16.64	17.19	26
West	4684	26	59	22	12.60	3.16	29
South	6432	36	92	34	14.30	6.34	35
Sea State Conditions							
Calm	1097	6	29	11	26.43	42.38	17
Rough	16722	94	243	89	14.53	2.21	104
Visibility Conditions							
Good	13697	77	192	71	14.02	2.15	103
Poor	4122	23	80	29	19.41	10.78	85
Observers <sup>3</sup>							
1	3931	22	25	9	6.36	2.90	51
7	4288	24	26	10	6.06	1.57	51
22	4087	23	17	6	4.16	1.80	49
55	4922	28	27	10	5.49	1.00	53
56	4674	26	23	8	4.92	0.85	53
67	4688	26	22	8	4.69	1.06	53
69	4688	26	19	7	4.05	1.10	53
71	4908	28	36	13	7.33	1.88	53
74	3952	22	27	10	6.83	1.92	51
75	4234	24	11	4	2.60	0.69	51
76	3945	22	28	10	7.10	2.23	51
77	4846	27	11	4	2.27	0.65	54

Table 6. (continued)

Teams <sup>4</sup>	Distance Searched (km)	Percent Distance Searched	Number Schools Detected	Percent Schools Detected	Detection Rate (Schools/ 1000 km)	S.E. Detection Rate	Number <sup>2</sup> Days Searched
Team 1	3905	22	77	28	19.72	10.66	51
Team 2	4261	24	56	21	13.14	7.85	51
Team 3	4922	28	74	27	15.03	4.67	53
Team 4	4674	26	64	24	13.69	4.52	53

<sup>1</sup>Numbers may not add precisely due to rounding.

2Day included in tally of searching effort if variable occurred during any part of the day.

<sup>3</sup>Observers 81 and 83 searched 82 km and 197 km of trackline, respectively, while substituting for sick personnel.

<sup>4</sup>Team 1 members were observers 1,74,76; Team 2 members were observers 7,22,75; Team 3 members were observers 55,71,77; and Team 4 members were observers 56,67,69. 57km of trackline was searched when either both or neither of the team leaders were on duty and is not used for team analysis.




Figure 1. Tracklines surveyed by the NOAA ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.



CRUISE #	DATE			SIGHT #	SERIES #	LEG #	CARD #
	YEAR	MONTH	DAY				
							0 1

# RESEARCH SHIP MARINE MAMMAL SIGHTING RECORD

SIGHTING CUE				ENVIR. COND. AT CUE				POSITION AT TIME OF CUE				TIME M.M. SIGHTED	OBSERVER POSITIONS					
TIME	CUE CODE	SIGHT CODE	BEARING FROM SHIP	DISTANCE nm & 10ths	BEAU	SURF TEMP °F & 10ths	HORZ SUN	VERT SUN	LATITUDE	N/S	LONGITUDE		E/W	SOURCE CODE	N	LEFT BINO.	RIGHT BINO.	REC
19																		

## OBSERVER 1

OBS. CODE	SCHOOL SIZE ESTIMATE			CARD #	SPECIES PROPORTIONS													
	BEST	HIGH	LOW		SPECIES 1 %	SP 1 CODE	SPECIES 2 %	SP 2 CODE	SPECIES 3 %	SP 3 CODE	SPECIES 4 %	SP 4 CODE						
				0 2														
64	66	70	74	77	17	19	22	24	27	29	32	34	37					
S P 1		S P 2			S P 3			S P 4										

## OBSERVER 2

OBS. CODE	SCHOOL SIZE ESTIMATE			SPECIES PROPORTIONS										
	BEST	HIGH	LOW	SPECIES 1 %	SP 1 CODE	SPECIES 2 %	SP 2 CODE	SPECIES 3 %	SP 3 CODE	SPECIES 4 %	SP 4 CODE			
39	41	45	49	53	56	58	61	63	66	68	71			
S P 1		S P 2			S P 3			S P 4						

## OBSERVER 3

OBS. CODE	BEST	CARD #	HIGH	LOW	SPECIES PROPORTIONS									
					SPECIES 1 %	SP 1 CODE	SPECIES 2 %	SP 2 CODE	SPECIES 3 %	SP 3 CODE	SPECIES 4 %	SP 4 CODE		
		0 3												
73	75	78	17	19	23	27	30	32	35	37	40	42	45	
S P 1		S P 2			S P 3			S P 4						

## OBSERVER 4

OBS. CODE	BEST	HIGH	LOW	SPECIES 1 %	SP 1 CODE	SPECIES 2 %	SP 2 CODE	SPECIES 3 %	SP 3 CODE	SPECIES 4 %	CARD #	SP 4 CODE		
47	49	53	57	61	64	66	69	71	74	76	78	17	19	
S P 1		S P 2			S P 3			S P 4						


## OBSERVER 5

OBS. CODE	SCHOOL SIZE ESTIMATE			SPECIES PROPORTIONS										
	BEST	HIGH	LOW	SPECIES 1 %	SP 1 CODE	SPECIES 2 %	SP 2 CODE	SPECIES 3 %	SP 3 CODE	SPECIES 4 %	SP 4 CODE			
	23	27	31	35	38	40	43	45	50	53				
S P 1		S P 2			S P 3			S P 4						


## OBSERVER 6

OBS. CODE	SCHOOL SIZE ESTIMATE			SPECIES PROPORTIONS								RC 1	RC 2	RC 3	RC 4	RC 5	RC 6		
	BEST	HIGH	LOW	SPECIES 1 %	SP 1 CODE	SPECIES 2 %	SP 2 CODE	CARD #	SPECIES 3 %	SP 3 CODE	SPECIES 4 %							SP 4 CODE	
								0 5											
55	57	61	65	69	72	74	77	78	17	19	22	24	27	29	30	31	32	33	34
S P 1		S P 2			S P 3			S P 4											

Figure 3. Research ship marine mammal sighting record.



**VERTICAL SUN POSITION**



**HORIZONTAL SUN POSITION**

Figure 4. Vertical and horizontal sun position categories.

Figure 5. Research ship sighting continuation record.

CRUISE #	DATE			SIGHT #	SERIES #	LEG #	OBS. CODE
	YEAR	MONTH	DAY				
1	5	7	9	11	13	15	17

SKETCH FEATURES OF ANIMALS SIGHTED

**SIGHTING SUMMARY**

LIST ALL DIAGNOSTIC FEATURES OBSERVED  
(INCLUDING ESTIMATED BODY LENGTH)

BEHAVIOR – (DESCRIBE AGGREGATION, MOVEMENT, BOW AND STERN RIDING, BLOWS, ETC.)

MOVEMENT OF SCHOOL: SPEED (KTS)

DIRECTION (RELATIVE TO BOW)

ASSOCIATED ANIMALS – (INCLUDE NUMBER AND SPECIES OF BIRDS)

PHOTOS: ROLL #

FRAME(S): #

TOTAL  
TIME OF  
OBSERVATION

ENVIR. COND.  
(RAIN, OVERCAST,  
FOG, CHOPPY)

CLOSEST  
DISTANCE OF  
OBSERVATION

AMT. OF TIME  
AT CLOSEST  
DISTANCE

TAGS  
ASSOCIATED  
WITH SIGHTING

METHOD OF  
OBSERVATION  
(EYE, 7x, 10x, 25x)




Figure 6. Offshore (+) and unidentified (∇) spotted dolphins detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.






Figure 7. Eastern (+), whitebelly (o) and unidentified (▽) spinner dolphins detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 8. Offshore common dolphins (▽) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 9. Striped dolphins (+) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 10. Bottlenose dolphins (+) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 11. Risso's dolphins (+) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 12. Rough-toothed dolphins (+) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 13. Unidentified (+) and short-finned (o) pilot whales detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 14. Sperm (+), dwarf sperm (o) and unidentified sperm (dwarf/pygmy; □) whales detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.






Figure 15. Unidentified rorqual (+), Bryde's (o), blue (▽), minke (□), humpback (o) and unidentified (sei/Bryde's; x) whales detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 16. Unidentified beaked (+), Cuvier's beaked (o), unidentified mesoplodon (▽) and Blaineville's beaked (Δ) whales detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 17. Killer (+) and false killer (o) whales, Fraser's dolphins (▽) and melon-headed (□), pygmy killer (o) and unidentified (melon-headed/pygmy killer; x) whales detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 18. Unidentified dolphins (+) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.




Figure 19. Unidentified small whales (+), unidentified whales (○), unidentified large whales (▽) and unidentified cetaceans (□) detected from aboard the NOAA Ship McArthur from July 28 through December 6, 1990, in the eastern tropical Pacific.

## RECENT TECHNICAL MEMORANDUMS

Copies of this and other NOAA Technical Memorandums are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22167. Paper copies vary in price. Microfiche copies cost \$4.50. Recent issues of NOAA Technical Memorandums from the NMFS Southwest Fisheries Science Center are listed below:

- NOAA-TM-NMFS-SWFSC- 149 Summary of the 1988 U.S. tuna/porpoise observer data.  
A.R. JACKSON  
(September 1990)
- 150 Population monitoring of the Hawaiian Monk Seal, *Monachus schauinslandi*, and captive maintenance project at Kure Atoll, 1988.  
J.R. HENDERSON and M.R. FINNEGAN  
(September 1990)
- 151 The Hawaiian Monk Seal on Laysan Island, 1988.  
T.C. JOHANOS, B.L. BECKER, M.A. BROWN, B.K. CHOY,  
L.M. HURUKI, R.E. BRAINARD and R.L. WESTLAKE  
(September 1990)
- 152 A personal computer based system for analog-to-digital and serial communication data acquisition.  
R.C. HOLLAND  
(November 1990)
- 153 The nearshore physical oceanography off the central California coast during May-June, 1989: A summary of CTD from juvenile rockfish surveys.  
F.B. SCHWING, S. RALSTON, D.M. HUSBY and W.H. LENARZ  
(December 1990)
- 154 Proceedings of the second international conference on marine debris 2-7 April, 1989, Honolulu, Hawaii. Volumes I & II.  
R.S. SHOMURA and M.L. GODFREY (Editors)  
(December 1990)
- 155 The Hawaiian Monk Seal, *Monachus schauinslandi*, at Kure Atoll, 1982-83.  
C.E. BOWLBY, P.D. SCOGGINS, R.T. WATSON and M.L. REDDY  
(February 1991)
- 156 Research plan for marine turtle fibropapilloma results of a December 1990 workshop.  
G.H. BALAZS and S.G. POOLEY (Editors)  
(February 1991)
- 157 Documentation of the 1980 data verification programs and common subroutines for fixed-format data: Porpoise data management system.  
C.W. OLIVER and R.L. BUTLER  
(March 1991)
- 158 Report of a marine mammal survey of the eastern tropical Pacific aboard the research vessel *David Starr Jordan*, July 28-December 6, 1990.  
P.S. HILL, R.C. RASMUSSEN and T. GERRODETTE  
(May 1991)